STATEWIDE

Reported Behavior	Racial or ethnic minority weighted n=2,465	White non-Hispanic weighted n=33,135
Safety belt use (never, rarely, or sometimes)*	28%	16%
Vomited or took laxatives to control their weight (during the past 30 days)*	9%	3%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	11%	5%
Threatened or injured with a weapon at school (during the past 12 months)*	14%	5%
Was bullied (during past 30 days)*	24%	15%
Physical fighting (during past 12 months)*	40%	26%
Smoked cigarettes (during past 30 days)*	24%	15%
Binge drinking (during past 30 days)	27%	20%
Marijuana use (during past 30 days)	30%	21%
Cocaine use (during past 30 days)*	12%	3%
Heroin use (ever)*	12%	2%
Injected drugs (ever)*	10%	2%
Attempted suicide (during past 12 months)*	11%	4%

Statewide, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Vomiting or taking laxatives to control weight in the past 30 days
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Being bullied in the past 30 days
- Physical fighting in the past 12 months
- Smoking cigarettes in the past 30 days
- Cocaine use in the past 30 days
- · Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

^{*} Statistically different

ADDISON COUNTY

Reported Behavior	Racial or ethnic minority n=162	White non- Hispanic n=1452
Safety belt use (never, rarely, or sometimes)*	28%	14%
Vomited or took laxatives to control their weight (during the past 30 days)*	13%	3%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	9%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	16%	4%
Was bullied (during past 30 days)*	29%	14%
Physical fighting (during past 12 months)*	41%	24%
Smoked cigarettes (during past 30 days)	25%	16%
Binge drinking (during past 30 days)	28%	18%
Marijuana use (during past 30 days)*	35%	20%
Cocaine use (during past 30 days)		2%
Heroin use (ever)*	9%	1%
Injected drugs (ever)		1%
Attempted suicide (during past 12 months)*	16%	7%

In Addison County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Vomiting or taking laxatives to control weight in the past 30 days
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Being bullied in the past 30 days
- Physical fighting in the past 12 months
- Marijuana use in the past 30 days
- Heroin use ever
- Attempting suicide in the past 12 months

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

^{*}Statistically different

BENNINGTON COUNTY

Reported Behavior	Racial or ethnic minority n=194	White non- Hispanic n=1237
Safety belt use (never, rarely, or sometimes)	23%	17%
Vomited or took laxatives to control their weight (during the past 30 days)		5%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	10%	3%
Threatened or injured with a weapon at school (during the past 12 months)	8%	5%
Was bullied (during past 30 days)	20%	13%
Physical fighting (during past 12 months)*	36%	24%
Smoked cigarettes (during past 30 days)	24%	18%
Binge drinking (during past 30 days)	25%	21%
Marijuana use (during past 30 days)	28%	24%
Cocaine use (during past 30 days)	8%	4%
Heroin use (ever)		3%
Injected drugs (ever)		2%
Attempted suicide (during past 12 months)	15%	9%

In Bennington County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Physical fighting in the past 12 months

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

^{*}Statistically different

CALEDONIA AND ESSEX COUNTIES

Reported Behavior	Racial or ethnic minority n=167	White non- Hispanic n=929
Safety belt use (never, rarely, or sometimes)	26%	20%
Vomited or took laxatives to control their weight (during the past 30 days)		2%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)	10%	4%
Threatened or injured with a weapon at school (during the past 12 months)	11%	5%
Was bullied (during past 30 days)	20%	16%
Physical fighting (during past 12 months)	35%	28%
Smoked cigarettes (during past 30 days)	27%	21%
Binge drinking (during past 30 days)	18%	21%
Marijuana use (during past 30 days)	25%	19%
Cocaine use (during past 30 days)		3%
Heroin use (ever)*	9%	3%
Injected drugs (ever)		2%
Attempted suicide (during past 12 months)	16%	8%

In Caledonia and Essex Counties, which were combined due to sample size, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

• Heroin use ever

^{*}Statistically different

⁻⁻ indicates that the percent was suppressed because fewer than 15 students responded "yes"

CHITTENDEN COUNTY

Reported Behavior	Racial or ethnic minority n=939	White non- Hispanic n=5161
Safety belt use (never, rarely, or sometimes)*	21%	10%
Vomited or took laxatives to control their weight (during the past 30 days)*	7%	3%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	8%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	12%	5%
Was bullied (during past 30 days)	18%	15%
Physical fighting (during past 12 months)*	35%	22%
Smoked cigarettes (during past 30 days)*	18%	9%
Binge drinking (during past 30 days)*	27%	18%
Marijuana use (during past 30 days)*	30%	20%
Cocaine use (during past 30 days)*	12%	3%
Heroin use (ever)*	11%	2%
Injected drugs (ever)*	9%	1%
Attempted suicide (during past 12 months)*	15%	6%

In Chittenden County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Vomiting or taking laxatives to control weight in the past 30 days
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Physical fighting in the past 12 months
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Marijuana use in the past 30 days
- Cocaine use in the past 30 days
- Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

*Statistically different

FRANKLIN AND GRAND ISLE COUNTIES

Reported Behavior	Racial or ethnic minority n=297	White non- Hispanic n=2434
Safety belt use (never, rarely, or sometimes)	27%	21%
Vomited or took laxatives to control their weight (during the past 30 days)*	10%	4%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	14%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	13%	5%
Was bullied (during past 30 days)	27%	21%
Physical fighting (during past 12 months)*	45%	25%
Smoked cigarettes (during past 30 days)*	25%	17%
Binge drinking (during past 30 days)*	27%	19%
Marijuana use (during past 30 days)*	32%	20%
Cocaine use (during past 30 days)*	13%	3%
Heroin use (ever)*	12%	2%
Injected drugs (ever)*	10%	1%
Attempted suicide (during past 12 months)*	22%	9%

In Franklin and Grand Isle Counties, which were combined due to sample size, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Vomiting or taking laxatives to control weight in the past 30 days
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Physical fighting in the past 12 months
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Marijuana use in the past 30 days
- Cocaine use in the past 30 days
- · Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

*Statistically different

LAMOILLE COUNTY

Reported Behavior	Racial or ethnic minority n=127	White non- Hispanic n=903
Safety belt use (never, rarely, or sometimes)	19%	20%
Vomited or took laxatives to control their weight (during the past 30 days)	10%	4%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)		4%
Threatened or injured with a weapon at school (during the past 12 months)	13%	5%
Was bullied (during past 30 days)	23%	18%
Physical fighting (during past 12 months)*	47%	31%
Smoked cigarettes (during past 30 days)	26%	21%
Binge drinking (during past 30 days)	30%	22%
Marijuana use (during past 30 days)*	36%	24%
Cocaine use (during past 30 days)		3%
Heroin use (ever)*	12%	2%
Injected drugs (ever)		2%
Attempted suicide (during past 12 months)	17%	8%

In Lamoille County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Physical fighting in the past 12 months
- Marijuana use in the past 30 days
- Heroin use ever

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

^{*}Statistically different

ORANGE COUNTY

CHARGE COOKT	Racial or ethnic	White non-
Reported Behavior	minority n=123	Hispanic n=974
Safety belt use (never, rarely, or sometimes)	28%	19%
Vomited or took laxatives to control their weight (during the past 30 days)		4%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)	15%	7%
Threatened or injured with a weapon at school (during the past 12 months)	13%	6%
Was bullied (during past 30 days)	23%	17%
Physical fighting (during past 12 months)	38%	28%
Smoked cigarettes (during past 30 days)	20%	14%
Binge drinking (during past 30 days)	25%	22%
Marijuana use (during past 30 days)	22%	17%
Cocaine use (during past 30 days)		3%
Heroin use (ever)		2%
Injected drugs (ever)		1%
Attempted suicide (during past 12 months)	15%	8%

In Orange County, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 13 behaviors reported above.

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

ORLEANS COUNTY

Reported Behavior	Racial or ethnic minority n=139	White non- Hispanic n=1049
Safety belt use (never, rarely, or sometimes)	34%	24%
Vomited or took laxatives to control their weight (during the past 30 days)	11%	4%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	13%	4%
Threatened or injured with a weapon at school (during the past 12 months)*	19%	6%
Was bullied (during past 30 days)	25%	18%
Physical fighting (during past 12 months)*	54%	29%
Smoked cigarettes (during past 30 days)*	39%	20%
Binge drinking (during past 30 days)*	37%	24%
Marijuana use (during past 30 days)*	38%	19%
Cocaine use (during past 30 days)*	14%	4%
Heroin use (ever)*	14%	3%
Injected drugs (ever)*	13%	2%
Attempted suicide (during past 12 months)*	16%	7%

In Orleans County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Physical fighting in the past 12 months
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Marijuana use in the past 30 days
- Cocaine use in the past 30 days
- Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

^{*}Statistically different

RUTLAND COUNTY

Reported Behavior	Racial or ethnic minority n=222	White non- Hispanic n=1661
Safety belt use (never, rarely, or sometimes)*	29%	16%
Vomited or took laxatives to control their weight (during the past 30 days)		4%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	11%	4%
Threatened or injured with a weapon at school (during the past 12 months)*	14%	6%
Was bullied (during past 30 days)	23%	19%
Physical fighting (during past 12 months)*	44%	28%
Smoked cigarettes (during past 30 days)*	28%	16%
Binge drinking (during past 30 days)*	29%	18%
Marijuana use (during past 30 days)*	31%	21%
Cocaine use (during past 30 days)*	15%	3%
Heroin use (ever)*	14%	2%
Injected drugs (ever)*	12%	2%
Attempted suicide (during past 12 months)*	19%	9%

In Rutland County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Physical fighting in the past 12 months
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Marijuana use in the past 30 days
- Cocaine use in the past 30 days
- · Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

^{*}Statistically different

WASHINGTON COUNTY

Reported Behavior	Racial or ethnic minority n=313	White non- Hispanic n=2161
Safety belt use (never, rarely, or sometimes)*	27%	15%
Vomited or took laxatives to control their weight (during the past 30 days)	7%	3%
Skipped school due to feeling unsafe on route to or at school (during past 30 days)*	12%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	15%	6%
Was bullied (during past 30 days)*	26%	17%
Physical fighting (during past 12 months)*	44%	27%
Smoked cigarettes (during past 30 days)	22%	16%
Binge drinking (during past 30 days)	26%	21%
Marijuana use (during past 30 days)*	37%	25%
Cocaine use (during past 30 days)*	12%	3%
Heroin use (ever)*	12%	2%
Injected drugs (ever)*	10%	2%
Attempted suicide (during past 12 months)*	21%	8%

In Washington County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Being bullied in the past 12 months
- Physical fighting in the past 12 months
- Marijuana use in the past 30 days
- Cocaine use in the past 30 days
- Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

^{*}Statistically different

WINDHAM COUNTY

Reported Behavior	Racial or ethnic minority n=235	White non- Hispanic n=1233
Safety belt use (never, rarely, or sometimes)*	30%	18%
Vomited or took laxatives to control their weight (during the past 30 days)*	10%	3%
Skipped school because of feeling unsafe on route to or at school (during past 30 days)*	9%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	16%	6%
Was bullied (during past 30 days)	18%	14%
Physical fighting (during past 12 months)*	45%	27%
Smoked cigarettes (during past 30 days)*	27%	18%
Binge drinking (during past 30 days)	27%	23%
Marijuana use (during past 30 days)	32%	28%
Cocaine use (during past 30 days)*	11%	3%
Heroin use (ever)*	11%	3%
Injected drugs (ever)*	10%	2%
Attempted suicide (during past 12 months)*	21%	8%

In Windham County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Vomiting or taking laxatives to control weight in the past 30 days
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Physical fighting in the past 12 months
- Cigarette smoking in the past 30 days
- Cocaine use in the past 30 days
- Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

^{*}Statistically different

WINDSOR COUNTY

Reported Behavior	Racial or ethnic minority n=302	White non- Hispanic n=1983
Safety belt use (never, rarely, or sometimes)*	25%	17%
Vomited or took laxatives to control their weight (during the past 30 days)	6%	4%
Skipped school because of feeling unsafe on route to or at school (during past 30 days)*	10%	3%
Threatened or injured with a weapon at school (during the past 12 months)*	13%	5%
Was bullied (during past 30 days)*	23%	15%
Physical fighting (during past 12 months)*	40%	25%
Smoked cigarettes (during past 30 days)	21%	16%
Binge drinking (during past 30 days)	24%	20%
Marijuana use (during past 30 days)	31%	25%
Cocaine use (during past 30 days)*	10%	4%
Heroin use (ever)*	8%	2%
Injected drugs (ever)*	7%	1%
Attempted suicide (during past 12 months)*	18%	8%

In Windsor County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Sometimes, rarely, or never wearing safety belts
- Skipping school due to feeling unsafe on route to or at school in the past 30 days
- Being threatened or injured with a weapon at school in the past 12 months
- Being bullied in the past 30 days
- Physical fighting in the past 12 months
- Cocaine use in the past 30 days
- Heroin use ever
- Injecting drugs ever
- Attempting suicide in the past 12 months

^{*}Statistically different