
2017 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

REPORT FOR BATTENKILL VALLEY SU (SU060)

Copies of the questionnaires, state-wide reports, data briefs, and additional sub-state reports are available online. Visit the Vermont Department of Health YRBS website at <http://healthvermont.gov/yrbs>

TABLE OF CONTENTS

About the YRBS	4
Methodology	4
Using the YRBS Results	5
HIGH SCHOOL RESULTS	7
Section 1: Demographics	8
Section 2: Personal Safety	9
Section 3: Mental Health	18
Section 4: Substance Use	20
Section 5: Sexual Health	47
Section 6: BMI and Weight Perceptions	53
Section 7: Physical Activity and Nutrition	55
Section 8: Social Determinants of Health	63
Section 9: Youth Assets and Other Protective Factors	65
MIDDLE SCHOOL RESULTS	70
Section 1: Demographics	71
Section 2: Personal Safety	72
Section 3: Mental Health	77
Section 4: Substance Use	78
Section 5: Sexual Activity	88
Section 6: Physical Activity and Nutrition	89
Section 7: Social Determinants of Health	94
Section 8: Youth Assets and Other Protective Factors	95

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who participate in the Youth Risk Behavior Survey each year.

Visit the Vermont Department of Health YRBS website at: www.healthvermont.gov/yrbs

About the YRBS

The Youth Risk Behavior Survey (YRBS) is a national school-based survey that monitors the health-risk behaviors that contribute to the leading causes of death and disability among youth and young adults. These include:

- Behaviors that contribute to unintentional injuries and violence
- Alcohol and other drug use
- Tobacco use
- Unhealthy dietary behaviors
- Inadequate physical activity
- Sexual health behaviors related to unintended pregnancy and STDs

The YRBS also measures other high priority health-related behaviors and protective factors. These include:

- Prevalence of obesity
- Attitudes and perceptions related to substance use
- Food and housing insecurity
- Youth assets
- Academic achievement
- Sexual Orientation and sex of sexual contacts

In Vermont, the YRBS has been conducted during the spring semester of odd years since 1993.

Methodology

The YRBS is conducted every two years during the spring semester. In Vermont, the Department of Health works with the Agency of Education and the CDC to conduct two separate surveys: a high school survey of students in grades 9 through 12, and a middle school survey of middle school students in grades 6 through 8. These surveys are conducted as a census at all public schools and select independent schools across the state.

The middle school and high school surveys differ slightly. The shorter middle school survey focuses more on lifetime behaviors and includes questions on fighting, bullying, suicidality, substance use, attitudes and perceptions about substance use, sexual activity, nutrition, physical activity, youth assets, and other factors related to health equity. The high school survey includes questions on these topics as well as more in-depth questions on current behaviors as well as self-reported height and weight, driving behaviors, and other drugs used.

Student participation in the YRBS is anonymous and voluntary. During the spring semester schools were asked to set aside a class period, such during all math classes or during a specific period, to administer the survey. Students were read a set of directions and completed a self-administered paper and pencil questionnaire.

In addition, numerous precautions are taken to ensure the reliability and validity of the results. The Centers for Disease Control and Prevention (CDC) runs over 100 consistency checks on the data to exclude careless, invalid, or logically inconsistent answers. These internal reliability checks help identify the small percentage of students who falsify their answers. The CDC also weights data, a mathematical procedure that makes data representative of the population from which it was drawn. Only states with an overall response rate of at least 60% are weighted based on gender, grade, and race/ethnicity. These precautions can reduce some sources of error, but not all.

Additional information about the methodology of the national, state, and large urban school district YRBS has been described elsewhere and can be found online from the CDC's Healthy Youth-DASH website at:

<https://www.cdc.gov/healthyouth/data/yrbs/methods>

Using the YRBS Results

Using the YRBS to engage students, schools, and communities

The YRBS can detect changes in risk behaviors over time and identify differences among ages, grades, and genders. With these data, school and community organizations can focus prevention efforts and determine whether school policies and community programs are having the intended effect on student behaviors.

Think of the YRBS as a tool for starting discussions, for educating the community, for planning and evaluating programs, and for comparing Vermont students with other students nationwide.

Start the Conversation: Use the YRBS to begin a conversation with teens about the personal choices they make or about the health of their community. Ask them if the results accurately reflect what they see happening around them. How do they explain the results? From their perspective, what is or is not working? How would they promote healthy behaviors?

Increase Awareness: The YRBS provides an opportunity to break through “denial” and make community members aware of the risks that their young people face. It can also dispel myths and correct misinformation about the “average teenager.” The YRBS can accentuate the positive and celebrate the fact that many students are abstaining from behaviors that endanger their health and their ability to succeed.

Plan and Evaluate Programs: The YRBS can serve as the basis of a community needs assessment. It can help identify strengths and weaknesses in communities and can inform strategies to address those weaknesses.

Remember to Look at the Positive Side: In most cases, the majority of adolescents are NOT engaging in risky behaviors. Although most of the charts examine the prevalence of risk behaviors, please do not forget about the percentage of adolescents who are NOT engaging in these behaviors.

Participate in Getting to 'Y': Getting to Y provides an opportunity for students to take a lead in bringing meaning to their own Youth Risk Behavior Survey data and taking steps to strengthen their school and community based on their findings. Schools and districts across the state form teams to analyze local level data, identify areas of strength and concern, and create a preliminary action plan. Through the Getting to 'Y' program, students attend a training day where they learn tools and strategies to examine data, explore root causes, and create next action steps. In addition, teams plan and host a community dialogue event to share their executive summary with the school and community.

For more information on upcoming Getting to Y trainings, newsletters, and resources visit [Getting to Y at http://www.upforlearning.org/initiatives/getting-to-y](http://www.upforlearning.org/initiatives/getting-to-y)

Populations in Focus

The Vermont Department of Health acknowledges that these inequities can have a greater impact than individual choices. To identify disparities and help tell the complex story of youth across Vermont, when possible, health-related factors and behaviors experienced by the following populations are noted:

- Sex (biological)
- Grade
- Race, Ethnicity
- Sexual Orientation

Populations presented vary depending on the size of the SU/SD or district. Smaller area may have limitations based on sample size that prevent all populations to be included.

To maintain anonymity and confidence in results, data is suppressed when the numerator is < 5 or the denominator is < 50 students. Suppression is indicated by a dot (.) and 'Too few students'.

Understanding and Interpreting the Results

The results in this report are weighted by gender, grade, and race/ethnicity in order to compensate for absenteeism and incomplete surveys. The weighting allows the results to be fully representative of middle school students in grades six through eight (middle school survey) and high school students grades nine through twelve (high school survey). Weighting permits us to draw inferences about the school-based student population in Vermont.

Throughout this report, statistically significant differences are noted for the overall estimates by comparing the local and statewide results. Comparisons are also made for students within a local area, such as between male and female students in a particular SU/SD.

Statistical significance is calculated by comparing the 95% confidence intervals of two or more values. If the confidence intervals overlap, the percentages are not different. In other words, the two groups are not statistically different from one another. If the confidence intervals do not overlap, there is a statistical difference between the two groups, indicating that the difference is caused by something other than random chance.

Smaller groups (e.g. a SU/SD, female students, etc.) tend to have wider confidence intervals, thus when compared with another group the two may not be statistically different. In other words, when comparing the responses of two or more groups, the overall percent's may look very different, but the two numbers are not statistically different.

While this report notes statistical differences, we encourage you to consider meaningful difference: does the disparity merit a targeted intervention, show a real change in health, or otherwise mean something important to the community (statistics aside).

HIGH SCHOOL RESULTS

BATTENKILL VALLEY SU (SU060) REPORT

<http://healthvermont.gov/yrbs.aspx>

2017 VERMONT YOUTH RISK BEHAVIOR SURVEY
 BATTENKILL VALLEY SU (SU060) REPORT
 HIGH SCHOOL RESULTS

SECTION 1: DEMOGRAPHICS

HIGH SCHOOL DEMOGRAPHICS		
	SU/SD	VT
Total	133	27349

		SU/SD	VT
Sex	Male	57%	51%
	Female	43%	49%
Grade	9th Grade	29%	25%
	10th Grade	30%	25%
	11th Grade	21%	25%
	12th Grade	20%	25%
Race / Ethnicity	White, non-Hispanic (WnH)	96%	83%
	Students of Color (REM)	4%	17%
Sexual Orientation	Heterosexual / Cisgender (Het/Cis)	92%	89%
	Lesbian, Gay, Bisexual, or Transgender(LGBT)	8%	11%

SECTION 2: PERSONAL SAFETY
 VIOLENCE AND BULLYING

WERE IN A PHYSICAL FIGHT, PAST YEAR				
		SU/SD	VT	
Overall		11%	17%	Overall Differences: State vs SU
Sex	Male	.	22%	VT > SU
	Female	.	11%	Within SU Differences
Grade	9th / 10th	.	19%	Too few students by sex
	11th / 12th	.	14%	Too few students by grade

WERE IN A PHYSICAL FIGHT ON SCHOOL PROPERTY, PAST YEAR				
		SU/SD	VT	
Overall		.	7%	Overall Differences: State vs SU
Sex	Male	.	9%	Too few students
	Female	.	3%	Within SU Differences
Grade	9th / 10th	.	8%	Too few students by sex
	11th / 12th	.	5%	Too few students by grade

CARRIED A WEAPON ON SCHOOL PROPERTY, PAST 30 DAYS				
		SU/SD	VT	
Overall		.	7%	Overall Differences: State vs SU
Sex	Male	.	10%	Too few students
	Female	.	3%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	8%	Too few students by grade

SECTION 2: PERSONAL SAFETY
 VIOLENCE AND BULLYING

WERE THREATENED OR INJURED WITH A WEAPON ON SCHOOL PROPERTY, PAST YEAR				
		SU/SD	VT	
Overall		.	5%	Overall Differences: State vs SU
Sex	Male	.	6%	Too few students
	Female	.	3%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	4%	Too few students by grade

WERE ELECTRONICALLY BULLIED, PAST YEAR				
		SU/SD	VT	
Overall		13%	16%	Overall Differences: State vs SU
Sex	Male	.	10%	VT and SU are Similar
	Female	.	22%	Within SU Differences
Grade	9th / 10th	.	18%	Too few students by sex
	11th / 12th	.	14%	Too few students by grade

SECTION 2: PERSONAL SAFETY
VIOLENCE AND BULLYING

WERE BULLIED, PAST 30 DAYS				
		SU/SD	VT	
Overall		19%	16%	Overall Differences: State vs SU
Sex	Male	.	11%	VT and SU are Similar
	Female	.	20%	Within SU Differences
Grade	9th / 10th	19%	18%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

BULLIED SOMEONE ELSE, PAST 30 DAYS				
		SU/SD	VT	
Overall		9%	9%	Overall Differences: State vs SU
Sex	Male	.	10%	VT and SU are Similar
	Female	.	8%	Within SU Differences
Grade	9th / 10th	9%	9%	Too few students by sex
	11th / 12th	.	8%	Too few students by grade

DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE, PAST 30 DAYS				
		SU/SD	VT	
Overall		.	5%	Overall Differences: State vs SU
Sex	Male	.	4%	Too few students
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	4%	Too few students by grade

SECTION 2: PERSONAL SAFETY
 SEXUAL AND DATING VIOLENCE

WERE EVER PHYSICALLY FORCED TO HAVE SEXUAL INTERCOURSE				
		SU/SD	VT	
Overall		5%	6%	Overall Differences: State vs SU
Sex	Male	.	3%	VT and SU are Similar
	Female	.	9%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	7%	Too few students by grade

EXPERIENCED SEXUAL DATING VIOLENCE, PAST YEAR				
		SU/SD	VT	
Overall		10%	10%	Overall Differences: State vs SU
Sex	Male	.	5%	VT and SU are Similar
	Female	.	15%	Within SU Differences
Grade	9th / 10th	.	10%	Too few students by sex
	11th / 12th	.	9%	Too few students by grade

EXPERIENCED PHYSICAL DATING VIOLENCE, PAST YEAR				
		SU/SD	VT	
Overall		.	7%	Overall Differences: State vs SU
Sex	Male	.	6%	Too few students
	Female	.	8%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	7%	Too few students by grade

SECTION 2: PERSONAL SAFETY
 IMPAIRED DRIVING AND RIDING

DROVE A CAR OR OTHER VEHICLE AFTER DRINKING ALCOHOL, PAST 30 DAYS				
		SU/SD	VT	
Overall		.	7%	Overall Differences: State vs SU
Sex	Male	.	9%	Too few students
	Female	.	5%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	9%	Too few students by grade

DROVE A CAR OR OTHER VEHICLE AFTER USING MARIJUANA, PAST 30 DAYS				
		SU/SD	VT	
Overall		12%	14%	Overall Differences: State vs SU
Sex	Male	.	16%	VT and SU are Similar
	Female	.	12%	Within SU Differences
Grade	9th / 10th	.	9%	Too few students by sex
	11th / 12th	.	18%	Too few students by grade

RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL, PAST 30 DAYS				
		SU/SD	VT	
Overall		12%	18%	Overall Differences: State vs SU
Sex	Male	.	17%	VT > SU
	Female	.	19%	Within SU Differences
Grade	9th / 10th	8%	18%	Too few students by sex
	11th / 12th	.	18%	Too few students by grade

SECTION 2: PERSONAL SAFETY
 IMPAIRED DRIVING AND RIDING

RODE WITH A DRIVER WHO HAD BEEN USING MARIJUANA, PAST 30 DAYS				
		SU/SD	VT	
Overall		16%	20%	Overall Differences: State vs SU
Sex	Male	.	20%	VT and SU are Similar
	Female	.	20%	Within SU Differences
Grade	9th / 10th	.	16%	Too few students by sex
	11th / 12th	.	25%	Too few students by grade

TEXTED OR E-MAILED WHILE DRIVING A CAR OR OTHER VEHICLE, PAST 30 DAYS				
		SU/SD	VT	
Overall		24%	34%	Overall Differences: State vs SU
Sex	Male	.	34%	VT > SU
	Female	.	34%	Within SU Differences
Grade	9th / 10th	.	14%	Too few students by sex
	11th / 12th	.	48%	Too few students by grade

SECTION 2: PERSONAL SAFETY
 INJURY AND PREVENTION

HELMET USE AMONG THOSE WHO SKI OR SNOWBOARD, PAST YEAR

	SU/SD	VT	
Never wore a helmet	.	11%	Too few students
Rarely wore a helmet	.	3%	Too few students
Sometimes wore a helmet	.	3%	Too few students
Most of the time wore a helmet	.	9%	Too few students
Always wore a helmet	.	74%	Too few students

RARELY OR NEVER WEAR A HELMET WHILE SKIING OR SNOWBOARDING, PAST YEAR

	SU/SD	VT	
Overall	.	14%	Overall Differences: State vs SU
Sex	Male	. 17%	Too few students
	Female	. 9%	Within SU Differences
Grade	9th / 10th	. 12%	Too few students by sex
	11th / 12th	. 15%	Too few students by grade

HAD A CONCUSSION FROM PLAYING A SPORT OR BEING PHYSICALLY ACTIVE, PAST YEAR

	SU/SD	VT		
Overall	15%	18%	Overall Differences: State vs SU	
Sex	Male	. 20%	VT and SU are Similar	
	Female	. 16%	Within SU Differences	
Grade	9th / 10th	18%	19%	Too few students by sex
	11th / 12th	.	17%	Too few students by grade

SECTION 2: PERSONAL SAFETY
TOBACCO EXPOSURE AND PREVENTION

WERE ASKED BY A DOCTOR, DENTIST, OR NURSE IF THEY SMOKED, PAST YEAR				
		SU/SD	VT	
Overall		55%	54%	Overall Differences: State vs SU
Sex	Male	.	51%	VT and SU are Similar
	Female	.	58%	Within SU Differences
Grade	9th / 10th	.	50%	Too few students by sex
	11th / 12th	.	59%	Too few students by grade

MOST OF THE TIME OR ALWAYS SEE ADS FOR CIGARETTES OR OTHER TOBACCO PRODUCTS				
		SU/SD	VT	
Overall		70%	55%	Overall Differences: State vs SU
Sex	Male	.	53%	SU > VT
	Female	.	56%	Within SU Differences
Grade	9th / 10th	68%	56%	Too few students by sex
	11th / 12th	.	53%	Too few students by grade

SECTION 2: PERSONAL SAFETY
TOBACCO EXPOSURE AND PREVENTION

WERE IN THE SAME CAR AS SOMEONE WHO WAS SMOKING CIGARETTES, PAST 7 DAYS			
		SU/SD	VT
Overall		24%	23%
Sex	Male	.	23%
	Female	.	23%
Grade	9th / 10th	25%	23%
	11th / 12th	.	24%

Overall Differences: State vs SU	
VT and SU are Similar	
Within SU Differences	
Too few students by sex	
Too few students by grade	

WERE IN THE SAME ROOM AS SOMEONE WHO WAS SMOKING CIGARETTES, PAST 7 DAYS			
		SU/SD	VT
Overall		39%	33%
Sex	Male	.	33%
	Female	.	33%
Grade	9th / 10th	36%	32%
	11th / 12th	.	34%

Overall Differences: State vs SU	
VT and SU are Similar	
Within SU Differences	
Too few students by sex	
Too few students by grade	

SECTION 3: MENTAL HEALTH

FELT SO SAD OR HOPELESS ALMOST EVERY DAY FOR TWO WEEKS OR MORE IN A ROW THAT THEY STOPPED DOING SOME USUAL ACTIVITIES, PAST YEAR				
		SU/SD	VT	
Overall		22%	25%	Overall Differences: State vs SU
Sex	Male	.	16%	VT and SU are Similar
	Female	.	35%	Within SU Differences
Grade	9th / 10th	13%	25%	Too few students by sex
	11th / 12th	.	26%	Too few students by grade

DID SOMETHING TO PURPOSELY HURT THEMSELVES WITHOUT WANTING TO DIE, PAST YEAR				
		SU/SD	VT	
Overall		13%	16%	Overall Differences: State vs SU
Sex	Male	.	9%	VT and SU are Similar
	Female	.	25%	Within SU Differences
Grade	9th / 10th	12%	18%	Too few students by sex
	11th / 12th	.	15%	Too few students by grade

SECTION 3: MENTAL HEALTH

MADE A PLAN ABOUT HOW THEY WOULD ATTEMPT SUICIDE, PAST YEAR				
		SU/SD	VT	
Overall		10%	11%	Overall Differences: State vs SU
Sex	Male	.	7%	VT and SU are Similar
	Female	.	15%	Within SU Differences
Grade	9th / 10th	8%	12%	Too few students by sex
	11th / 12th	.	10%	Too few students by grade

ATTEMPTED SUICIDE, PAST YEAR				
		SU/SD	VT	
Overall		.	5%	Overall Differences: State vs SU
Sex	Male	.	4%	Too few students
	Female	.	7%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	5%	Too few students by grade

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER SMOKED A WHOLE CIGARETTE				
		SU/SD	VT	
Overall		24%	24%	Overall Differences: State vs SU
Sex	Male	.	26%	VT and SU are Similar
	Female	.	22%	Within SU Differences
Grade	9th / 10th	13%	19%	Too few students by sex
	11th / 12th	.	29%	Too few students by grade

SMOKED A CIGARETTE BEFORE AGE 13 YEARS				
		SU/SD	VT	
Overall		.	8%	Overall Differences: State vs SU
Sex	Male	.	9%	Too few students
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	8%	Too few students by sex
	11th / 12th	.	7%	Too few students by grade

EVER USED AN ELECTRONIC VAPOR PRODUCT				
		SU/SD	VT	
Overall		36%	34%	Overall Differences: State vs SU
Sex	Male	.	37%	VT and SU are Similar
	Female	.	31%	Within SU Differences
Grade	9th / 10th	21%	27%	Too few students by sex
	11th / 12th	.	41%	Too few students by grade

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER TRIED FLAVORED TOBACCO PRODUCTS				
		SU/SD	VT	
Overall		28%	21%	Overall Differences: State vs SU
Sex	Male	.	24%	SU > VT
	Female	.	17%	Within SU Differences
Grade	9th / 10th	15%	14%	Too few students by sex
	11th / 12th	.	27%	Too few students by grade

EVER DRANK ALCOHOL				
		SU/SD	VT	
Overall		56%	58%	Overall Differences: State vs SU
Sex	Male	.	57%	VT and SU are Similar
	Female	.	58%	Within SU Differences
Grade	9th / 10th	36%	48%	Too few students by sex
	11th / 12th	.	68%	Too few students by grade

DRANK ALCOHOL BEFORE AGE 13 YEARS				
		SU/SD	VT	
Overall		7%	14%	Overall Differences: State vs SU
Sex	Male	.	16%	VT > SU
	Female	.	11%	Within SU Differences
Grade	9th / 10th	.	15%	Too few students by sex
	11th / 12th	.	12%	Too few students by grade

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER USED MARIJUANA				
		SU/SD	VT	
Overall		42%	37%	Overall Differences: State vs SU
Sex	Male	.	37%	VT and SU are Similar
	Female	.	37%	Within SU Differences
Grade	9th / 10th	26%	29%	Too few students by sex
	11th / 12th	.	46%	Too few students by grade

TRIED MARIJUANA BEFORE AGE 13 YEARS				
		SU/SD	VT	
Overall		.	6%	Overall Differences: State vs SU
Sex	Male	.	7%	Too few students
	Female	.	5%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	6%	Too few students by grade

EVER MISUSED PRESCRIPTION PAIN MEDICINE				
		SU/SD	VT	
Overall		.	8%	Overall Differences: State vs SU
Sex	Male	.	8%	Too few students
	Female	.	7%	Within SU Differences
Grade	9th / 10th	.	7%	Too few students by sex
	11th / 12th	.	9%	Too few students by grade

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER MISUSED PRESCRIPTION STIMULANTS				
		SU/SD	VT	
Overall		.	6%	Overall Differences: State vs SU
Sex	Male	.	7%	Too few students
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	8%	Too few students by grade

EVER USED COCAINE				
		SU/SD	VT	
Overall		.	4%	Overall Differences: State vs SU
Sex	Male	.	5%	Too few students
	Female	.	3%	Within SU Differences
Grade	9th / 10th	.	3%	Too few students by sex
	11th / 12th	.	5%	Too few students by grade

EVER USED INHALANTS				
		SU/SD	VT	
Overall		.	6%	Overall Differences: State vs SU
Sex	Male	.	6%	Too few students
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	6%	Too few students by grade

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER USED HEROIN			
		SU/SD	VT
Overall		.	2%
Sex	Male	.	3%
	Female	.	1%
Grade	9th / 10th	.	1%
	11th / 12th	.	2%

		Overall Differences: State vs SU	
		Too few students	
		Within SU Differences	
		Too few students by sex	
		Too few students by grade	

EVER USED METHAMPHETAMINES			
		SU/SD	VT
Overall		.	2%
Sex	Male	.	3%
	Female	.	1%
Grade	9th / 10th	.	2%
	11th / 12th	.	3%

		Overall Differences: State vs SU	
		Too few students	
		Within SU Differences	
		Too few students by sex	
		Too few students by grade	

SECTION 4: SUBSTANCE USE
 CURRENT USE

USED ANY TOBACCO PRODUCTS DURING THE PAST YEAR				
		SU/SD	VT	
Overall		32%	24%	Overall Differences: State vs SU
Sex	Male	.	28%	SU > VT
	Female	.	18%	Within SU Differences
Grade	9th / 10th	19%	17%	Too few students by sex
	11th / 12th	.	30%	Too few students by grade

SMOKED CIGARETTES OR CIGARS OR USED SMOKELESS TOBACCO OR ELECTRONIC VAPOR PRODUCTS, PAST 30 DAYS				
		SU/SD	VT	
Overall		22%	19%	Overall Differences: State vs SU
Sex	Male	.	23%	VT and SU are Similar
	Female	.	14%	Within SU Differences
Grade	9th / 10th	.	13%	Too few students by sex
	11th / 12th	.	25%	Too few students by grade

SMOKED CIGARETTES OR CIGARS OR USED SMOKELESS TOBACCO, PAST 30 DAYS				
		SU/SD	VT	
Overall		17%	15%	Overall Differences: State vs SU
Sex	Male	.	19%	VT and SU are Similar
	Female	.	11%	Within SU Differences
Grade	9th / 10th	.	10%	Too few students by sex
	11th / 12th	.	20%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

SMOKED CIGARETTES, PAST 30 DAYS				
		SU/SD	VT	
Overall		.	9%	Overall Differences: State vs SU
Sex	Male	.	10%	Too few students
	Female	.	8%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	12%	Too few students by grade

AMONG CURRENT SMOKERS: DAYS SMOKED CIGARETTES				
		SU/SD	VT	
1 or 2 days		.	29%	Too few students
3 to 5 days		.	15%	Too few students
6 to 9 days		.	10%	Too few students
10 to 19 days		.	12%	Too few students
20 to 29 days		.	9%	Too few students
All 30 days		.	25%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT SMOKERS: SMOKE CIGARETTES EVERY DAY			
		SU/SD	VT
Overall		.	25%
Overall Differences: State vs SU			
Sex	Male	.	27%
Too few students			
	Female	.	20%
Within SU Differences			
Grade	9th / 10th	.	22%
	11th / 12th	.	25%

AMONG CURRENT SMOKERS: NUMBER OF CIGARETTES SMOKED ON DAYS SMOKED			
		SU/SD	VT
Less than 1 cigarette		.	30%
Too few students			
	1 cigarette	.	19%
Too few students			
	2 to 5 cigarettes	.	30%
Too few students			
	6 to 10 cigarettes	.	9%
Too few students			
	11 to 20 cigarettes	.	4%
Too few students			
	More than 20 cigarettes	.	8%
Too few students			

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT SMOKERS: USUALLY SMOKED 11 OR MORE CIGARETTES ON DAYS SMOKED				
		SU/SD	VT	
Overall		.	12%	Overall Differences: State vs SU
Sex	Male	.	15%	Too few students
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	10%	
	11th / 12th	.	11%	

USED ELECTRONIC VAPOR PRODUCTS, PAST 30 DAYS				
		SU/SD	VT	
Overall		14%	12%	Overall Differences: State vs SU
Sex	Male	.	14%	VT and SU are Similar
	Female	.	9%	Within SU Differences
Grade	9th / 10th	.	9%	Too few students by sex
	11th / 12th	.	15%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: REASONS FOR ELECTRONIC VAPOR PRODUCT USE

	SU/SD	VT	
Friend/family used them	.	35%	Too few students
To try to quit other tobacco	.	5%	Too few students
Cost less than other tobacco	.	1%	Too few students
Easier to get than other tobacco	.	1%	Too few students
Less harmful than other tobacco	.	8%	Too few students
Available in flavors	.	17%	Too few students
Used for some other reason	.	33%	Too few students

AMONG CURRENT USERS: FREQUENCY OF ELECTRONIC VAPOR PRODUCTS USE

	SU/SD	VT	
1 or 2 days	.	37%	Too few students
3 to 5 days	.	19%	Too few students
6 to 9 days	.	11%	Too few students
10 to 19 days	.	12%	Too few students
20 to 29 days	.	7%	Too few students
All 30 days	.	15%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: USED ELECTRONIC VAPOR PRODUCTS ON 10+ DAYS

		SU/SD	VT	
Overall		.	33%	Overall Differences: State vs SU
Sex	Male	.	37%	Too few students
	Female	.	26%	Within SU Differences
Grade	9th / 10th	.	33%	Too few students by sex
	11th / 12th	.	33%	Too few students by grade

AMONG CURRENT USERS: SOURCE OF ELECTRONIC VAPOR PRODUCTS, UNDER AGE 18

	SU/SD	VT	
Bought them in a store	.	8%	Too few students
I got them on the Internet	.	10%	Too few students
Someone else bought them	.	14%	Too few students
Borrowed them	.	38%	Too few students
A person 18 or older gave me	.	11%	Too few students
Took them from a store	.	2%	Too few students
Some other way	.	18%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

USED SMOKELESS TOBACCO, PAST 30 DAYS				
		SU/SD	VT	
Overall		.	5%	Overall Differences: State vs SU
Sex	Male	.	8%	Too few students
	Female	.	2%	Within SU Differences
Grade	9th / 10th	.	4%	Too few students by sex
	11th / 12th	.	6%	Too few students by grade

SMOKED CIGARS, CIGARILLOS, OR LITTLE CIGARS, PAST 30 DAYS				
		SU/SD	VT	
Overall		13%	9%	Overall Differences: State vs SU
Sex	Male	.	13%	VT and SU are Similar
	Female	.	6%	Within SU Differences
Grade	9th / 10th	.	6%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

TRIED TO QUIT USING ALL TOBACCO PRODUCTS, AMONG STUDENTS WHO USED A TOBACCO PRODUCT DURING THE PAST YEAR				
		SU/SD	VT	
Overall		.	33%	Overall Differences: State vs SU
Sex	Male	.	30%	Too few students
	Female	.	37%	Within SU Differences
Grade	9th / 10th	.	34%	Too few students by sex
	11th / 12th	.	32%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

DRANK ALCOHOL, PAST 30 DAYS			
		SU/SD	VT
Overall		24%	33%
Sex	Male	.	32%
	Female	.	34%
Grade	9th / 10th	.	25%
	11th / 12th	.	41%

		Overall Differences: State vs SU	
		VT > SU	
		Within SU Differences	
		Too few students by sex	
		Too few students by grade	

BINGE DRANK, PAST 30 DAYS			
		SU/SD	VT
Overall		11%	17%
Sex	Male	.	17%
	Female	.	17%
Grade	9th / 10th	.	11%
	11th / 12th	.	23%

		Overall Differences: State vs SU	
		VT > SU	
		Within SU Differences	
		Too few students by sex	
		Too few students by grade	

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: FREQUENCY OF DRINKING

	SU/SD	VT	
1 or 2 days	.	49%	Too few students
3 to 5 days	.	26%	Too few students
6 to 9 days	.	13%	Too few students
10 to 19 days	.	7%	Too few students
20 to 29 days	.	2%	Too few students
All 30 days	.	3%	Too few students

AMONG CURRENT USERS: DRANK ON 10+ DAYS

	SU/SD	VT	
Overall	.	12%	Overall Differences: State vs SU
Sex			Too few students
Male	.	15%	
Female	.	9%	Within SU Differences
Grade			Too few students by sex
9th / 10th	.	11%	
11th / 12th	.	13%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: LARGEST AMOUNT OF ALCOHOL CONSUMED

	SU/SD	VT	
1 or 2 drinks	.	35%	Too few students
3 drinks	.	6%	Too few students
4 drinks	.	8%	Too few students
5 drinks	.	13%	Too few students
6 or 7 drinks	.	15%	Too few students
8 or 9 drinks	.	8%	Too few students
10 or more drinks	.	14%	Too few students

AMONG CURRENT USERS: BINGE DRANK (4+ females; 5+ males)

	SU/SD	VT	
Overall	.	57%	Overall Differences: State vs SU
Sex			Too few students
	Male	. 59%	
	Female	. 55%	Within SU Differences
Grade			Too few students by sex
	9th / 10th	. 51%	
	11th / 12th	. 61%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: ALCOHOL SOURCE

	SU/SD	VT	
Bought in store	.	3%	Too few students
Bought in restaurant	.	2%	Too few students
Bought at public event	.	0%	Too few students
I gave someone money to buy	.	23%	Too few students
Someone gave it to me	.	40%	Too few students
Took from store/family	.	12%	Too few students
Some other way	.	20%	Too few students

USED MARIJUANA, PAST 30 DAYS

	SU/SD	VT	
Overall	23%	24%	Overall Differences: State vs SU
Sex			VT and SU are Similar
Male	.	24%	
Female	.	23%	Within SU Differences
Grade			Too few students by sex
9th / 10th	12%	18%	
11th / 12th	.	28%	Too few students by grade

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: FREQUENCY OF MARIJUANA USE			
	SU/SD	VT	
1 or 2 times	.	34%	Too few students
3 to 9 times	.	25%	Too few students
10 to 19 times	.	12%	Too few students
20 to 39 times	.	10%	Too few students
40 or more times	.	20%	Too few students

AMONG CURRENT USERS: USED MARIJUANA 10+ TIMES			
	SU/SD	VT	
Overall	.	41%	Overall Differences: State vs SU
Sex	Male	. 47%	Too few students
	Female	. 35%	Within SU Differences
Grade	9th / 10th	. 39%	Too few students by sex
	11th / 12th	. 42%	Too few students by grade

AMONG CURRENT USERS: PRIMARY WAY MARIJUANA USED			
	SU/SD	VT	
Smoked it	.	91%	Too few students
Ate in food	.	4%	Too few students
Drank in tea or other drink	.	1%	Too few students
Vaporized	.	2%	Too few students
Some other way	.	2%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

MISUSED A PRESCRIPTION DRUG, PAST 30 DAYS			
		SU/SD	VT
Overall		.	5%
Sex	Male	.	6%
	Female	.	5%
Grade	9th / 10th	.	5%
	11th / 12th	.	6%

Overall Differences: State vs SU

Too few students

Within SU Differences

Too few students by sex

Too few students by grade

2017 VERMONT YOUTH RISK BEHAVIOR SURVEY
 BATTENKILL VALLEY SU (SU060) REPORT
 HIGH SCHOOL RESULTS

SECTION 4: SUBSTANCE USE
 SUBSTANCE USE ON SCHOOL PROPERTY

WERE OFFERED, SOLD, OR GIVEN AN ILLEGAL DRUG AT SCHOOL, PAST YEAR				
		SU/SD	VT	
Overall		5%	15%	Overall Differences: State vs SU
Sex	Male	.	17%	VT > SU
	Female	.	13%	Within SU Differences
Grade	9th / 10th	.	15%	Too few students by sex
	11th / 12th	.	15%	Too few students by grade

ATTENDED SCHOOL UNDER THE INFLUENCE OF DRUGS OR ALCOHOL, PAST YEAR				
		SU/SD	VT	
Overall		9%	13%	Overall Differences: State vs SU
Sex	Male	.	14%	VT > SU
	Female	.	12%	Within SU Differences
Grade	9th / 10th	.	11%	Too few students by sex
	11th / 12th	.	16%	Too few students by grade

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

THINK THAT IT IS VERY LIKELY OR LIKELY THAT POLICE WOULD BREAK UP A PARTY WHERE PEOPLE THEIR AGE WERE DRINKING ALCOHOL				
		SU/SD	VT	
Overall		28%	25%	Overall Differences: State vs SU
Sex	Male	.	25%	VT and SU are Similar
	Female	.	24%	Within SU Differences
Grade	9th / 10th	26%	29%	Too few students by sex
	11th / 12th	.	20%	Too few students by grade

THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO SMOKE CIGARETTES				
		SU/SD	VT	
Overall		89%	84%	Overall Differences: State vs SU
Sex	Male	.	82%	SU > VT
	Female	.	86%	Within SU Differences
Grade	9th / 10th	96%	89%	Too few students by sex
	11th / 12th	.	79%	Too few students by grade

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

**THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO DRINK
 ALCOHOL**

		SU/SD	VT	
Overall		71%	54%	Overall Differences: State vs SU
Sex	Male	.	55%	SU > VT
	Female	.	54%	Within SU Differences
Grade	9th / 10th	81%	65%	Too few students by sex
	11th / 12th	.	44%	Too few students by grade

**THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO USE
 MARIJUANA**

		SU/SD	VT	
Overall		61%	55%	Overall Differences: State vs SU
Sex	Male	.	56%	VT and SU are Similar
	Female	.	55%	Within SU Differences
Grade	9th / 10th	69%	64%	Too few students by sex
	11th / 12th	.	46%	Too few students by grade

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR VERY WRONG FOR THEM TO SMOKE CIGARETTES			
		SU/SD	VT
Overall		89%	91%
Sex	Male	.	90%
	Female	.	93%
Grade	9th / 10th	94%	94%
	11th / 12th	.	89%

Overall Differences: State vs SU	
VT and SU are Similar	
Within SU Differences	
Too few students by sex	
Too few students by grade	

THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR VERY WRONG FOR THEM TO DRINK ALCOHOL			
		SU/SD	VT
Overall		83%	66%
Sex	Male	.	64%
	Female	.	67%
Grade	9th / 10th	85%	75%
	11th / 12th	.	57%

Overall Differences: State vs SU	
SU > VT	
Within SU Differences	
Too few students by sex	
Too few students by grade	

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR VERY WRONG FOR THEM TO USE MARIJUANA

		SU/SD	VT	
Overall		81%	76%	Overall Differences: State vs SU
Sex	Male	.	75%	VT and SU are Similar
	Female	.	77%	Within SU Differences
Grade	9th / 10th	86%	81%	Too few students by sex
	11th / 12th	.	72%	Too few students by grade

PERCEIVED RISK OF HARM FROM SMOKING A PACK OF CIGARETTES DAILY

	SU/SD	VT	
No risk	.	5%	Too few students
Slight risk	8%	9%	
Moderate risk	24%	18%	SU > VT
Great risk	66%	68%	

THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY SMOKE ONE OR MORE PACKS OF CIGARETTES PER DAY

		SU/SD	VT	
Overall		66%	68%	Overall Differences: State vs SU
Sex	Male	.	66%	VT and SU are Similar
	Female	.	70%	Within SU Differences
Grade	9th / 10th	63%	66%	Too few students by sex
	11th / 12th	.	70%	Too few students by grade

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

PERCEIVED RISK OF HARM FROM BINGE DRINKING EACH WEEK

	SU/SD	VT	
No risk	.	6%	Too few students
Slight risk	23%	19%	
Moderate risk	35%	39%	
Great risk	39%	36%	

THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY HAVE FIVE OR MORE DRINKS OF ALCOHOL ONCE OR TWICE EACH WEEKEND

		SU/SD	VT	
Overall		39%	36%	Overall Differences: State vs SU
Sex	Male	.	32%	VT and SU are Similar
	Female	.	41%	Within SU Differences
Grade	9th / 10th	37%	38%	Too few students by sex
	11th / 12th	.	34%	Too few students by grade

PERCEIVED RISK OF HARM FROM REGULAR MARIJUANA USE

	SU/SD	VT	
No risk	30%	21%	SU > VT
Slight risk	27%	29%	
Moderate risk	19%	26%	VT > SU
Great risk	24%	24%	

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY USE MARIJUANA REGULARLY			
		SU/SD	VT
Overall		24%	24%
Sex	Male	.	21%
	Female	.	28%
Grade	9th / 10th	27%	29%
	11th / 12th	.	20%

Overall Differences: State vs SU	
VT and SU are Similar	
Within SU Differences	
Too few students by sex	
Too few students by grade	

PERCEIVED ACCESS TO CIGARETTES			
		SU/SD	VT
Very hard		24%	24%
Sort of hard		19%	21%
Sort of easy		27%	22%
Very easy		30%	32%

SAY IF THEY WANTED CIGARETTES IT WOULD BE SORT OF EASY OR VERY EASY FOR THEM TO GET			
		SU/SD	VT
Overall		57%	55%
Sex	Male	.	57%
	Female	.	52%
Grade	9th / 10th	49%	43%
	11th / 12th	.	66%

Overall Differences: State vs SU	
VT and SU are Similar	
Within SU Differences	
Too few students by sex	
Too few students by grade	

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

PERCEIVED ACCESS TO ALCOHOL			
	SU/SD	VT	
Very hard	21%	15%	SU > VT
Sort of hard	17%	18%	
Sort of easy	33%	31%	
Very easy	30%	37%	VT > SU

SAY IF THEY WANTED ALCOHOL IT WOULD BE SORT OF EASY OR VERY EASY FOR THEM TO GET				
		SU/SD	VT	
Overall		63%	68%	Overall Differences: State vs SU
Sex	Male	.	67%	VT and SU are Similar
	Female	.	69%	Within SU Differences
Grade	9th / 10th	58%	62%	Too few students by sex
	11th / 12th	.	73%	Too few students by grade

PERCEIVED ACCESS TO MARIJUANA			
	SU/SD	VT	
Very hard	27%	27%	
Sort of hard	17%	15%	
Sort of easy	18%	22%	
Very easy	39%	37%	

SECTION 4: SUBSTANCE USE
 PERCEPTIONS OF USE

SAY IF THEY WANTED MARIJUANA IT WOULD BE SORT OF EASY OR VERY EASY FOR THEM TO GET			
		SU/SD	VT
Overall		57%	58%
Overall Differences: State vs SU			
Sex	Male	.	59%
VT and SU are Similar			
	Female	.	57%
Within SU Differences			
Grade	9th / 10th	51%	49%
Too few students by sex			
	11th / 12th	.	67%
Too few students by grade			

SECTION 5: SEXUAL HEALTH
 LIFETIME SEXUAL ACTIVITY

LIFETIME SEXUAL CONTACTS: MALES			
	SU/SD	VT	
Never had sexual contact	.	42%	Too few students
Females	.	54%	Too few students
Males	.	2%	Too few students
Females and males	.	2%	Too few students

LIFETIME SEXUAL CONTACTS: FEMALES			
	SU/SD	VT	
Never had sexual contact	.	43%	Too few students
Females	.	2%	Too few students
Males	.	48%	Too few students
Females and males	.	7%	Too few students

EVER HAD SEXUAL INTERCOURSE				
		SU/SD	VT	
Overall		41%	40%	Overall Differences: State vs SU
Sex	Male	.	40%	VT and SU are Similar
	Female	.	40%	Within SU Differences
Grade	9th / 10th	20%	26%	Too few students by sex
	11th / 12th	.	54%	Too few students by grade

2017 VERMONT YOUTH RISK BEHAVIOR SURVEY
 BATTENKILL VALLEY SU (SU060) REPORT
 HIGH SCHOOL RESULTS

SECTION 5: SEXUAL HEALTH
 LIFETIME SEXUAL ACTIVITY

HAVE HAD 4+ LIFETIME PARTNERS				
		SU/SD	VT	
Overall		9%	9%	Overall Differences: State vs SU
Sex	Male	.	9%	VT and SU are Similar
	Female	.	8%	Within SU Differences
Grade	9th / 10th	.	5%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

EVER HAD ORAL SEX				
		SU/SD	VT	
Overall		47%	42%	Overall Differences: State vs SU
Sex	Male	.	42%	VT and SU are Similar
	Female	.	42%	Within SU Differences
Grade	9th / 10th	31%	30%	Too few students by sex
	11th / 12th	.	55%	Too few students by grade

WERE EVER TESTED FOR HUMAN IMMUNODEFICIENCY VIRUS (HIV)				
		SU/SD	VT	
Overall		9%	10%	Overall Differences: State vs SU
Sex	Male	.	9%	VT and SU are Similar
	Female	.	12%	Within SU Differences
Grade	9th / 10th	.	8%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

SECTION 5: SEXUAL HEALTH
 CURRENT SEXUAL ACTIVITY

HAD SEXUAL INTERCOURSE DURING THE PAST 3 MONTHS				
		SU/SD	VT	
Overall		33%	31%	Overall Differences: State vs SU
Sex	Male	.	29%	VT and SU are Similar
	Female	.	32%	Within SU Differences
Grade	9th / 10th	10%	19%	Too few students by sex
	11th / 12th	.	43%	Too few students by grade

USED ALCOHOL OR DRUGS PRIOR TO LAST INTERCOURSE, AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS				
		SU/SD	VT	
Overall		.	20%	Overall Differences: State vs SU
Sex	Male	.	22%	Too few students
	Female	.	17%	Within SU Differences
Grade	9th / 10th	.	23%	Too few students by sex
	11th / 12th	.	18%	Too few students by grade

SECTION 5: SEXUAL HEALTH
 CURRENT SEXUAL ACTIVITY

PREGNANCY PREVENTION METHODS USED, AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS

	SU/SD	VT	
No method was used	.	7%	Too few students
Birth control pills	.	32%	Too few students
Condoms	.	35%	Too few students
IUD or implant	.	13%	Too few students
Shot/patch/birth control ring	.	5%	Too few students
Withdrawal/other method	.	5%	Too few students
Not sure	.	2%	Too few students

USED PRESCRIPTION BIRTH CONTROL (PILLS; AN IUD OR IMPLANT; OR A SHOT, PATCH, OR BIRTH CONTROL RING), AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS

	SU/SD	VT	
Overall	.	50%	Overall Differences: State vs SU
Sex			
Male	.	40%	Too few students
Female	.	60%	Within SU Differences
Grade			
9th / 10th	.	39%	Too few students by sex
11th / 12th	.	56%	Too few students by grade

SECTION 5: SEXUAL HEALTH
 CURRENT SEXUAL ACTIVITY

CONDOM USE, AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS				
		SU/SD	VT	
Overall		.	56%	Overall Differences: State vs SU
Sex	Male	.	61%	Too few students
	Female	.	52%	Within SU Differences
Grade	9th / 10th	.	62%	Too few students by sex
	11th / 12th	.	54%	Too few students by grade

USED BOTH A CONDOM AND PRESCRIPTION BIRTH CONTROL TO PREVENT PREGNANCY AT LAST SEXUAL INTERCOURSE, AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS				
		SU/SD	VT	
Overall		.	19%	Overall Differences: State vs SU
Sex	Male	.	15%	Too few students
	Female	.	22%	Within SU Differences
Grade	9th / 10th	.	16%	Too few students by sex
	11th / 12th	.	20%	Too few students by grade

SECTION 5: SEXUAL HEALTH
 CURRENT SEXUAL ACTIVITY

DID NOT USE ANY METHOD TO PREVENT PREGNANCY, AMONG CURRENTLY SEXUALLY ACTIVE STUDENTS				
		SU/SD	VT	
Overall		.	7%	Overall Differences: State vs SU
Sex	Male	.	8%	Too few students
	Female	.	7%	Within SU Differences
Grade	9th / 10th	.	10%	Too few students by sex
	11th / 12th	.	6%	Too few students by grade

SECTION 6: BMI AND WEIGHT PERCEPTIONS

OVERWEIGHT (BMI BETWEEN THE 85th AND <95th PERCENTILES FOR AGE AND SEX)				
		SU/SD	VT	
Overall		19%	14%	Overall Differences: State vs SU
Sex	Male	.	14%	SU > VT
	Female	.	15%	Within SU Differences
Grade	9th / 10th	.	15%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

OBESE (BMI >95th PERCENTILE FOR AGE AND SEX)				
		SU/SD	VT	
Overall		19%	13%	Overall Differences: State vs SU
Sex	Male	.	15%	SU > VT
	Female	.	10%	Within SU Differences
Grade	9th / 10th	.	12%	Too few students by sex
	11th / 12th	.	13%	Too few students by grade

PERCEPTIONS OF OWN WEIGHT				
		SU/SD	VT	
Very underweight		.	2%	Too few students
Slightly underweight		7%	12%	VT > SU
About the right weight		51%	56%	
Slightly overweight		35%	25%	SU > VT
Very overweight		5%	5%	

SECTION 6: BMI AND WEIGHT PERCEPTIONS

DESCRIBED THEMSELVES AS SLIGHTLY OR VERY OVERWEIGHT				
		SU/SD	VT	
Overall		40%	30%	Overall Differences: State vs SU
Sex	Male	.	25%	SU > VT
	Female	.	36%	Within SU Differences
Grade	9th / 10th	30%	29%	Too few students by sex
	11th / 12th	.	31%	Too few students by grade

WHAT ONE IS TRYING TO DO ABOUT WEIGHT				
		SU/SD	VT	
	Lose weight	49%	42%	SU > VT
	Gain weight	17%	15%	
	Stay the same weight	12%	18%	VT > SU
	Not trying to do anything	23%	25%	

WERE TRYING TO LOSE WEIGHT				
		SU/SD	VT	
Overall		49%	42%	Overall Differences: State vs SU
Sex	Male	.	28%	SU > VT
	Female	.	57%	Within SU Differences
Grade	9th / 10th	40%	42%	Too few students by sex
	11th / 12th	.	42%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 PHYSICAL ACTIVITY

DAYS PHYSICALLY ACTIVE (60 MIN), PAST WEEK			
	SU/SD	VT	
0 days	17%	13%	
1 day	7%	7%	
2 days	10%	9%	
3 days	6%	12%	VT > SU
4 days	9%	11%	
5 days	23%	14%	SU > VT
6 days	.	10%	Too few students
7 days	25%	25%	

WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON ALL 7 DAYS				
	SU/SD	VT		
Overall	25%	25%	Overall Differences: State vs SU	
Sex	Male	.	33%	VT and SU are Similar
	Female	.	17%	Within SU Differences
Grade	9th / 10th	25%	27%	Too few students by sex
	11th / 12th	.	24%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 PHYSICAL ACTIVITY

WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS, PAST WEEK				
		SU/SD	VT	
Overall		51%	49%	Overall Differences: State vs SU
Sex	Male	.	56%	VT and SU are Similar
	Female	.	42%	Within SU Differences
Grade	9th / 10th	46%	51%	Too few students by sex
	11th / 12th	.	47%	Too few students by grade

DID NOT PARTICIPATE IN AT LEAST 60 MINUTES OF PHYSICAL ACTIVITY ON AT LEAST 1 DAY, PAST WEEK				
		SU/SD	VT	
Overall		17%	13%	Overall Differences: State vs SU
Sex	Male	.	11%	VT and SU are Similar
	Female	.	14%	Within SU Differences
Grade	9th / 10th	22%	11%	Too few students by sex
	11th / 12th	.	14%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 PHYSICAL ACTIVITY

TV, VIDEO OR COMPUTER GAMES, OR COMPUTER USE, PAST WEEK			
	SU/SD	VT	
Do not watch TV	.	3%	Too few students
Less than 1 hour per day	.	8%	Too few students
1 hour per day	6%	12%	VT > SU
2 hours per day	30%	23%	SU > VT
3 hours per day	23%	21%	
4 hours per day	15%	13%	
5 or more hours per day	19%	19%	

WATCHED TV, PLAYED VIDEO OR COMPUTER GAMES, OR USED A COMPUTER FOR THREE OR MORE HOURS PER DAY, PAST WEEK				
		SU/SD	VT	
Overall		56%	53%	Overall Differences: State vs SU
Sex	Male	.	53%	VT and SU are Similar
	Female	.	52%	Within SU Differences
Grade	9th / 10th	56%	53%	Too few students by sex
	11th / 12th	.	52%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 NUTRITION

ATE FRUIT OR DRANK 100% FRUIT JUICES TWO OR MORE TIMES PER DAY, PAST WEEK

		SU/SD	VT	
Overall		23%	33%	Overall Differences: State vs SU
Sex	Male	.	32%	VT > SU
	Female	.	33%	Within SU Differences
Grade	9th / 10th	23%	33%	Too few students by sex
	11th / 12th	.	32%	Too few students by grade

ATE VEGETABLES THREE OR MORE TIMES PER DAY, PAST WEEK

		SU/SD	VT	
Overall		12%	18%	Overall Differences: State vs SU
Sex	Male	.	18%	VT > SU
	Female	.	18%	Within SU Differences
Grade	9th / 10th	9%	18%	Too few students by sex
	11th / 12th	.	18%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 NUTRITION

SODA CONSUMPTION, PAST WEEK			
	SU/SD	VT	
Did not drink soda or pop	40%	37%	
1 to 3 times	37%	40%	
4 to 6 times	14%	12%	
1 time per day	4%	4%	
2 times per day	.	3%	Too few students
3 times per day	.	1%	Too few students
4 or more times per day	.	3%	Too few students

DRANK A CAN, BOTTLE, OR GLASS OF SODA OR POP ONE OR MORE TIMES PER DAY, PAST WEEK			
	SU/SD	VT	
Overall	10%	11%	Overall Differences: State vs SU
Sex			VT and SU are Similar
Male	.	16%	
Female	.	6%	Within SU Differences
Grade			Too few students by sex
9th / 10th	7%	11%	
11th / 12th	.	12%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 NUTRITION

SUGAR-SWEETENED BEVERAGE CONSUMPTION, PAST WEEK

	SU/SD	VT	
Did not drink sugar-sweetened	32%	28%	
1 to 3 times	40%	44%	
4 to 6 times	16%	15%	
1 time per day	.	6%	Too few students
2 times per day	.	3%	Too few students
3 times per day	.	1%	Too few students
4 or more times per day	.	2%	Too few students

DRANK A CAN, BOTTLE, OR GLASS OF SUGAR-SWEETENED BEVERAGES ONE OR MORE TIMES PER DAY, PAST WEEK

	SU/SD	VT	
Overall	12%	12%	Overall Differences: State vs SU
Sex			VT and SU are Similar
Male	.	15%	
Female	.	9%	Within SU Differences
Grade			Too few students by sex
9th / 10th	.	12%	
11th / 12th	.	13%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 NUTRITION

WATER CONSUMPTION, PAST WEEK			
	SU/SD	VT	
Did not drink water	7%	4%	SU > VT
1 to 3 times	9%	9%	
4 to 6 times	10%	11%	
1 time per day	6%	9%	
2 times per day	15%	16%	
3 times per day	24%	19%	SU > VT
4 or more times per day	29%	33%	

DRANK THREE OR MORE GLASSES PER DAY OF WATER, PAST WEEK				
		SU/SD	VT	
Overall		53%	52%	Overall Differences: State vs SU
Sex	Male	.	51%	VT and SU are Similar
	Female	.	53%	Within SU Differences
Grade	9th / 10th	46%	51%	Too few students by sex
	11th / 12th	.	53%	Too few students by grade

SECTION 7: PHYSICAL ACTIVITY AND NUTRITION
 NUTRITION

BREAKFAST CONSUMPTION, PAST WEEK			
	SU/SD	VT	
0 days	18%	11%	SU > VT
1 day	12%	6%	SU > VT
2 days	11%	9%	
3 days	8%	10%	
4 days	9%	8%	
5 days	7%	9%	
6 days	6%	7%	
7 days	29%	40%	VT > SU

DID NOT EAT BREAKFAST, PAST WEEK			
	SU/SD	VT	
Overall	18%	11%	Overall Differences: State vs SU
Sex	Male	.	SU > VT
	Female	.	Within SU Differences
Grade	9th / 10th	17%	Too few students by sex
	11th / 12th	.	Too few students by grade

SECTION 8: SOCIAL DETERMINANTS OF HEALTH

WENT HUNGRY BECAUSE THERE WAS NOT ENOUGH FOOD AT HOME, PAST 30 DAYS

	SU/SD	VT	
Never	73%	75%	
Rarely	16%	15%	
Sometimes	9%	7%	
Most of the time	.	2%	Too few students
Always	.	1%	Too few students

MOST OF THE TIME OR ALWAYS WENT HUNGRY, PAST 30 DAYS

	SU/SD	VT	
Overall	.	3%	Overall Differences: State vs SU
Sex			
Male	.	3%	Too few students
Female	.	2%	Within SU Differences
Grade			
9th / 10th	.	3%	Too few students by sex
11th / 12th	.	3%	Too few students by grade

SECTION 8: SOCIAL DETERMINANTS OF HEALTH

USUALLY DID NOT SLEEP AT THEIR PARENTS HOUSE BECAUSE THEY HAD TO LEAVE THEIR HOME, OR THEIR PARENT OR GUARDIAN CANNOT AFFORD HOUSING

		SU/SD	VT	
Overall		.	4%	Overall Differences: State vs SU
Sex	Male	.	4%	Too few students
	Female	.	3%	Within SU Differences
Grade	9th / 10th	.	3%	
	11th / 12th	.	5%	

SECTION 9: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

ATE DINNER WITH AT LEAST ONE PARENT, PAST WEEK			
	SU/SD	VT	
0 days	8%	9%	Too few students
1 day	.	4%	
2 days	6%	4%	
3 days	8%	6%	
4 days	9%	8%	
5 days	11%	13%	
6 days	12%	12%	
7 days	44%	44%	

ATE DINNER AT HOME WITH AT LEAST ONE OF THEIR PARENTS ON FOUR OR MORE DAYS, PAST WEEK				
		SU/SD	VT	
Overall		77%	77%	Overall Differences: State vs SU
Sex	Male	.	80%	VT and SU are Similar
	Female	.	75%	Within SU Differences
Grade	9th / 10th	78%	82%	Too few students by sex
	11th / 12th	.	73%	Too few students by grade

2017 VERMONT YOUTH RISK BEHAVIOR SURVEY
 BATTENKILL VALLEY SU (SU060) REPORT
 HIGH SCHOOL RESULTS

SECTION 9: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

GRADES EARNED IN SCHOOL			
	SU/SD	VT	
Mostly A's	37%	46%	VT > SU
Mostly B's	44%	39%	
Mostly C's	15%	12%	
Mostly D's	.	2%	Too few students
Mostly F's	.	1%	Too few students

REPORTED THERE IS AT LEAST ONE TEACHER OR OTHER ADULT IN THEIR SCHOOL THAT THEY CAN TALK TO IF THEY HAVE A PROBLEM

	SU/SD	VT	
Overall	79%	80%	Overall Differences: State vs SU
Sex			
Male	.	80%	VT and SU are Similar
Female	.	81%	Within SU Differences
Grade			
9th / 10th	71%	78%	Too few students by sex
11th / 12th	.	82%	Too few students by grade

BELIEVE SCHOOL HAS CLEAR RULES AND CONSEQUENCES FOR BEHAVIORS

	SU/SD	VT	
Strongly agree	27%	21%	SU > VT
Agree	42%	44%	
Not sure	14%	19%	
Disagree	10%	11%	
Strongly disagree	6%	5%	

SECTION 9: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

STRONGLY AGREE OR AGREE THAT THEIR SCHOOL HAS CLEAR RULES AND CONSEQUENCES FOR BEHAVIOR

		SU/SD	VT	
Overall		70%	65%	Overall Differences: State vs SU
Sex	Male	.	69%	VT and SU are Similar
	Female	.	61%	Within SU Differences
Grade	9th / 10th	69%	66%	Too few students by sex
	11th / 12th	.	64%	Too few students by grade

LIKELIHOOD TO COMPLETE A POST GRADUATION PROGRAM

	SU/SD	VT	
Definitely will not	5%	5%	Too few students
Probably will not	.	5%	
Probably will	25%	22%	
Definitely will	52%	57%	
Not sure	16%	11%	

PROBABLY OR DEFINITELY WILL COMPLETE A POST HIGH SCHOOL PROGRAM

		SU/SD	VT	
Overall		77%	79%	Overall Differences: State vs SU
Sex	Male	.	75%	VT and SU are Similar
	Female	.	83%	Within SU Differences
Grade	9th / 10th	72%	76%	Too few students by sex
	11th / 12th	.	82%	Too few students by grade

SECTION 9: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

HOURS SPENT IN EXTRACURRICULAR ACTIVITIES, TYPICAL WEEK

	SU/SD	VT	
0 hours	43%	33%	SU > VT
1 to 4 hours	29%	27%	
5 to 9 hours	10%	17%	VT > SU
10 to 19 hours	14%	17%	
20 or more hours	.	6%	Too few students

SPEND 10 OR MORE HOURS PARTICIPATING IN AFTERSCHOOL ACTIVITIES, TYPICAL WEEK

	SU/SD	VT	
Overall	18%	24%	Overall Differences: State vs SU
Sex			
Male	.	24%	VT > SU
Female	.	24%	Within SU Differences
Grade			
9th / 10th	14%	22%	Too few students by sex
11th / 12th	.	25%	Too few students by grade

MATTER TO PEOPLE IN THEIR COMMUNITY

	SU/SD	VT	
Strongly agree	23%	19%	
Agree	37%	41%	
Not sure	27%	25%	
Disagree	10%	9%	
Strongly disagree	.	5%	Too few students

SECTION 9: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

STRONGLY AGREE OR AGREE THAT IN THEIR COMMUNITY THEY FEEL LIKE THEY MATTER TO PEOPLE			
		SU/SD	VT
Overall		60%	61%
Overall Differences: State vs SU			
Sex	Male	.	65%
	Female	.	57%
Within SU Differences			
Grade	9th / 10th	61%	60%
	11th / 12th	.	61%
Too few students by sex			
Too few students by grade			

MIDDLE SCHOOL RESULTS

BATTENKILL VALLEY SU (SU060) REPORT

<http://healthvermont.gov/yrbs.aspx>

SECTION 1: DEMOGRAPHICS

MIDDLE SCHOOL DEMOGRAPHICS		
	SU/SD	VT
Total	81	16701

		SU/SD	VT
Sex	Male	63%	.
	Female	37%	52%
Grade	6th Grade	25%	.
	7th Grade	43%	24%
	8th Grade	32%	39%
Race / Ethnicity	White, non-Hispanic (WnH)	81%	81%
	Students of Color (REM)	19%	19%
Sexual Orientation	Heterosexual (Het)	89%	93%
	Lesbian, Gay, or Bisexual (LGB)	11%	7%

SECTION 2: PERSONAL SAFETY
VIOLENCE AND BULLYING

WERE EVER IN A PHYSICAL FIGHT			
	SU/SD	VT	
Overall	53%	42%	SU > VT

WERE EVER BULLIED ON SCHOOL PROPERTY			
	SU/SD	VT	
Overall	54%	44%	SU > VT

WERE EVER ELECTRONICALLY BULLIED			
	SU/SD	VT	
Overall	22%	24%	VT and SU are Similar

WERE BULLIED, PAST 30 DAYS			
	SU/SD	VT	
Overall	27%	22%	VT and SU are Similar

BULLIED SOMEONE ELSE, PAST 30 DAYS			
	SU/SD	VT	
Overall	13%	8%	SU > VT

SECTION 2: PERSONAL SAFETY
 CAR SAFETY

**DID NOT GO TO SCHOOL BECAUSE THEY FELT UNSAFE AT SCHOOL OR
 ON THEIR WAY TO OR FROM SCHOOL, PAST 30 DAYS**

	SU/SD	VT	
Overall	16%	8%	SU > VT

SEATBELT USE

	SU/SD	VT	
Never	.	1%	Too few students
Rarely	.	1%	Too few students
Sometimes	.	3%	Too few students
Most of the time	17%	18%	
Always	76%	76%	

RARELY OR NEVER WEAR A SEAT BELT

	SU/SD	VT	
Overall	.	2%	Too few students

EVER RODE WITH A DRIVER WHO HAD BEEN DRINKING ALCOHOL

	SU/SD	VT	
Overall	.	22%	Too few students

EVER RODE WITH A DRIVER WHO HAD BEEN USING MARIJUANA

	SU/SD	VT	
Overall	.	9%	Too few students

SECTION 2: PERSONAL SAFETY
 INJURY PREVENTION

HELMET USE WHEN RIDING A BICYCLE

	SU/SD	VT	
Never wear a helmet	18%	16%	
Rarely wear a helmet	17%	15%	
Sometimes wear a helmet	22%	15%	SU > VT
Most of the time wear a helmet	16%	25%	VT > SU
Always wear a helmet	27%	28%	

RARELY OR NEVER WEAR A BICYCLE HELMET

	SU/SD	VT	
Overall	36%	31%	VT and SU are Similar

HELMET USE WHEN SKIING OR SNOWBOARDING

	SU/SD	VT	
Never wear a helmet	.	5%	Too few students
Rarely wear a helmet	.	2%	Too few students
Sometimes wear a helmet	.	2%	Too few students
Most of the time wear a helmet	.	7%	Too few students
Always wear a helmet	.	83%	Too few students

RARELY OR NEVER WEAR A HELMET WHEN SKIING OR SNOWBOARDING

	SU/SD	VT	
Overall	.	7%	Too few students

SECTION 2: PERSONAL SAFETY
 TOBACCO EXPOSURE AND PREVENTION

HAD A CONCUSSION FROM PLAYING A SPORT OR BEING PHYSICALLY ACTIVE

	SU/SD	VT	
Overall	14%	17%	VT and SU are Similar

WERE IN THE SAME ROOM WITH SOMEONE WHO WAS SMOKING CIGARETTES, PAST 7 DAYS

	SU/SD	VT	
Overall	29%	26%	VT and SU are Similar

WERE IN THE SAME CAR WITH SOMEONE WHO WAS SMOKING CIGARETTES, PAST 7 DAYS

	SU/SD	VT	
Overall	21%	19%	VT and SU are Similar

SEE TOBACCO ADS WHEN GOING TO A GROCERY STORE, SUPERMARKET, OR CONVENIENCE STORE

	SU/SD	VT	
Never	10%	9%	
Rarely	11%	14%	
Sometimes	21%	27%	VT > SU
Most of the time	28%	29%	
Always	31%	21%	SU > VT

SECTION 2: PERSONAL SAFETY
TOBACCO EXPOSURE AND PREVENTION

MOST OF THE TIME OR ALWAYS SEE ADS FOR CIGARETTES OR OTHER TOBACCO PRODUCTS			
	SU/SD	VT	
Overall	58%	50%	SU > VT

WERE ASKED BY A DOCTOR, DENTIST, OR NURSE IF THEY SMOKED, PAST YEAR			
	SU/SD	VT	
Overall	24%	30%	VT and SU are Similar

SECTION 3: MENTAL HEALTH

FELT SAD OR HOPELESS, PAST YEAR			
	SU/SD	VT	
Overall	19%	19%	VT and SU are Similar

EVER SERIOUSLY THOUGHT ABOUT KILLING THEMSELVES			
	SU/SD	VT	
Overall	26%	18%	SU > VT

EVER MADE A PLAN ABOUT HOW THEY WOULD KILL THEMSELVES			
	SU/SD	VT	
Overall	20%	12%	SU > VT

EVER ATTEMPTED SUICIDE			
	SU/SD	VT	
Overall	.	6%	Too few students

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER SMOKED A WHOLE CIGARETTE			
	SU/SD	VT	
Overall	.	7%	Too few students

EVER USED AN ELECTRONIC VAPOR PRODUCT			
	SU/SD	VT	
Overall	10%	9%	VT and SU are Similar

EVER USED A FLAVORED TOBACCO PRODUCT			
	SU/SD	VT	
Overall	.	5%	Too few students

EVER DRANK ALCOHOL			
	SU/SD	VT	
Overall	15%	19%	VT and SU are Similar

EVER USED MARIJUANA			
	SU/SD	VT	
Overall	.	7%	Too few students

EVER USED INHALANTS			
	SU/SD	VT	
Overall	.	4%	Too few students

SECTION 4: SUBSTANCE USE
 LIFETIME USE

EVER TOOK PRESCRIPTION PAIN MEDICINE WITHOUT A DOCTOR'S PRESCRIPTION OR DIFFERENTLY THAN HOW A DOCTOR TOLD THEM TO USE IT		
	SU/SD	VT
Overall	.	2%
Too few students		

EVER TOOK A PRESCRIPTION STIMULANT WITHOUT A DOCTOR'S PRESCRIPTION OR DIFFERENTLY THAN HOW A DOCTOR TOLD THEM TO USE IT		
	SU/SD	VT
Overall	.	2%
Too few students		

SECTION 4: SUBSTANCE USE
 CURRENT USE

USED TOBACCO PRODUCTS, PAST YEAR		
	SU/SD	VT
Overall	.	5%

Too few students

SMOKED CIGARETTES OR CIGARS OR USED SMOKELESS TOBACCO OR ELECTRONIC VAPOR PRODUCTS, PAST 30 DAYS		
	SU/SD	VT
Overall	.	5%

Too few students

SMOKED CIGARETTES OR CIGARS OR USED SMOKELESS TOBACCO, PAST 30 DAYS		
	SU/SD	VT
Overall	.	3%

Too few students

SMOKED CIGARETTES, PAST 30 DAYS		
	SU/SD	VT
Overall	.	2%

Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: TYPICAL NUMBER OF CIGARETTES SMOKED

	SU/SD	VT	
Less than 1 cigarette	.	33%	Too few students
1 cigarette	.	23%	Too few students
2 to 5 cigarettes	.	23%	Too few students
6 to 10 cigarettes	.	6%	Too few students
11 to 20 cigarettes	.	.	Too few students
More than 20 cigarettes	.	14%	Too few students

USED AN ELECTRONIC VAPOR PRODUCT PAST 30 DAYS

	SU/SD	VT	
Overall	.	4%	Too few students

AMONG CURRENT USERS: REASONS FOR USING AN ELECTRONIC VAPOR PRODUCT

	SU/SD	VT	
Friend/family used them	.	38%	Too few students
To try to quit other tobacco products	.	3%	Too few students
Cost less	.	1%	Too few students
Easier to get	.	1%	Too few students
Less harmful	.	7%	Too few students
Available in flavors	.	13%	Too few students
Used for some other reason	.	36%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: ELECTRONIC VAPOR PRODUCT SOURCE

	SU/SD	VT	
Bought them in a store	.	3%	Too few students
I got them on the Internet	.	9%	Too few students
Someone else bought them	.	10%	Too few students
Borrowed them	.	44%	Too few students
A person 18 or older gave me	.	9%	Too few students
Took them from a store	.	4%	Too few students
Some other way	.	21%	Too few students

AMONG CURRENT USERS: FREQUENCY OF ELECTRONIC VAPOR PRODUCT USE

	SU/SD	VT	
1 or 2 days	.	49%	Too few students
3 to 5 days	.	16%	Too few students
6 to 9 days	.	10%	Too few students
10 to 19 days	.	6%	Too few students
20 to 29 days	.	5%	Too few students
All 30 days	.	15%	Too few students

SMOKED CIGARS, PAST 30 DAYS

	SU/SD	VT	
Overall	.	1%	Too few students

SECTION 4: SUBSTANCE USE
 CURRENT USE

USED SMOKELESS TOBACCO, PAST 30 DAYS		
	SU/SD	VT
Overall	.	1%
Too few students		

TRIED TO QUIT USING ALL TOBACCO PRODUCTS, AMONG STUDENTS WHO USED ANY IN PAST YEAR		
	SU/SD	VT
Overall	.	36%
Too few students		

DRANK ALCOHOL, PAST 30 DAYS		
	SU/SD	VT
Overall	.	7%
Too few students		

BINGE DRANK, PAST 30 DAYS		
	SU/SD	VT
Overall	.	2%
Too few students		

SECTION 4: SUBSTANCE USE
 CURRENT USE

AMONG CURRENT USERS: LARGEST AMOUNT OF ALCOHOL CONSUMED

	SU/SD	VT	
1 or 2 drinks	.	63%	Too few students
3 drinks	.	10%	Too few students
4 drinks	.	7%	Too few students
5 drinks	.	6%	Too few students
6 or 7 drinks	.	4%	Too few students
8 or 9 drinks	.	2%	Too few students
10 or more drinks	.	9%	Too few students

USED MARIJUANA, PAST 30 DAYS

	SU/SD	VT	
Overall	.	4%	Too few students

SECTION 4: SUBSTANCE USE
 PERCEPTIONS ABOUT USE

**THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO
 SMOKE CIGARETTES**

	SU/SD	VT	
Overall	90%	95%	VT > SU

**THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO
 DRINK ALCOHOL**

	SU/SD	VT	
Overall	94%	89%	SU > VT

**THINK IT IS WRONG OR VERY WRONG FOR SOMEONE THEIR AGE TO
 USE MARIJUANA**

	SU/SD	VT	
Overall	84%	90%	VT > SU

**THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR
 VERY WRONG FOR THEM TO SMOKE CIGARETTES**

	SU/SD	VT	
Overall	95%	95%	VT and SU are Similar

**THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR
 VERY WRONG FOR THEM TO DRINK ALCOHOL**

	SU/SD	VT	
Overall	84%	85%	VT and SU are Similar

SECTION 4: SUBSTANCE USE
 PERCEPTIONS ABOUT USE

THINK THEIR PARENTS OR GUARDIANS FEEL IT WOULD BE WRONG OR VERY WRONG FOR THEM TO USE MARIJUANA			
	SU/SD	VT	
Overall	92%	92%	VT and SU are Similar

THINK CIGARETTES WOULD BE SORT OF EASY OR VERY EASY TO GET			
	SU/SD	VT	
Overall	24%	22%	VT and SU are Similar

THINK ALCOHOL WOULD BE SORT OF EASY OR VERY EASY TO GET			
	SU/SD	VT	
Overall	35%	37%	VT and SU are Similar

THINK MARIJUANA WOULD BE SORT OF EASY OR VERY EASY TO GET			
	SU/SD	VT	
Overall	21%	15%	SU > VT

THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY SMOKE ONE OR MORE PACKS OF CIGARETTES PER DAY			
	SU/SD	VT	
Overall	81%	72%	SU > VT

SECTION 4: SUBSTANCE USE
PERCEPTIONS ABOUT USE

**THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY BINGE
DRINK EACH WEEKEND**

	SU/SD	VT	
Overall	51%	48%	VT and SU are Similar

**THINK PEOPLE GREATLY RISK HARMING THEMSELVES IF THEY USE
MARIJUANA REGULARLY**

	SU/SD	VT	
Overall	59%	59%	VT and SU are Similar

SECTION 5: SEXUAL ACTIVITY

EVER HAD SEXUAL INTERCOURSE			
	SU/SD	VT	
Overall	10%	5%	SU > VT

EVER HAD ORAL SEX			
	SU/SD	VT	
Overall	10%	6%	SU > VT

SECTION 6: PHYSICAL ACTIVITY AND NUTRITION

DAYS ENGAGED IN AT LEAST 60 MIN OF PHYSICAL ACTIVITY, PAST WEEK			
	SU/SD	VT	
0 days	8%	7%	
1 day	8%	4%	SU > VT
2 days	8%	7%	
3 days	8%	10%	
4 days	8%	11%	
5 days	12%	15%	
6 days	.	11%	Too few students
7 days	41%	34%	SU > VT

WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON ALL 7 DAYS			
	SU/SD	VT	
Overall	41%	34%	SU > VT

WERE PHYSICALLY ACTIVE AT LEAST 60 MINUTES PER DAY ON 5 OR MORE DAYS			
	SU/SD	VT	
Overall	60%	60%	VT and SU are Similar

WERE NOT PHYSICALLY ACTIVE PAST WEEK			
	SU/SD	VT	
Overall	8%	7%	VT and SU are Similar

SECTION 6: PHYSICAL ACTIVITY AND NUTRITION

PHYSICAL ACTIVITY BREAKS AT SCHOOL, TYPICAL WEEK

	SU/SD	VT	
0 days	53%	25%	SU > VT
1 day	.	7%	Too few students
2 days	.	8%	Too few students
3 days	.	8%	Too few students
4 days	.	5%	Too few students
5 days	32%	46%	VT > SU

GET NO PHYSICAL ACTIVITY BREAKS WHILE THEY ARE AT SCHOOL

	SU/SD	VT	
Overall	53%	25%	SU > VT

RIDE A BIKE OR WALK TO SCHOOL WHEN WEATHER PERMITS

	SU/SD	VT	
0 days	82%	77%	
1 day	.	3%	Too few students
2 days	.	3%	Too few students
3 days	.	4%	Too few students
4 days	.	2%	Too few students
5 days	13%	10%	

SECTION 6: PHYSICAL ACTIVITY AND NUTRITION

WALK OR RIDE THEIR BIKE TO SCHOOL EVERYDAY			
	SU/SD	VT	
Overall	13%	10%	VT and SU are Similar

WATCH TELEVISION, TYPICAL SCHOOL DAY			
	SU/SD	VT	
No TV on average school day	16%	18%	
Less than 1 hour per day	29%	23%	SU > VT
1 hour per day	13%	18%	VT > SU
2 hours per day	19%	20%	
3 hours per day	10%	10%	
4 hours per day	8%	4%	SU > VT
5 or more hours per day	.	6%	Too few students

WATCHED TV 3+ HOURS PER DAY			
	SU/SD	VT	
Overall	23%	20%	VT and SU are Similar

SECTION 6: PHYSICAL ACTIVITY AND NUTRITION

COMPUTER AND VIDEO GAME USE, TYPICAL SCHOOL DAY

	SU/SD	VT	
No playing video/computer game	10%	12%	
Less than 1 hour per day	8%	17%	VT > SU
1 hour per day	25%	15%	SU > VT
2 hours per day	17%	18%	
3 hours per day	18%	14%	
4 hours per day	.	8%	Too few students
5 or more hours per day	19%	16%	

PLAYED VIDEO OR COMPUTER GAMES OR USED A COMPUTER 3+ HOURS PER DAY

	SU/SD	VT	
Overall	41%	38%	VT and SU are Similar

BREAKFAST CONSUMPTION, PAST WEEK

	SU/SD	VT	
0 days	.	7%	Too few students
1 day	.	4%	Too few students
2 days	.	7%	Too few students
3 days	9%	7%	
4 days	10%	6%	
5 days	.	8%	Too few students
6 days	.	9%	Too few students
7 days	52%	52%	

SECTION 6: PHYSICAL ACTIVITY AND NUTRITION

DID NOT EAT BREAKFAST, PAST WEEK

	SU/SD	VT	
Overall	.	7%	Too few students

GLASSES OF WATER CONSUMED PER DAY, PAST WEEK

	SU/SD	VT	
Did not drink water	.	3%	Too few students
1 to 3 times	12%	9%	
4 to 6 times	19%	10%	SU > VT
1 time per day	.	6%	Too few students
2 times per day	18%	16%	
3 times per day	11%	19%	VT > SU
4 or more times per day	29%	37%	VT > SU

DRANK THREE OR MORE GLASSES PER DAY OF WATER

	SU/SD	VT	
Overall	40%	56%	VT > SU

SECTION 7: SOCIAL DETERMINANTS OF HEALTH

WENT HUNGRY BECAUSE THERE WAS NOT ENOUGH FOOD AT HOME, PAST 30 DAYS			
	SU/SD	VT	
Never	76%	77%	
Rarely	19%	14%	
Sometimes	.	7%	Too few students
Most of the time	.	1%	Too few students
Always	.	1%	Too few students

MOST OF THE TIME OR ALWAYS WENT HUNGRY BECAUSE THERE WAS NOT ENOUGH FOOD IN THEIR HOME			
	SU/SD	VT	
Overall	.	2%	Too few students

BORN OUTSIDE THE U.S.			
	SU/SD	VT	
Overall	.	6%	Too few students

SECTION 8: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

ATE DINNER WITH AT LEAST ONE PARENT, PAST WEEK

	SU/SD	VT	
0 days	8%	5%	SU > VT
1 day	.	2%	Too few students
2 days	.	2%	Too few students
3 days	.	3%	Too few students
4 days	.	4%	Too few students
5 days	11%	7%	SU > VT
6 days	8%	10%	
7 days	56%	66%	VT > SU

ATE DINNER AT HOME WITH AT LEAST ONE OF THEIR PARENTS ON 4+ DAYS, PAST WEEK

	SU/SD	VT	
Overall	78%	88%	VT > SU

BELIEVE SCHOOL HAS RULES AND CONSEQUENCES FOR BEHAVIORS

	SU/SD	VT	
Strongly agree	42%	28%	SU > VT
Agree	40%	43%	
Not sure	8%	17%	VT > SU
Disagree	.	8%	Too few students
Strongly disagree	.	5%	Too few students

SECTION 8: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

STRONGLY AGREE OR AGREE THAT THEIR SCHOOL HAS CLEAR RULES AND CONSEQUENCES FOR BEHAVIOR			
	SU/SD	VT	
Overall	82%	71%	SU > VT

BELIEVE THERE IS AT LEAST ONE ADULT IN THEIR SCHOOL THAT THEY CAN TALK TO IF THEY HAVE A PROBLEM			
	SU/SD	VT	
Overall	75%	76%	VT and SU are Similar

GRADES EARNED IN SCHOOL			
	SU/SD	VT	
Mostly A's	41%	46%	
Mostly B's	36%	38%	
Mostly C's	16%	12%	
Mostly D's	.	3%	Too few students
Mostly F's	.	1%	Too few students

BELIEVE THEY MATTER TO PEOPLE IN THEIR COMMUNITY			
	SU/SD	VT	
Strongly agree	26%	27%	
Agree	36%	36%	
Not sure	26%	24%	
Disagree	10%	7%	
Strongly disagree	.	5%	Too few students

SECTION 8: YOUTH ASSETS AND OTHER PROTECTIVE FACTORS

**STRONGLY AGREE OR AGREE THAT IN THEIR COMMUNITY THEY FEEL
LIKE THEY MATTER TO PEOPLE**

	SU/SD	VT	
Overall	62%	64%	VT and SU are Similar