



Weekly Summary of Vermont COVID-19 Data

Reflecting cases identified between March 5 – May 27, 2020

Date published: May 29, 2020. This summary will be updated every Friday.





Common Terms and Data Sources

This document contains information about people who have tested positive for COVID-19 in Vermont. You will find data presented in a few different ways throughout this document:

- **Count:** the number of people who have tested positive for COVID-19 (overall or in a particular group)
- Rate: the number of people who have tested positive for COVID-19 in a particular group, divided by the total number of people in that group. Using rates allows for more direct comparisons between groups.
- Growth rate: a measure of the percent change in COVID-19 cases over time; this tells us how quickly or slowly the disease is spreading in Vermont
- Week: for the purposes of this document, "this week" is defined as the 7 days prior to publication; for example, May 7 through May 14

For geographic information, please see the <u>COVID-19 Data Dashboard</u> or <u>Town Map</u>. For more information on data sources, please see our <u>Data Notes</u> document.

Table of Contents

Click on a box below to jump to that section




COVID-19 in Vermont

An overview of our number of cases and laboratory testing to date.

Total Number of Cases in Vermont: 974


80

The daily number of COVID-19 cases in Vermont peaked on April 3.



Most counties have reached a plateau in the number of new cases.


Growth over time by county (n=969)



Cumulative cases are presented using a log scale to help compare the large number of cases in Chittenden County (n=449, roughly 50% of all cases) to other counties. Using a log scale also helps visualize percent change. For the number of cases by county, see the <u>Data Dashboard</u>.

6

COVID-19 in Vermont



*Not a stable estimate due to small numbers. There were 9 total tests and 1 was positive.

The **number of people tested** reflects the number of individual people who have had confirmatory testing for COVID-19 in Vermont. Each person is only counted once. The **number of tests** reflects the number of specimens that have had confirmatory for COVID-19 in Vermont. This number may include multiple specimens for one person, the same person tested multiple times, etc. Neither of these numbers include serology testing.


Percent Positive to Date

Case Demographics

Who has been impacted by COVID-19 in Vermont?




Rate per 10,000 Vermonters



Females and **males** have similar rates of COVID-19.

Rate per 10,000 Vermonters


32.2



36.3


There are differences in age and sex of Vermonters with COVID-19.

Rates of COVID-19 by Age Group for Females and Males per 10,000 Vermonters




White Vermonters represent the majority of COVID-19 cases. African American Vermonters have the highest rate.

Rate per 10,000 Vermonters



Non-Hispanic Vermonters represent the majority of COVID-19 cases. Hispanic Vermonters have the higher rate. Rate per 10,000 Vermonters



Case Demographics

Vermont Department of Health

Approximately 64% of people* with COVID-19 have a pre-existing condition.

*of the 771 people that the Health Department has pre-existing condition data.


Condition	Count	Percentage
Heart Disease	118	16%
Chronic Lung Disease (includes asthma and COPD)	111	15%
Chronic Liver Disease	7	1%
Chronic Kidney Disease	22	3%
Current/Former Smoker	209	27%
Diabetes	81	11%
Immunocompromised Condition	42	6%
Neurologic Condition/Intellectual Disability	32	4%
Other Chronic Condition**	252	34%
Pregnant	8	1%

51% of people with a preexisting condition have two or more conditions.

**Not mutually exclusive, includes things like arthritis, thyroid conditions, multiple free text entries.


The Health Department has information about pre-existing conditions in 79% (771) of 974 total COVID-19 cases

Prevalence of certain conditions in COVID-19 patients and Vermont adults.




Data Source: Cardiovascular disease and diabetes, BRFSS 2018 annual report. Chronic lung disease, 3-4-50 Community profile (2016-2017 BRFSS).


COVID-19 patients with pre-existing conditions tend to be older than those without pre-existing conditions.



Prevalence of pre-existing conditions is approximately equal between female and male COVID-19 patients.




A higher percentage of COVID-19 patients with pre-existing conditions have been hospitalized than those without pre-existing conditions.



Clinical Course

What symptoms have Vermonters experienced? How many have been hospitalized? How many have died?

The day symptoms start is important to know when people with COVID-19 become infectious.




Note: Date of symptom onset is not always known.

15 days Average illness duration

Sign or Symptom	Percent of Symptomatic Cases
Cough	75%
Fatigue	71%
Headache	55%
Fever	55%
Muscle Pain	54%

Most Vermonters with COVID-19 are not hospitalized.



Vermonters 80 years and older are more likely to be hospitalized for COVID-19.

Rate per 10,000 Vermonters

≥80


12.7

5.7

Vermonters 80 years and older have higher rates of COVID-19


death than other age groups.

Rate per 10,000 Vermonters




Males have similar rates of COVID-19 death than females.


Rate per 10,000 Vermonters



Most COVID-19 deaths occurred in an inpatient hospital setting or a long-term care facility.



White Vermonters represent a majority of COVID-19 deaths. However the rate is higher among racial minorities.



Outbreaks

How is COVID-19 impacting group settings?

What is an outbreak?

1. For congregate care facilities (long term care facility or skilled nursing facility):

- A single resident with a positive COVID-19 laboratory test and one or more additional residents with respiratory illness

OR


- Two or more residents with at least two of the following symptoms: fever (temp \geq 100 ° F), cough, difficulty breathing/shortness of breath


2. For other settings (residential communities, businesses):

- Two or more epidemiologically-linked confirmed COVID-19 cases where there's an opportunity to stop transmission



24% of COVID-19 cases are associated with an outbreak











Vermont COVID-19 Cases Associated with an Outbreak Over Time 90




In facilities with an outbreak, 81% of <u>residents</u> have been tested.



20

Vermont Department of Health

While only 24% of all COVID-19 cases are associated with outbreaks, more than half of COVID-19-related deaths occur in outbreak settings.



Values in these charts are rounded to the nearest whole number and therefore may not always add to 100% due to error introduced in rounding.


Source: Vermont Department of Health Reflects confirmed data as of 5/27/2020.

Note: Examples of a health setting include long term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.


Vermont Department of Health

The percentage of females and males with COVID-19 that are associated with an outbreak is about even.





But in <u>outbreak settings</u>, females with COVID-19 are more likely to be associated with a health setting than nonhealth settings.




Note: Examples of a health setting include long-term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.

Vermont Department of Health

22

Outbreaks

Percent of Cases by Outbreak Status and Age




Note: Examples of a health setting include long-term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.

Syndromic Surveillance

What we can learn from emergency room and urgent care centers?

The percent of emergent care visits for COVID-19-like illness is decreasing.

Syndromic surveillance from 13 of 14 Vermont hospitals and 2 urgent care centers. Monitoring this data acts as an early indicator of potential spikes of COVID-19 in the community.



Interpret with caution, there is a chance for over or underestimation given the lag in reporting.


COVID-19-like illness diagnosis is determined using the patient's chief complaint and/or discharge diagnosis.

COVID-19-like illness is the presence of a fever with the addition of shortness of breath, difficulty breathing, or cough.

COVID-19-like illness excludes patients with an influenza discharge diagnosis.

*Please note: the query used to identify COVID-19-like illness in syndromic surveillance data changed on 5/28. This was to be consistent with the most up-to-date national definition provided by the CDC.

Weekly Spotlight: Symptoms




85% people with COVID-19 in Vermont have experienced symptoms and 7% of people with COVID-19 in Vermont have not experienced symptoms.

The most common signs or symptoms of COVID-19 in Vermont are cough, fatigue, headache, fever, and muscle pain.


Sign or Symptom	Percent of Symptomatic Cases
Cough	74%
Fatigue or Malaise	70%
Headache	55%
Fever	53%
Muscle Pain	53%
Loss of Smell or Taste	51%
Shortness of Breath	50%
Felt Feverish	50%
Loss of Appetite	47%
Chills or Rigors	47%
Other*	43%

*Other includes things like chest tightness, weakness, dizziness.

The proportion of cases without symptoms is generally higher among younger age groups, while the proportion of cases with symptoms is higher among older age groups.



A larger proportion of females with COVID-19 have symptoms, while males with COVID-19 have symptoms and do not have symptoms about equally.





Learn more about COVID-19 in Vermont:

Web: www.healthvermont.gov/COVID-19Email: <u>AHS.VDHPublicCommunication@vermont.gov</u>