2015 Vermont Youth Risk Behavior Survey Report

Report for Windham Southeast SU

Survey Format in 2015

In 2015, we conducted two surveys: a high school survey of students in grades 9 through 12, and a middle school survey of students in grades 6 through 8.

Results in this report include high school and middle school results for Vermont and for Windham Southeast SU All results in the 2015 high school section are for grades 9 through 12 only, and the middle school section are for grades 6 through 8 only.

The middle school and high school surveys differed slightly. The shorter middle school survey included questions on fighting, bullying, suicidality, substance use, attitudes and perceptions about substance use, body image, physical activity, and youth assets. The high school survey included questions on these topics as well as self-reported height and weight, driving behaviors, other drug use, sexual behavior and orientation, and nutrition.

Copies of both surveys can be found online at: http://healthvermont.gov/research/yrbs.aspx Copies of the full state reports, highlights, and additional sub state reports can also be found here.

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who choose to participate in the Youth Risk Behavior Survey each year.

We would especially like to thank the following schools from Windham SE who participated in the 2015 YRBS:

Table of Contents

How to Use the YRBS	3
How to Read this YRBS Report	4
A Word of Caution	5
Background	6
References	12
High School	
Participation Rates	17
Chapter 1: Personal Safety	19
Chapter 2: Alcohol, Tobacco and Other Drugs	28
Chapter 3: Attitudes and Perceptions about Alcohol, Cigarette, and Marijuana Use	46
Chapter 4: Sexual Behavior and Orientation	54
Chapter 5: Body Image	62
Chapter 6: Nutrition and Physical Activity	65
Chapter 7: Youth Assets	73
Middle School	
Participation Rates	77
Chapter 1: Personal Safety	80
Chapter 2: Alcohol, Tobacco and Other Drugs	87
Chapter 3: Attitudes and Perceptions about Alcohol, Cigarette, and Other Drugs	94
Chapter 4: Sexual Behavior	100
Chapter 5: Nutrition and Physical Activity	101
Chapter 6: Youth Assets	108

How to Use the YRBS

The YRBS can detect changes in risk behaviors over time and identify differences among ages, grades, and genders. With these data, we can focus prevention efforts and determine whether school policies and community programs are having the intended effect on student behaviors.

Think of the YRBS as a tool for starting discussions, for educating the community, for planning and evaluating programs, and for comparing Vermont students with other students nationwide.

- Start the Conversation: Use the YRBS to begin a conversation with teens about the personal choices they make or about the health of their community. Ask them if the results accurately reflect what they see happening around them. How do they explain the results? From their perspective, what is or is not working? How would they promote healthy behaviors?
- Increase Awareness: The YRBS provides an opportunity to break through "denial" and make community members aware of the risks that their young people face. It can also dispel myths and correct misinformation about the "average teenager." The YRBS can accentuate the positive and celebrate the fact that many students are abstaining from behaviors that endanger their health and their ability to succeed.
- Plan and Evaluate Programs: The YRBS can serve as the basis of a community needs assessment. It can help identify strengths and weaknesses in communities, and can inform strategies to address those weaknesses.
- Remember to Look at the Positive Side: In most cases, the majority of adolescents are NOT engaging in risky behaviors. Although most of the charts examine the prevalence of risk behaviors, please do not forget about the percentage of adolescents who are NOT engaging in these behaviors.

Note: "Getting to 'Y'", a program originally funded by the Agency of Education, provides a manual for student groups looking to analyze and leverage their own YRBS data – it can be found here: http://www.upforlearning.com/index.php/yatst .

How to Read this YRBS Report

Format: The results appear in data tables, with an overall average, by grade and by gender. The percentages in some charts may not total 100% due to rounding.

Weighting: The results in this report are weighted by gender, grade, and race/ethnicity in order to compensate for absenteeism and incomplete surveys. The weighting allows the results to be fully representative of public students in grades six through eight (middle school survey) and grades nine through twelve (high school survey). This permits us to draw inferences about the school-based student population in Vermont.

From 1993 through 2011, statewide reports included numbers based on a weighted sample of schools, and local-level reports included unweighted numbers. Beginning 2013, due to the high participation from Vermont schools, the switch was made to use all of the student responses in the statewide report, instead of a sample. This allows for direct comparison between county estimates and the statewide estimates, as well as ensure that the estimates are more accurate. You can still compare the local-level report numbers to previous local-level years.

Statistical Comparisons: We note significant differences in the far right column on each table labeled "Notes." For the 2015 results, we compared the 95 percent confidence intervals separately by grade, gender and year to determine if the percentages for each county were statistically different from the state. If the confidence intervals overlapped, the percentages were not different. In every table it is noted whether this county is statistically different from the state average. However, we encourage you to consider meaningful difference: does the disparity merit a targeted intervention, show a real change in health, or otherwise mean something important to the community (statistics aside).

In some cases there were not enough students responding to report an estimate. In those cases, there is a dot (.) and the "Notes" column will read "Too few students." We limit reportable estimates to a total numerator of 5 students and denominator of 50 students.

A Word of Caution

The YRBS represents the most complete and most recent information available about risk behaviors among Vermont students. However, the YRBS has some limitations that you should keep in mind when interpreting the results.

- Data Quality: We take numerous precautions to ensure the reliability and validity of the results. The Centers for Disease Control and Prevention (CDC) carefully designed and thoroughly tested the questionnaire. The anonymous survey encourages students to be honest and forthright. The CDC runs over 100 consistency checks on the data to exclude careless, invalid, or logically inconsistent answers. We statistically adjust, or weight, the results so that the responses accurately represent all Vermont public school students based on gender, grade, and race/ethnicity. These precautions can reduce some sources of error, but not all.
- Who's Not Included: Administrators make every effort to have all students complete the YRBS. However, students who are not at school the day of the survey are not included in the results. Additionally, students who are home schooled, attend independent schools that chose not to participate, or dropped out of school are not included.
- Comparing Supervisory Unions/School Districts to Each Other and to the State: Participating supervisory unions and school districts receive reports of their results comparing them directly to the state. It is natural to also want to know how individual supervisory unions or school districts compare to each other, but we urge caution in making such comparisons because the reasons for the differences may not be simple or easy to identify.
- What, not Why: The YRBS can indicate what students are doing. It can also suggest which groups of students are more likely to engage in these behaviors. However, the survey does not answer why they are doing it. We encourage students to analyze their own data and offer insight into the results.

Personal Safety

Feeling safe – whether at school, in a car, or in a relationship – fosters positive adolescent development. The high school and middle school surveys included questions on fighting, bullying, seat belt use, safety at school, helmet use, and suicidality. The high school survey included additional questions on driving behaviors, dating violence, and self-harm.

- Physical fighting is a marker for problem behaviors¹ and is associated with serious injury.^{2,3} Abuse by an intimate partner and forced sex are associated with negative psychosocial outcomes, poor mental health outcomes, and other risk behaviors among both males and females.^{4,5,6}
- Both being a bully and being victimized by bullies have been increasingly recognized as health problems for children because of their association with a range of problems, including poor psychological adjustment, 7,8 poor academic achievement, 8 and violent behavior. 9
- Motor vehicle crash injuries are the leading cause of death among youth ages 15 to 19 in the U.S.¹⁰ Proper use of safety belts reduces the risk of fatal injury to front seat passengers by 45% and risk of moderate to critical injury by 50%.¹¹
- Bicycle helmets are 85% to 88% effective at reducing the impact of head and brain injuries due to bicycle crashes. 12 Despite this, less than one quarter of bicyclists wear helmets. 12
- In 2011, alcohol use was associated with nearly four in ten motor vehicle-related fatalities nationwide and in Vermont. Additionally, research examining drugs other than alcohol indicates that marijuana is the most prevalent drug detected in impaired drivers, fatally injured drivers, and motor vehicle crash victims nationwide. Additionally, research examining drugs other than alcohol indicates that marijuana is the most prevalent drug detected in impaired drivers, fatally injured drivers, and

Alcohol, Tobacco and Other Drugs

Early use of alcohol, tobacco, and other drugs is associated with myriad problems later in life. The high school and middle school surveys asked about tobacco, alcohol, marijuana, inhalant, and prescription drug use. Both surveys also asked the age at which students first used alcohol, cigarettes, and marijuana. The high school survey asked additional questions on other drug use, such as heroin. Both surveys asked about ease of availability of alcohol, cigarettes, and marijuana, peer disapproval of use of these substances, perceived parental disapproval of use, and the risk of harm associated with use of these substances.

- Alcohol use is a major contributing factor in about half of all homicides and sexual assaults, ¹⁵ and about one-third of all motor vehicle crash fatalities. ¹⁶ Heavy drinking among youth has been linked to violence, academic and job problems, suicidal behavior, trouble with law enforcement authorities, risky sexual behavior, and use of cigarettes, marijuana, and other illegal drugs. ^{17,18}
- Tobacco use is the single most preventable cause of death in the United States, ¹⁹ contributing to more than one in five deaths. ²⁰ Cigarette smoking increases the risk of heart disease, chronic obstructive pulmonary disease, acute respiratory illness, stroke, and cancers of the lung, larynx, oral cavity, pharynx, pancreas, and cervix. ¹⁹
- Marijuana use is associated with smoking-related respiratory damage, temporary short-term memory loss, decreased motivation, and psychological dependence.²¹ Other reactions include feelings of distrust, anxiety, or depression.²¹ In Vermont, more teens enter treatment with a primary diagnosis for marijuana dependence than all other illicit drugs combined.²²
- Other drug use is related to suicide, early unwanted pregnancy, school failure, delinquency, and transmission of sexually transmitted diseases (STDs), including HIV infection.²³
- Multi-year results from the Monitoring the Future survey indicate that the prevalence of marijuana use among youth declines as the percentage of youth expressing disapproval of marijuana increases. As perception of harm of using alcohol and other drugs decreases, there is a tendency for use to increase. Increased use is also associated with the perception that substances are readily available, regardless of whether the perception is accurate.

Sexual Behavior and Orientation

Experimentation with sexual behaviors and orientation often starts during adolescence. The high school survey asked about age of first sexual intercourse, frequency, sexual partners, sexual orientation, alcohol and drug use related to sexual intercourse, contraceptive use, and HIV testing.

- Early sexual activity and having multiple sexual partners are associated with an increased risk of unwanted pregnancy, sexually transmitted diseases (STDs) including HIV infection, ²⁵ and negative effects on social and psychological development. ²⁶ Alcohol and drug use may serve as predisposing factors for initiation of sexual activity. ²⁷
- Of the nearly 19 million new cases of STDs per year in the United States, almost half are among youth ages 15-24. STDs may result in infertility and facilitation of HIV transmission and may have an adverse effect on pregnancy outcomes and maternal and child health. Besides abstinence, condom use is currently the most effective means of preventing sexual transmission of HIV and other STDs. Proceedings of the states of
- Although many lesbian, gay, bisexual, and transgender adolescents lead happy and healthy lives, others face tremendous challenges to growing up physically and mentally healthy. Compared to heterosexual youth, lesbian, gay, bisexual, and transgender youth are at higher risk for depression, tobacco, alcohol and other drug use, suicide, and unhealthy sexual behaviors.³⁰

Body Image

Negative feelings about weight and body image often develop in adolescence. The high school and middle school surveys included questions about weight perception and weight control. The high school survey asked for students' height and weight to calculate body mass index.

• There are more than three times as many overweight children and adolescents in the U.S. than there were in 1980.³¹ Obesity during childhood and adolescence is associated with negative psychological and social consequences and adverse health outcomes, including type 2 diabetes, obstructive sleep apnea, hypertension, dyslipidemia, and metabolic syndrome.³² Overweight and obesity acquired during childhood or adolescence may persist into adulthood.³³ Approximately 400,000 deaths a year in the United States are currently associated with overweight and obesity.²⁰

Nutrition and Physical Activity

Nutritious eating and physical activity are two cornerstones of healthy adolescent development. The high school and middle school surveys asked about breakfast consumption, physical activity, physical education classes, and television, computer, and video game use. The high school survey also asked about consumption of fruits, vegetables, soda, and sugar-sweetened beverages.

- Fruits and vegetables are good sources of complex carbohydrates, vitamins, minerals, and other substances that are important for good health. Dietary patterns with higher intakes of fruits and vegetables are associated with a variety of health benefits, including a decreased risk for some types of cancer.³⁹⁻⁴³
- In recent years, soft drink consumption has significantly increased among children and adolescents. Consumption of sugar-sweetened drinks, including soft drinks, appears to be associated with an increased risk for being overweight in children. 44-45
- Regular physical activity builds and maintains healthy bones and muscles, controls weight, builds lean muscle, reduces fat, reduces feelings of depression and anxiety. It also decreases the risk of dying prematurely, dying of heart disease, and developing diabetes, colon cancer, and high blood pressure. The U.S. Department of Health and Human Services recommends that young people ages 6–17 participate in at least 60 minutes of physical activity every day. Health and Human Services recommends that young people ages 6–17 participate in at least 60 minutes of physical activity every day.
- By 12th grade, more than half of female students in the U.S. do not participate in vigorous physical activity regularly. School physical education classes can increase adolescent participation in physical activity and help adolescents develop the knowledge, attitudes, and skills they need to engage in lifelong physical activity. 47-50
- Television viewing is the principal sedentary leisure time behavior in the U.S. Studies have shown that television viewing in young people is related to obesity⁵¹ and violent or aggressive behavior.⁵²⁻⁵⁴ Using the computer for fun and playing video games have become increasingly common sedentary leisure time activities among young people as well.

Measures of Youth Assets

Adolescent achievement requires sources of positive influence. The high school and middle school surveys asked about school and community connectivity as well as parental conversations about school. The high school survey asked additional questions about volunteerism and grades earned in school.

- Above-average school performance is one of many developmental assets, or factors promoting positive development. Studies have shown that students who get higher grades in school are less likely to use cigarettes, alcohol, or marijuana, and are more likely to postpone sexual intercourse. 55
- One of the strongest predictors of students' success in school is the extent to which their parents stay involved with their schoolwork.⁵⁶ A national study of adolescent health found that youth who reported a "connectedness" to their parents/family and school were the least likely to engage in risky behaviors.⁵⁷ Parental expectations regarding school achievement were also associated with lower levels of risk behaviors.⁵⁷
- Research shows that involvement in constructive, supervised extracurricular activities is associated with reduced likelihood of involvement in risky behaviors such as school failure, drug use, and delinquency.⁵⁸ In addition, evidence is emerging that students who participate in such activities are also more likely to engage in other "thriving" behaviors.⁵⁹
- Youth are not simply objects of adult efforts to modify their behaviors. Rather, if given the opportunities, they can make significant contributions to their families, schools, and communities. Adolescents, especially, need to exercise decision-making power in as many settings as is practical, so that they can develop into competent adults. Schools are a natural setting for youth to share in decisions that affect their lives.

References

- 1. Sosin, D.M., Koepsell, T.D., Rivara, F.P., Mercy, J.A. Fighting as a marker for multiple problem behaviors in adolescents. Journal of Adolescent Health 16(3):209-215, 1995.
- 2.Pickett, W., Craig, W., Harel, Y., et al. Cross-national study of fighting and weapon carrying as determinants of adolescent injury. Pediatrics 116(6):e855-863, 2005.
- 3.Borowsky, I.W., Ireland, M. Predictors of future fight-related injury among adolescents. Pediatrics 113(3 pt 1):530-536, 2005.
- 4.Roberts, T.A., Klein, J.D., Fisher, S. Longitudinal effect of intimate partner abuse and high-risk behavior among adolescents. Archives of Pediatrics and Adolescent Medicine 157(9):875-881, 2003.
- 5.Ackard, D.M., Neumark-Sztainer, D. Date violence and date rape among adolescents: Association with disordered eating behaviors and psychological health. Child Abuse and Neglect 26(5):455-473, 2002.
- 6.Howard, D.E., Wang, M.Q. Psychosocial correlates of U.S. adolescents who report a history of forced sexual intercourse. Journal of Adolescent Health 36(5):372-379, 2005.
- 7.Juvonen, J., Graham, S., Schuster, M.A. Bullying among young adolescents: the strong, the weak, and the troubled. Pediatrics 112(6 pt 1): 1231-1237, 2003.
- 8. Spivak, H., Prothrow-Stith, D. The need to address bullying-an important component of violence prevention. JAMA 285(16):2131-2132, 2001.
- 9.Nansel, T.R., Overpeck, M., Pilla, R.S., et al. Bullying behaviors among U.S. youth: prevalence and association with psychological adjustment. JAMA 285(16):2094-2100, 2001.
- 10.Centers for Disease Control and Prevention. Web-based Injury Statistics Query and Reporting System (WISQARS). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. Online: www.cdc.gov/injury/wisqars/index.html
- 11. National Highway Traffic Safety Administration. Traffic safety facts: occupant protection, 2007. Online: www-nrd.nhtsa.dot.gov/Pubs/811729.PDF
- 12. National Highway Traffic Safety Administration. Traffic safety facts: bicycle helmet use laws, 2008. Online: www.nhtsa.dot.gov/people/injury/TSFLaws/PDFs/810886.pdf
- $13. National\ Highway\ Traffic\ Safety\ Administration.\ Traffic\ safety\ facts:\ state\ alcohol-impaired\ driving\ estimates,\ 2009.\ Online:\ www-nrd.nhtsa.dot.gov/Pubs/81162.pdf$
- 14.Jones, R.K., Shinar, D., Walsh, J.M. State of Knowledge of Drug-Impaired Driving. National Highway Traffic Safety Administration Technical Report DOT HS 809 642. Washington, DC: U.S. Department of Transportation, 2003.
- 15. Abbey, A., Zawacki, T., Buck, P.O., et al. Alcohol and sexual assault. Alcohol Research and Health 25(1):43-51, 2001.
- 16.Miller, J.W., Naimi, T.S., Brewer, R.D., Jones, S.E. Binge drinking and associated health risk behaviors among high school students. Pediatrics 119(1):76-85, 2007.

- 17. National Research Council and Institute of Medicine (2004). Reducing Underage Drinking: A Collective Responsibility. Committee on Developing a Strategy to Reduce and Prevent Underage Drinking, Richard J. Bonnie and Mary Ellen O'Connell, Editors. Board on Children, Youth, and Families, Division of Behavioral and Social Sciences and Education. Washington, DC: The National Academies Press.
- 18.U.S. Department of Health and Human Services. The Surgeon General's Call to Action to Prevent and Reduce Underage Drinking. U.S. Department of Health and Human Services, Office of the Surgeon General, 2007.
- 19.U.S. Department of Health and Human Services. The Health Consequences of Smoking: A Report of the Surgeon General. U.S. Department of Health and Human Services; Centers for Disease Control and Prevention; National Center for Chronic Disease Prevention and Health Promotion: Office on Smoking and Health, 2004.
- 20.Mokdad, A.H., Marks, J.S., Stroup, D.F., Gerberding, J.L. Actual causes of death in the United States, 2000. JAMA 291(10):1238-1245, 2004.
- 21. National Institute on Drug Abuse. Research Report Series: Marijuana Abuse (NIH Publication 05-3859). Bethesda, MD: National Institute on Drug Abuse, 2002.
- 22. Vermont Substance Abuse Treatment Information System. Data online at: www.healthvermont.gov/adap/clearinghouse/documents/AdolescentsbySAandFY.pdf
- 23.Newcomb, M.D., Locke T. Health, social, and psychological consequences of drug use and abuse. In: Epidemiology of Drug Abuse (Z. Sloboda, ed.). Springer U.S., 2006.
- 24. Johnston, L., O'Malley, P., Bachman, J. G., Shulenberg, J.E. National Survey Results on Drug Use From the Monitoring the Future Study, 1975-2007, Volume I: Secondary School Students (NIH Publication No. 08-6418A). Bethesda, MD: National Institute of Drug Abuse, 2008.
- 25. Abma JC, Martinez GM, Copen CE. Teenagers in the United States: Sexual activity, contraceptive use, and childbearing, National Survey of Family Growth 2006-2008. National Center for Health Statistics. Vital Health Stat 23 (30). 2010.
- 26.Centers for Disease Control and Prevention. Fact sheet on STDs and pregnancy. Online: www.cdc.gov/std/pregnancy/STDs-and-pregnancy-fact-sheet.pdf
- 27. Cavazos-Rehg, P.A., Krauss, M.J., Spitznagel, E.L., et al. Substance use and the risk for sexual intercourse with and without a history of teenage pregnancy among adolescent females. Journal of Studies on Alcohol and Drugs 72(2): 194-198, 2011.
- 28.Gavin, L., MacKay, A.P., Brown, K., et al. Sexual and reproductive health of persons aged 10-24 years United States, 2002-2007. MMWR Surveillance Summaries 58(6): 1-58, 2009.
- 29. Joint United Nations Programme on HIV/AIDS (UNAIDS). Fast Facts about HIV Prevention. Online at:
- www.unaids.org/en/media/unaids/contentassets/dataimport/pub/basedocument/2008/20080501_fastfacts_prevention_en.pdf
- 30.Kann, L., Olsen, E.O., McManus, T., et al. Sexual Identity, Sex of Sexual Contacts, and Health-Risk Behaviors Among Students in Grades 9-12 Youth Risk Behavior Surveillance, Selected Sites, United States, 2001-2009. MMWR Early Release 60(7): 1-133, 2011.

- 31.Ogden, C.L., Carrol, M.D. Prevalence of obesity among children and adolescents: United States, trends 1963-1965 through 2007-2008. National Center for Health Statistics Health E-Stats, June 2010.
- 32. Daniels, S.R., Arnett, D.K., Eckel, R.H., et al. Overweight in children and adolescents: pathophysiology, consequences, prevention, and treatment. Circulation 111(15):1999-2012, 2005.
- 33. Wright, C.M., Parker, L., Lamont, D., Craft, A.W. Implications of childhood obesity for adult health: findings from thousand families cohort study. British Medical Journal 323(7324):1280-1284, 2001.
- 34. Tremblay, L., Lariviere, M. The influence of puberty onset, body mass index, and pressure to be thin on disordered eating behaviors in children and adolescents. Eating Behaviors 10(2):75-83, 2009.
- 35.Mitchell, J.E., Eckert, E.D. Scope and significance of eating disorders. Journal of Consulting Clinical Psychology 55:628-634, 1987.
- 36.Neumark-Sztainer, D., Hannan, P.J. Weight-related behaviors among adolescent girls and boys: results from a national survey. Archives of Pediatric and Adolescent Medicine 154(6):569-577, 2000.
- 37. Neumark-Sztainer, D., Story, M., Hannan, P.J., et al. Weight-related concerns and behaviors among overweight and nonoverweight adolescents: implications for preventing weight-related disorders. Archives of Pediatric and Adolescent Medicine 156(2):171-178, 2002.
- 38. Fisher, D.E. and James, W.D. Indoor tanning science, behavior, and policy. New England Journal of Medicine 363:901-903, 2010.
- 39.Key, T.J., Schatzkin, A., Willet, W.C., et al. Diet, nutrition, and the prevention of cancer. Public Health Nutrition 7(1A):187-200, 2004.
- 40.National Cancer Institute. 5 A Day for Better Health Program (NIH Publication 01-5019). Betheseda, MD, 2001.
- 41.Kavey, R.E., Daniels, S.R., Lauer, R.M., et al. American Heart Association guidelines for primary prevention of atherosclerotic cardiovascular disease beginning in childhood. Journal of Pediatrics 142(4):368-372, 2003.
- 42. Terry, P., Terry, J.B., Wolk, A. Fruit and vegetable consumption in the prevention of cancer: an update. Journal of Internal Medicine 250(4):280-290, 2001.
- 43. Van Duyn, M.A., Pivonka, E. Overview of the health benefits of fruit and vegetable consumption for the dietetics professional: selected literature. Journal of the American Dieticians Association 100(12):1511-1521, 2000.
- 44.Malik, V.S., Schulze, M.B., Hu, F.B. Intake of sugar-sweetened beverages and weight gain: a systematic review. American Journal of Clinical Nutrition 84(2):274-288, 2006.
- 45.Ludwig, D.S., Peterson, K.E., Gortmaker, S.L. Relation between consumption of sugar-sweetened drinks and childhood obesity: a prospective, observational analysis. Lancet 357(9255):505-508, 2001.
- 46. Physical Activity Guidelines Advisory Committee. Physical Activity Guidelines Advisory Committee Report, 2008. Washington, D.C.: U.S. Department of Health and Human Services, 2008.

- 47. Durant, N., Harris, S.K., Doyle, S., et al. Relation of school environment and policy to adolescent physical activity. Journal of School Health 79(4):153-159, 2009.
- 48.McKenzie, K.L., Li, D., Derby, C.A., et al. Maintenance of effects of the CATCH Physical Education Program: results from the CATCH-ON Study. Health Education & Behavior 30(4):447-462, 2003.
- 49.U.S. Department of Health and Human Services and U.S. Department of Education. Promoting better health for young people through physical activity and sports. 2000. Online: www.cdc.gov/HealthyYouth/physicalactivity/promoting_health/pdfs/ppar.pdf
- 50.Center for Disease Control and Prevention. Guidelines for school and community programs to promote lifelong physical activity among young people. Morbidity and Mortality Weekly Report 46 (No. RR-6):1-36, 1997.
- 51. Zabinski, M.F., Norman, G.J., Sallis, J.F., et al. Patterns of sedentary behavior among adolescents. Health Psychology 26(1):113-120, 2007.
- 52.Crespo, C.J., Smit, E., Troiano, R.P., et al. Television watching, energy intake, and obesity in U.S. children: results from the third National Health and Nutrition Examination Survey, 1988-1994. Archives of Pediatric and Adolescent Medicine 155(3):360-365, 2001.
- 53.Kaur, H., Choi, W.S., Mayo, M.S., Harris, K.J. Duration of television watching is associated with increased body mass index. Journal of Pediatrics 143(4):506-511, 2003.
- 54.Kuntsche, E., Pickett, W., Overpeck, M., et al. Television viewing and forms of bullying among adolescents from eight countries. Journal of Adolescent Health 39(6):908-915, 2006.
- 55.Resnick, M.D., Bearman, P.S., Blum, R.W., et al. Protecting adolescents from harm. Findings from the National Longitudinal Study on Adolescent Health. JAMA 278(10):823-832, 1997.
- 56.Fan, X., Chen, M. Parental involvement and students' academic achievement: a meta-analysis. Educational Psychology Review 13(1):1-22, 2001.
- 57.U.S. Council of Economic Advisors. Teens and their parents in the 21st century: An examination of trends in teen behavior and the role of parental involvement. 2000. Online: http://clinton3.nara.gov/WH/EOP/CEA/html/Teens_Paper_Final.pdf
- 58.Fredricks, J.A., Eccles, J.S. Is extracurricular participation associated with beneficial outcomes? Developmental Psychology 42(4):698-713, 2006.
- 59. Scales, P.C., Benson, P.L., Leffert, N., Blyth, D.A. Contribution of developmental assets to prediction of thriving among adolescents. Applied Developmental Science 4(1):27-46, 2000.

2015 Vermont Youth Risk Behavior Survey Report High School Report for Windham Southeast SU

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who choose to participate in the Youth Risk Behavior Survey each year.

Windham SE Number of High School Students in Windham Southeast SU

Windham Southeast SU Total

654

Sex	Total	%
Not indicated / Missing	9	1%
Female	308	47%
Male	337	51%

Grade	Total	%
Not indicated / Ungraded	8	1%
9th grade	154	23%
10th grade	172	26%
11th grade	164	25%
12th grade	156	23%

Race / Ethnicity	Total	%
Not indicated /Missing	27	4%
Ethnic or racial minority	110	16%
White non-Hispanic	517	79%

Mother's Level of Education	Total	%
Not indicated / Missing	5	0%
High school or less	185	28%
Some college	90	13%
College graduate	198	30%
Graduate or professional degree after college	128	19%
Not sure	48	7%

NOTE: The above numbers are unweighted. They represent the students who took the survey in Windham Southeast SU.

Vermont Number of High School Students in Vermont

Vermont Total 21013

Sex	Total	%
Not indicated / Missing	294	1%
Female	10243	48%
Male	10476	49%

Grade	Total	%
Not indicated / Ungraded	297	1%
9th grade	5627	26%
10th grade	5586	26%
11th grade	5171	24%
12th grade	4332	20%

Race / Ethnicity	Total	%
Not indicated /Missing	611	2%
Ethnic or racial minority	3197	15%
White non-Hispanic	17205	81%

Mother's Level of Education	Total	%
Not indicated / Missing	176	0%
High school or less	5495	26%
Some college	2746	13%
College graduate	6905	32%
Graduate or professional degree after college	3825	18%
Not sure	1866	8%

NOTE: The above numbers are unweighted. They represent the students who took the survey in Vermont. All other numbers represented in this report are weighted to reflect the enrolled student population.

1.01 Percent of students who were in a physical fight, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	21%	22%	
	10th	19%	20%	
	11th	15%	17%	
	12th	18%	14%	SU/SD statistically higher
Sex	Female	11%	12%	
	Male	25%	24%	
Total		19%	18%	

1.02 Percent of students who were in a physical fight on school property, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	7%	10%	
	10th	9%	8%	
	11th	5%	6%	
	12th	3%	5%	
Sex	Female	3%	4%	SU/SD statistically lower
	Male	9%	10%	
Total	-	6%	7%	SU/SD statistically lower

1.03 Percent of students who were threatened or injured with a weapon on school property, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	8%	6%	
	10th	4%	6%	
	11th	5%	4%	
	12th	4%	4%	
Sex	Female	4%	4%	
	Male	6%	6%	
Total	-	5%	5%	

1.04 Percent of students who carried a weapon such as a gun, knife, or club on school property, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	6%	6%	
	10th	4%	7%	SU/SD statistically lower
	11th	7%	9%	
	12th	8%	8%	
Sex	Female	4%	4%	-
	Male	9%	11%	SU/SD statistically lower
Total	-	6%	8%	SU/SD statistically lower

1.05 Percent of students who did not go to school because they felt unsafe, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	8%	7%	
	10th	4%	6%	
	11th	5%	5%	
	12th	4%	5%	
Sex	Female	7%	7%	-
	Male	4%	4%	
Total	-	5%	6%	

1.06 Percent of students who reported being bullied, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	27%	23%	SU/SD statistically higher
	10th	16%	18%	
	11th	13%	16%	
	12th	13%	14%	
Sex	Female	23%	23%	
	Male	11%	12%	
Total	-	17%	18%	

1.07 Percent of students who reported being electronically bullied, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	25%	20%	SU/SD statistically higher
	10th	16%	17%	
	11th	15%	16%	
	12th	19%	13%	SU/SD statistically higher
Sex	Female	26%	23%	SU/SD statistically higher
	Male	11%	10%	
Total	-	18%	16%	

NOTE: For the purposes of the Vermont YRBS, bullying was described as occurring when, on many occasions, a student or group of students say or do unpleasant things to another student to make fun of, tease, embarrass, or scare him/her, or purposefully exclude him/her. Bullying can occur before, during, or after the school day; on school property; on a school bus; or at a school-sponsored activity. It is not bullying when two students of about the same strength and power argue or fight, or when teasing is done in a friendly way. Electronic bullying includes through e-mail, chat rooms, instant messaging, Web sites, or texting.

1.08 Percent of students who bullied someone else, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	11%	13%	
	10th	11%	11%	
	11th	7%	11%	SU/SD statistically lower
	12th	12%	10%	
Sex	Female	10%	11%	
	Male	11%	12%	
Total	-	10%	11%	

1.09 Percent of students who purposefully hurt themselves without wanting to die, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	29%	20%	SU/SD statistically higher
	10th	18%	19%	
	11th	19%	17%	
	12th	20%	14%	SU/SD statistically higher
Sex	Female	32%	26%	SU/SD statistically higher
	Male	12%	9%	SU/SD statistically higher
Total	-	21%	17%	SU/SD statistically higher

1.10 Percent of students who felt sad or hopeless for two weeks in a row, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	37%	24%	SU/SD statistically higher
	10th	22%	26%	SU/SD statistically lower
	11th	27%	24%	
	12th	30%	24%	SU/SD statistically higher
Sex	Female	40%	34%	SU/SD statistically higher
	Male	19%	15%	SU/SD statistically higher
Total	-	29%	24%	SU/SD statistically higher

1.11 Percent of students who made a suicide plan, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	23%	13%	SU/SD statistically higher
	10th	9%	13%	SU/SD statistically lower
	11th	13%	12%	
	12th	15%	10%	SU/SD statistically higher
Sex	Female	18%	16%	
	Male	12%	8%	SU/SD statistically higher
Total	-	15%	12%	SU/SD statistically higher

1.12 Percent of students who attempted suicide, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	11%	7%	SU/SD statistically higher
	10th	6%	6%	
	11th	8%	5%	SU/SD statistically higher
	12th	4%	5%	
Sex	Female	9%	8%	
	Male	6%	4%	SU/SD statistically higher
Total		7%	6%	SU/SD statistically higher

1.13 Percent of students who attempted suicide that resulted in an injury, poisoning, or overdose that required medical treatment, past 12 months

		Windham SE	Vermont	Notes
Grade	9th		2%	Too few students
	10th		2%	Too few students
	11th		2%	Too few students
	12th	·	2%	Too few students
Sex	Female	2%	3%	
	Male	2%	1%	
Total	-	2%	2%	

1.14 Percent of students who dated in the past 12 months and were physically hurt by someone they were dating or going out with

		Windham SE	Vermont	Notes
Grade	9th	11%	8%	
	10th	6%	9%	
	11th	15%	9%	SU/SD statistically higher
	12th	15%	9%	SU/SD statistically higher
Sex	Female	14%	11%	SU/SD statistically higher
	Male	9%	7%	
Total	-	12%	9%	SU/SD statistically higher

1.15 Percent of students who have ever been physically forced to have sexual intercourse

		Windham SE	Vermont	Notes
Grade	9th	6%	5%	
	10th	6%	6%	
	11th	6%	7%	
	12th	8%	8%	
Sex	Female	10%	10%	
	Male	3%	3%	
Total	-	7%	7%	-

1.16 Percent of students who rode with a drinking driver, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	21%	19%	
	10th	18%	20%	
	11th	14%	20%	SU/SD statistically lower
	12th	23%	19%	SU/SD statistically higher
Sex	Female	19%	20%	
	Male	19%	19%	
Total	-	19%	20%	

1.17 Percent of students who rode with a driver who had been smoking marijuana, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	21%	13%	SU/SD statistically higher
	10th	25%	20%	SU/SD statistically higher
	11th	28%	26%	
	12th	36%	29%	SU/SD statistically higher
Sex	Female	27%	22%	SU/SD statistically higher
	Male	29%	22%	SU/SD statistically higher
Total	-	28%	22%	SU/SD statistically higher

1.18 Percent of drivers who drove a car or other vehicle when they had been drinking alcohol, past 30 days

		Windham SE	Vermont	Notes
Grade	9th		5%	Too few students
	10th		4%	Too few students
	11th		8%	Too few students
	12th	9%	9%	
Sex	Female		5%	Too few students
	Male	8%	9%	
Total	w	5%	7%	SU/SD statistically lower

1.19 Percent of drivers who drove a car or other vehicle when they had been smoking marijuana, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	9%	8%	
	10th	8%	10%	
	11th	19%	18%	
	12th	26%	20%	SU/SD statistically higher
Sex	Female	11%	12%	
	Male	22%	18%	SU/SD statistically higher
Total	-	17%	15%	

1.20 Percent of drivers who texted or e-mailed while driving a car or other vehicle, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	11%	10%	
	10th	9%	15%	SU/SD statistically lower
	11th	35%	40%	
	12th	50%	50%	
Sex	Female	29%	33%	
	Male	30%	33%	
Total	-	30%	33%	SU/SD statistically lower

1.21 Percent of students who rode a bicycle and reported never or rarely wearing a bicycle helmet, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	49%	48%	
	10th	53%	54%	
	11th	51%	55%	
	12th	61%	56%	
Sex	Female	49%	49%	
	Male	56%	56%	
Total	-	53%	53%	

1.22 The percent of students who have had a sunburn in the past 12 months

		Windham SE	Vermont	Notes
Grade	9th	67%	63%	
	10th	61%	65%	
	11th	59%	65%	SU/SD statistically lower
	12th	67%	67%	
Sex	Female	72%	72%	
	Male	55%	59%	SU/SD statistically lower
Total		63%	65%	SU/SD statistically lower

1.23 The percent of students who have used a tanning device such as a sunlamp, sunbed, or tanning booth in the last 12 months

		Windham SE	Vermont	Notes
Grade	9th		2%	Too few students
	10th		3%	Too few students
	11th	4%	4%	
	12th	5%	6%	
Sex	Female	4%	5%	
	Male	2%	3%	SU/SD statistically lower
Total	-	3%	4%	SU/SD statistically lower

2.01 Percent of students who ever drank alcohol other than a few sips

		Windham SE	Vermont	Notes
Grade	9th	46%	37%	SU/SD statistically higher
	10th	53%	51%	
	11th	63%	63%	
	12th	78%	71%	SU/SD statistically higher
Sex	Female	63%	57%	SU/SD statistically higher
	Male	59%	54%	SU/SD statistically higher
Total	-	61%	56%	SU/SD statistically higher

2.02 Percent of students who drank alcohol, other than a few sips, before age 13

		Windham SE	Vermont	Notes
Grade	9th	13%	14%	
	10th	13%	13%	
	11th	10%	12%	
	12th	13%	10%	SU/SD statistically higher
Sex	Female	12%	10%	
	Male	13%	14%	
Total	-	12%	12%	

2.03 Percent of students who drank alcohol, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	28%	17%	SU/SD statistically higher
	10th	31%	26%	SU/SD statistically higher
	11th	34%	34%	
	12th	53%	42%	SU/SD statistically higher
Sex	Female	36%	30%	SU/SD statistically higher
	Male	38%	29%	SU/SD statistically higher
Total	-	37%	30%	SU/SD statistically higher

2.04 Percent of students who had five or more drinks in a row (binged), past 30 days

		Windham SE	Vermont	Notes
Grade	9th	11%	8%	SU/SD statistically higher
	10th	20%	13%	SU/SD statistically higher
	11th	20%	19%	
	12th	32%	24%	SU/SD statistically higher
Sex	Female	17%	15%	SU/SD statistically higher
	Male	26%	17%	SU/SD statistically higher
Total	-	21%	16%	SU/SD statistically higher

2.05 Among students who drank alcohol, the number of days students drank in the last 30 days

			Windham SE	Vermont	Notes
Grade	9th	1 to 2 days		55%	Too few students
		3 to 9 days		33%	Too few students
		10+ days		11%	Too few students
	10th	1 to 2 days	44%	57%	SU/SD statistically lower
		3 to 9 days	46%	34%	SU/SD statistically higher
		10+ days	10%	9%	
	11th	1 to 2 days	44%	49%	
		3 to 9 days	48%	40%	SU/SD statistically higher
		10+ days		11%	Too few students
	12th	1 to 2 days	44%	47%	
		3 to 9 days	49%	40%	SU/SD statistically higher
		10+ days	8%	13%	SU/SD statistically lower
Sex	Female	1 to 2 days	45%	55%	SU/SD statistically lower
		3 to 9 days	51%	36%	SU/SD statistically higher
		10+ days		9%	Too few students
	Male	1 to 2 days	43%	47%	
		3 to 9 days	46%	38%	SU/SD statistically higher
		10+ days	12%	15%	
Total		1 to 2 days	44%	51%	SU/SD statistically lower
		3 to 9 days	47%	37%	SU/SD statistically higher
		10+ days	8%	12%	SU/SD statistically lower

NOTE: Only students who drank alcohol during the previous 30 days are included in this analysis. Previous reports included all students.

2.06 Among students who drank alcohol in the last 30 days, the greatest number of drinks consumed in one sitting

			Windham SE	Vermont	Notes
Grade	9th	1 to 2 drinks		49%	Too few students
		3 to 4 drinks		19%	Too few students
		5 or more drinks	•	32%	Too few students
	10th	1 to 2 drinks	·	41%	Too few students
		3 to 4 drinks		20%	Too few students
		5 or more drinks	•	39%	Too few students
	11th	1 to 2 drinks	32%	33%	
		3 to 4 drinks	18%	18%	
		5 or more drinks	51%	49%	
	12th	1 to 2 drinks	25%	32%	SU/SD statistically lower
		3 to 4 drinks	25%	19%	
		5 or more drinks	51%	49%	
Sex	Female	1 to 2 drinks	39%	40%	
		3 to 4 drinks	26%	23%	
		5 or more drinks	35%	38%	
	Male	1 to 2 drinks	22%	33%	SU/SD statistically lower
		3 to 4 drinks	23%	16%	SU/SD statistically higher
		5 or more drinks	55%	52%	
Total	10	1 to 2 drinks	31%	36%	SU/SD statistically lower
		3 to 4 drinks	24%	19%	SU/SD statistically higher
		5 or more drinks	45%	45%	

NOTE: Only students who drank alcohol during the previous 30 days are included in this analysis. Previous reports included all students.

2.07 Among students who drank in the past 30 days, usual source of alcohol

			Windham SE	Vermont	Notes
Grade	9th	Bought it		3%	Too few students
		Gave someone money		12%	Too few students
		Someone gave it to me		36%	Too few students
		Took it / some other way		49%	Too few students
	10th	Bought it	·	3%	Too few students
		Gave someone money		18%	Too few students
		Someone gave it to me		41%	Too few students
		Took it / some other way	·	37%	Too few students
	11th	Bought it	·	4%	Too few students
		Gave someone money	34%	28%	
		Someone gave it to me	38%	41%	
		Took it / some other way	28%	27%	
	12th	Bought it	8%	7%	
		Gave someone money	30%	29%	
		Someone gave it to me	46%	43%	
		Took it / some other way	17%	22%	
Sex	Female	Bought it	·	2%	Too few students
		Gave someone money	22%	24%	
		Someone gave it to me	49%	46%	
		Took it / some other way	29%	28%	
	Male	Bought it	9%	7%	
		Gave someone money	30%	24%	SU/SD statistically higher
		Someone gave it to me	37%	35%	
		Took it / some other way	24%	34%	SU/SD statistically lower
Total		Bought it	5%	5%	
		Gave someone money	26%	24%	
		Someone gave it to me	43%	40%	
		Took it / some other way	26%	31%	SU/SD statistically lower

2.08 Among students who drank in the past 30 days, the location where students typically consumed alcohol

			Windham SE	Vermont	Notes
Grade	9th	At my home		46%	Too few students
		At another person's home		43%	Too few students
		At a public place or event	•	12%	Too few students
	10th	At my home	34%	37%	
		At another person's home	57%	53%	
		At a public place or event	10%	10%	
	11th	At my home	36%	32%	
		At another person's home	55%	58%	
		At a public place or event	9%	9%	
	12th	At my home	24%	30%	
		At another person's home	67%	60%	SU/SD statistically higher
		At a public place or event	9%	10%	
Sex	Female	At my home	37%	34%	
		At another person's home	56%	58%	
		At a public place or event	6%	8%	
	Male	At my home	28%	34%	SU/SD statistically lower
		At another person's home	63%	53%	SU/SD statistically higher
		At a public place or event	9%	13%	SU/SD statistically lower
Total		At my home	33%	34%	19
		At another person's home	60%	55%	SU/SD statistically higher
		At a public place or event	8%	10%	SU/SD statistically lower

2.09 Percent of students who have ever smoked a whole cigarette

		Windham SE	Vermont	Notes
Grade	9th	17%	14%	SU/SD statistically higher
	10th	22%	18%	SU/SD statistically higher
	11th	24%	24%	
	12th	36%	28%	SU/SD statistically higher
Sex	Female	21%	19%	
	Male	30%	23%	SU/SD statistically higher
Total		26%	21%	SU/SD statistically higher

2.10 Percent of students who smoked a whole cigarette before age 13

		Windham SE	Vermont	Notes
Grade	9th	7%	6%	
	10th	8%	6%	
	11th	8%	6%	
	12th	5%	6%	
Sex	Female	5%	5%	
	Male	10%	7%	SU/SD statistically higher
Total		7%	6%	

2.11 Percent of students who smoked cigarettes, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	10%	7%	SU/SD statistically higher
	10th	7%	9%	
	11th	12%	12%	
	12th	17%	14%	
Sex	Female	10%	10%	
	Male	14%	12%	SU/SD statistically higher
Total	-	12%	11%	

2.12 Among students who smoked cigarettes in the past month, number of days students smoked

			Windham SE	Vermont	Notes
Grade	9th	1 to 2 days		35%	Too few students
		3 to 9 days		26%	Too few students
		10+ days		39%	Too few students
	10th	1 to 2 days	·	31%	Too few students
		3 to 9 days		25%	Too few students
		10+ days		44%	Too few students
	11th	1 to 2 days	·	29%	Too few students
		3 to 9 days		23%	Too few students
		10+ days		48%	Too few students
	12th	1 to 2 days	·	26%	Too few students
		3 to 9 days		19%	Too few students
		10+ days		55%	Too few students
Sex	Female	1 to 2 days	·	32%	Too few students
		3 to 9 days		23%	Too few students
		10+ days		44%	Too few students
	Male	1 to 2 days	·	26%	Too few students
		3 to 9 days		22%	Too few students
		10+ days	•	52%	Too few students
Total		1 to 2 days	21%	29%	SU/SD statistically lower
		3 to 9 days	33%	22%	SU/SD statistically higher
		10+ days	46%	49%	-

NOTE: Only students who smoked cigarettes during the previous 30 days are included in this analysis. Previous reports included all students.

2.13 Among students who smoked cigarettes in the past month, the amount of cigarettes smoked on days smoked

			Windham SE	Vermont	Notes
Grade	9th	1 cigarette or less		51%	Too few students
		2 to 10 cigarettes		39%	Too few students
		11 or more cigarettes		10%	Too few students
	10th	1 cigarette or less	·	45%	Too few students
		2 to 10 cigarettes		45%	Too few students
		11 or more cigarettes	·	10%	Too few students
	11th	1 cigarette or less	·	43%	Too few students
		2 to 10 cigarettes		48%	Too few students
		11 or more cigarettes	•	9%	Too few students
	12th	1 cigarette or less	·	42%	Too few students
		2 to 10 cigarettes		45%	Too few students
		11 or more cigarettes	·	13%	Too few students
Sex	Female	1 cigarette or less	·	47%	Too few students
		2 to 10 cigarettes		44%	Too few students
		11 or more cigarettes		9%	Too few students
	Male	1 cigarette or less		42%	Too few students
		2 to 10 cigarettes	•	45%	Too few students
		11 or more cigarettes	•	13%	Too few students
Total		1 cigarette or less	56%	44%	SU/SD statistically higher
		2 to 10 cigarettes	35%	44%	SU/SD statistically lower
		11 or more cigarettes	9%	12%	

NOTE: Only students who smoked cigarettes during the previous 30 days are included in this analysis. Previous reports included all students.

2.14 Among students who smoked cigarettes in the past month and were under age 18, how they obtained cigarettes

			Windham SE	Vermont	Notes
Grade	9th	Bought them		5%	Too few students
		Someone else bought them		27%	Too few students
		Borrowed/bummed them		37%	Too few students
		Took them / some other way		31%	Too few students
	10th	Bought them	·	7%	Too few students
		Someone else bought them	•	26%	Too few students
		Borrowed/bummed them	•	41%	Too few students
		Took them / some other way		26%	Too few students
	11th	Bought them	·	12%	Too few students
		Someone else bought them		31%	Too few students
		Borrowed/bummed them		39%	Too few students
		Took them / some other way	•	17%	Too few students
	12th	Bought them	·	14%	Too few students
		Someone else bought them	•	32%	Too few students
		Borrowed/bummed them		41%	Too few students
		Took them / some other way		14%	Too few students
Sex	Female	Bought them		6%	Too few students
		Someone else bought them		30%	Too few students
		Borrowed/bummed them		45%	Too few students
		Took them / some other way		19%	Too few students
	Male	Bought them		14%	Too few students
		Someone else bought them		28%	Too few students
		Borrowed/bummed them		34%	Too few students
		Took them / some other way		24%	Too few students
Total		Bought them		10%	Too few students
		Someone else bought them	24%	29%	
		Borrowed/bummed them	48%	39%	SU/SD statistically higher
		Took them / some other way	24%	22%	· , G

2.15 Among current smokers, the percent of smokers who tried to quit smoking, past 12 months

		Windham SE	Vermont	Notes
Grade	9th		45%	Too few students
	10th		46%	Too few students
	11th		44%	Too few students
	12th	•	39%	Too few students
Sex	Female		43%	Too few students
	Male		41%	Too few students
Total		45%	42%	

2.16 Percent of students who have ever used electronic vapor products such as e-cigarettes, vaping pens, e-hookahs, and hookah pens.

		Windham SE	Vermont	Notes
Grade	9th	20%	18%	
	10th	35%	28%	SU/SD statistically higher
	11th	25%	35%	SU/SD statistically lower
	12th	46%	39%	SU/SD statistically higher
Sex	Female	28%	27%	
	Male	37%	33%	SU/SD statistically higher
Total		33%	30%	

2.17 Percent of students who have used electronic vapor products, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	12%	10%	
	10th	13%	14%	
	11th	9%	17%	SU/SD statistically lower
	12th	20%	19%	
Sex	Female	10%	13%	SU/SD statistically lower
	Male	17%	18%	
Total	-	14%	15%	

2.18 Percent of students who have ever tried a flavored tobacco product

		Windham SE	Vermont	Notes
Grade	9th	15%	15%	
	10th	20%	21%	
	11th	24%	29%	SU/SD statistically lower
	12th	33%	32%	
Sex	Female	18%	20%	
	Male	29%	28%	
Total	-	24%	24%	

2.19 Percent of students who tried a flavored tobacco product before age 13

		Windham SE	Vermont	Notes
Grade	9th	8%	6%	SU/SD statistically higher
	10th	5%	5%	
	11th	4%	6%	
	12th	6%	5%	
Sex	Female	3%	4%	
	Male	9%	7%	
Total	-	6%	6%	

NOTE: Flavored tobacco products include any tobacco product flavored to taste like menthol (mint), clove, spice, alcohol (wine or cognac), candy, fruit, chocolate, or other sweets.

2.20 Percent of students who used smokeless tobacco such as snuff or dip, past 30 days

		Windham SE	Vermont	Notes
Grade	9th		5%	Too few students
	10th	4%	6%	SU/SD statistically lower
	11th	7%	8%	
	12th	6%	8%	
Sex	Female	2%	3%	-
	Male	7%	11%	SU/SD statistically lower
Total	-	5%	7%	SU/SD statistically lower

2.21 Percent of students who smoked cigars or little cigars, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	4%	5%	
	10th	12%	8%	SU/SD statistically higher
	11th	15%	12%	SU/SD statistically higher
	12th	14%	16%	
Sex	Female	7%	6%	
	Male	17%	14%	
Total	-	12%	10%	

2.22 Percent of students who smoked cigarettes, cigars or little cigars, or used smokeless tobacco, during the past 30 days

		Windham SE	Vermont	Notes
Grade	9th	13%	11%	
	10th	15%	15%	
	11th	22%	21%	
	12th	25%	25%	
Sex	Female	14%	13%	
	Male	25%	23%	
Total	-	20%	18%	

2.23 Percent of students who smoked cigarettes, cigars or little cigars, used smokeless tobacco, or electronic vapor products during the past 30 days

		Windham SE	Vermont	Notes
Grade	9th	20%	16%	SU/SD statistically higher
	10th	21%	22%	
	11th	25%	28%	
	12th	33%	32%	
Sex	Female	20%	20%	
	Male	30%	29%	
Total		26%	25%	

2.24 Percent of students who have ever tried marijuana

		Windham SE	Vermont	Notes
Grade	9th	34%	22%	SU/SD statistically higher
	10th	48%	32%	SU/SD statistically higher
	11th	45%	44%	
	12th	63%	49%	SU/SD statistically higher
Sex	Female	48%	36%	SU/SD statistically higher
	Male	49%	38%	SU/SD statistically higher
Total	<u> </u>	49%	37%	SU/SD statistically higher

2.25 Percent of students who used marijuana before age 13

		Windham SE	Vermont	Notes
Grade	9th	10%	6%	SU/SD statistically higher
	10th	13%	6%	SU/SD statistically higher
	11th	5%	7%	
	12th	7%	6%	
Sex	Female	7%	5%	SU/SD statistically higher
	Male	11%	8%	SU/SD statistically higher
Total		9%	6%	SU/SD statistically higher

2.26 Percent of students who used marijuana, past 30 days

		Windham SE	Vermont	Notes
Grade	9th	25%	13%	SU/SD statistically higher
	10th	32%	20%	SU/SD statistically higher
	11th	27%	27%	
	12th	35%	29%	SU/SD statistically higher
Sex	Female	29%	21%	SU/SD statistically higher
	Male	32%	24%	SU/SD statistically higher
Total	-	30%	22%	SU/SD statistically higher

2.27 Among those who currently use marijuana, the number of times reported using marijuana, in the last month

			Windham SE	Vermont	Notes
Grade	9th	1 to 2 times	•	36%	Too few students
		3 to 9 times		24%	Too few students
		10+ times		40%	Too few students
	10th	1 to 2 times	20%	32%	SU/SD statistically lower
		3 to 9 times	40%	26%	SU/SD statistically higher
		10+ times	40%	42%	
	11th	1 to 2 times	·	30%	Too few students
		3 to 9 times		24%	Too few students
		10+ times		46%	Too few students
	12th	1 to 2 times	30%	29%	
		3 to 9 times	17%	23%	
		10+ times	52%	48%	
Sex	Female	1 to 2 times	36%	37%	
		3 to 9 times	29%	26%	
		10+ times	35%	37%	
	Male	1 to 2 times	15%	26%	SU/SD statistically lower
		3 to 9 times	29%	23%	SU/SD statistically higher
		10+ times	56%	52%	
Total		1 to 2 times	24%	31%	SU/SD statistically lower
		3 to 9 times	29%	24%	SU/SD statistically higher
		10+ times	47%	45%	

2.28 Percent of students who ever misused a stimulant or prescription pain reliever

		Windham SE	Vermont	Notes
Grade	9th	11%	8%	SU/SD statistically higher
	10th	16%	10%	SU/SD statistically higher
	11th	11%	13%	
	12th	16%	14%	
Sex	Female	12%	11%	
	Male	16%	12%	SU/SD statistically higher
Total	-	14%	11%	SU/SD statistically higher

2.29 Percent of students who misused a stimulant or prescription pain reliever in the past 30 days

		Windham SE	Vermont	Notes
Grade	9th	6%	4%	SU/SD statistically higher
	10th	8%	4%	SU/SD statistically higher
	11th	8%	5%	SU/SD statistically higher
	12th	7%	6%	
Sex	Female	6%	4%	
	Male	9%	5%	SU/SD statistically higher
Total		8%	5%	SU/SD statistically higher

2.30 Percent of students who ever used cocaine

		Windham SE	Vermont	Notes
Grade	9th		3%	Too few students
	10th	4%	4%	
	11th	8%	5%	SU/SD statistically higher
	12th	12%	7%	SU/SD statistically higher
Sex	Female	3%	4%	-
	Male	11%	6%	SU/SD statistically higher
Total	-	7%	5%	SU/SD statistically higher

2.31 Percent of students who ever used inhalants

		Windham SE	Vermont	Notes
Grade	9th	10%	7%	SU/SD statistically higher
	10th	6%	6%	
	11th	10%	7%	SU/SD statistically higher
	12th	7%	5%	
Sex	Female	9%	6%	SU/SD statistically higher
	Male	8%	7%	
Total	-	8%	7%	SU/SD statistically higher

2.32 Percent of students who ever used methamphetamines

		Windham SE	Vermont	Notes
Grade	9th		2%	Too few students
	10th		2%	Too few students
	11th		3%	Too few students
	12th	•	3%	Too few students
Sex	Female	2%	2%	
	Male	2%	3%	SU/SD statistically lower
Total	_	2%	3%	SU/SD statistically lower

2.33 Percent of students who ever used heroin

		Windham SE	Vermont	Notes
Grade	9th		2%	Too few students
	10th		2%	Too few students
	11th		2%	Too few students
	12th	•	3%	Too few students
Sex	Female		1%	Too few students
	Male	2%	3%	SU/SD statistically lower
Total	-	1%	2%	SU/SD statistically lower

3.01 Percent of students who were in the same room as someone smoking, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	42%	34%	SU/SD statistically higher
	10th	41%	36%	SU/SD statistically higher
	11th	40%	39%	
	12th	49%	38%	SU/SD statistically higher
Sex	Female	43%	37%	SU/SD statistically higher
	Male	44%	37%	SU/SD statistically higher
Total	-	44%	37%	SU/SD statistically higher

3.02 Percent of students who were in the same car as someone smoking, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	30%	25%	SU/SD statistically higher
	10th	27%	27%	
	11th	24%	28%	
	12th	33%	28%	SU/SD statistically higher
Sex	Female	29%	28%	
	Male	28%	27%	
Total	_	29%	27%	

3.03 Frequency in which students see advertisements for tobacco when they are in a grocery store, gas station, or convenience store.

			Windham SE	Vermont	Notes
Grade	9th	Never or rarely	20%	19%	
		Sometimes	25%	27%	
		At least most of the time	54%	54%	
	10th	Never or rarely	18%	19%	
		Sometimes	28%	27%	
		At least most of the time	54%	53%	
	11th	Never or rarely	20%	21%	
		Sometimes	22%	28%	SU/SD statistically lower
		At least most of the time	58%	52%	SU/SD statistically higher
	12th	Never or rarely	24%	22%	
		Sometimes	25%	28%	
		At least most of the time	51%	50%	
Sex	Female	Never or rarely	18%	19%	
		Sometimes	27%	28%	
		At least most of the time	55%	53%	
	Male	Never or rarely	24%	22%	
		Sometimes	24%	26%	
		At least most of the time	53%	51%	
Total		Never or rarely	21%	21%	
		Sometimes	25%	27%	SU/SD statistically lower
		At least most of the time	54%	52%	

In 2015, 11% of Vermont high school students reported smoking cigarettes in the last 30 days and 22% of students reported using marijuana during that same time period. Students were asked about their perceptions on how many students smoke and use marijuana.

3.04 Out of 100 high school students, the number thought to smoke cigarettes

	Windham SE	Vermont	Notes
15 or less students	15%	19%	SU/SD statistically lower
16 to 25 students	25%	29%	SU/SD statistically lower
26 to 45 students	27%	24%	SU/SD statistically higher
46 to 55 students	18%	14%	SU/SD statistically higher
56 to 75 students	8%	8%	
76 or more students	6%	7%	

3.05 Out of 100 high school students, the number thought to use marijuana

	Windham SE	Vermont	Notes
15 or less students	4%	8%	SU/SD statistically lower
16 to 25 students	8%	13%	SU/SD statistically lower
26 to 45 students	17%	21%	SU/SD statistically lower
46 to 55 students	24%	21%	SU/SD statistically higher
56 to 75 students	24%	20%	SU/SD statistically higher
76 or more students	23%	16%	SU/SD statistically higher

3.06 Percent of students who think their parents think it is wrong for them to smoke cigarettes

		Windham SE	Vermont	Notes
Grade	9th	94%	94%	
	10th	92%	93%	
	11th	92%	92%	
	12th	81%	87%	SU/SD statistically lower
Sex	Female	90%	93%	SU/SD statistically lower
	Male	89%	90%	
Total	-	89%	91%	SU/SD statistically lower

3.07 Percent of students who think their parents think it is wrong for them to drink alcohol

		Windham SE	Vermont	Notes
Grade	9th	84%	84%	
	10th	79%	78%	
	11th	73%	70%	
	12th	55%	57%	
Sex	Female	75%	74%	
	Male	70%	70%	
Total	-	72%	72%	

3.08 Percent of students who think their parents think it is wrong for them to smoke marijuana

		Windham SE	Vermont	Notes
Grade	9th	71%	87%	SU/SD statistically lower
	10th	66%	82%	SU/SD statistically lower
	11th	66%	78%	SU/SD statistically lower
	12th	60%	74%	SU/SD statistically lower
Sex	Female	67%	82%	SU/SD statistically lower
	Male	64%	79%	SU/SD statistically lower
Total		65%	80%	SU/SD statistically lower

3.09 Percent of students who think it is wrong for someone their age to smoke cigarettes

		Windham SE	Vermont	Notes
Grade	9th	82%	87%	SU/SD statistically lower
	10th	85%	84%	
	11th	79%	77%	
	12th	60%	67%	SU/SD statistically lower
Sex	Female	79%	80%	
	Male	74%	77%	SU/SD statistically lower
Total		76%	78%	SU/SD statistically lower

3.10 Percent of students who think it is wrong for someone their age to drink alcohol

		Windham SE	Vermont	Notes
Grade	9th	65%	70%	SU/SD statistically lower
	10th	58%	58%	
	11th	56%	47%	SU/SD statistically higher
	12th	35%	38%	
Sex	Female	53%	54%	
	Male	52%	53%	
Total		53%	53%	

3.11 Percent of students who think it is wrong for someone their age to smoke marijuana

		Windham SE	Vermont	Notes
Grade	9th	51%	70%	SU/SD statistically lower
	10th	44%	59%	SU/SD statistically lower
	11th	44%	51%	SU/SD statistically lower
	12th	31%	44%	SU/SD statistically lower
Sex	Female	42%	57%	SU/SD statistically lower
	Male	41%	55%	SU/SD statistically lower
Total		42%	56%	SU/SD statistically lower

3.12 Percent of students who think people their age risk harming themselves if they smoke a pack of cigarettes a day

		Windham SE	Vermont	Notes
Grade	9th	64%	62%	
	10th	71%	66%	SU/SD statistically higher
	11th	74%	66%	SU/SD statistically higher
	12th	62%	66%	
Sex	Female	67%	67%	
	Male	68%	63%	SU/SD statistically higher
Total	-	68%	65%	SU/SD statistically higher

3.13 Percent of students who think people their age risk harming themselves if they binge drink on weekends

		Windham SE	Vermont	Notes
Grade	9th	44%	42%	
	10th	46%	40%	SU/SD statistically higher
	11th	46%	36%	SU/SD statistically higher
	12th	41%	35%	SU/SD statistically higher
Sex	Female	46%	43%	SU/SD statistically higher
	Male	42%	33%	SU/SD statistically higher
Total	_	45%	38%	SU/SD statistically higher

3.14 Percent of students who think people their age risk harming themselves if they smoke marijuana regularly

		Windham SE	Vermont	Notes
Grade	9th	28%	35%	SU/SD statistically lower
	10th	23%	29%	SU/SD statistically lower
	11th	23%	22%	
	12th	11%	21%	SU/SD statistically lower
Sex	Female	22%	30%	SU/SD statistically lower
	Male	19%	24%	SU/SD statistically lower
Total		21%	27%	SU/SD statistically lower

3.15 Percent of students who think it would be easy to get cigarettes

		Windham SE	Vermont	Notes
Grade	9th	54%	44%	SU/SD statistically higher
	10th	61%	55%	SU/SD statistically higher
	11th	75%	64%	SU/SD statistically higher
	12th	86%	80%	SU/SD statistically higher
Sex	Female	65%	57%	SU/SD statistically higher
	Male	75%	64%	SU/SD statistically higher
Total	-	70%	61%	SU/SD statistically higher

3.16 Percent of students who think it would be easy to get alcohol

		Windham SE	Vermont	Notes
Grade	9th	71%	60%	SU/SD statistically higher
	10th	74%	68%	SU/SD statistically higher
	11th	76%	74%	
	12th	82%	75%	SU/SD statistically higher
Sex	Female	75%	71%	SU/SD statistically higher
	Male	76%	68%	SU/SD statistically higher
Total	-	76%	69%	SU/SD statistically higher

3.17 Percent of students who think it would be easy to get marijuana

		Windham SE	Vermont	Notes
Grade	9th	68%	46%	SU/SD statistically higher
	10th	75%	60%	SU/SD statistically higher
	11th	77%	69%	SU/SD statistically higher
	12th	87%	74%	SU/SD statistically higher
Sex	Female	72%	60%	SU/SD statistically higher
	Male	82%	65%	SU/SD statistically higher
Total	-	77%	62%	SU/SD statistically higher

3.18 Percent of students who were asked if they smoked by a health care provider, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	52%	44%	SU/SD statistically higher
	10th	52%	50%	
	11th	50%	57%	SU/SD statistically lower
	12th	57%	60%	
Sex	Female	54%	56%	
	Male	52%	50%	
Total	-	53%	53%	

3.19 Percent of students who think it is likely or very likely that a party where students from their high school were drinking alcohol would be broken up by police

		Windham SE	Vermont	Notes
Grade	9th	29%	36%	SU/SD statistically lower
	10th	36%	30%	SU/SD statistically higher
	11th	33%	27%	SU/SD statistically higher
	12th	28%	24%	SU/SD statistically higher
Sex	Female	33%	29%	SU/SD statistically higher
	Male	30%	29%	
Total	-	31%	29%	SU/SD statistically higher

3.20 Percent of students who were offered, sold or given an illegal drug on school property, past 12 months

		Windham SE	Vermont	Notes
Grade	9th	19%	15%	
	10th	25%	19%	SU/SD statistically higher
	11th	21%	20%	
	12th	24%	18%	SU/SD statistically higher
Sex	Female	16%	15%	
	Male	29%	21%	SU/SD statistically higher
Total	-	23%	18%	SU/SD statistically higher

4.01 Sexual orientation

			Windham SE	Vermont	Notes
Grade	9th	Heterosexual (straight)	82%	88%	SU/SD statistically lower
		Gay or lesbian		2%	Too few students
		Bisexual	12%	6%	SU/SD statistically higher
		Not sure	6%	5%	
	10th	Heterosexual (straight)	89%	89%	
		Gay or lesbian		2%	Too few students
		Bisexual	6%	6%	
		Not sure	3%	4%	
	11th	Heterosexual (straight)	86%	88%	
		Gay or lesbian		2%	Too few students
		Bisexual	10%	6%	SU/SD statistically higher
		Not sure		4%	Too few students
	12th	Heterosexual (straight)	86%	88%	
		Gay or lesbian		2%	Too few students
		Bisexual	10%	6%	SU/SD statistically higher
		Not sure	3%	4%	
Sex	Female	Heterosexual (straight)	80%	84%	SU/SD statistically lower
		Gay or lesbian		2%	Too few students
		Bisexual	14%	10%	SU/SD statistically higher
		Not sure	5%	5%	
	Male	Heterosexual (straight)	91%	92%	
		Gay or lesbian		2%	Too few students
		Bisexual	5%	3%	SU/SD statistically higher
		Not sure	2%	4%	SU/SD statistically lower
Total	-	Heterosexual (straight)	86%	88%	SU/SD statistically lower
		Gay or lesbian	1%	2%	SU/SD statistically lower
		Bisexual	9%	6%	SU/SD statistically higher
		Not sure	3%	4%	

4.02 Percent of students who have ever had sexual intercourse

		Windham SE	Vermont	Notes
Grade	9th	28%	18%	SU/SD statistically higher
	10th	45%	33%	SU/SD statistically higher
	11th	51%	49%	
	12th	69%	62%	SU/SD statistically higher
Sex	Female	51%	40%	SU/SD statistically higher
	Male	47%	41%	SU/SD statistically higher
Total		50%	41%	SU/SD statistically higher

4.03 Percent of students who have ever had oral sex

		Windham SE	Vermont	Notes
Grade	9th	35%	21%	SU/SD statistically higher
	10th	44%	37%	SU/SD statistically higher
	11th	50%	50%	
	12th	69%	60%	SU/SD statistically higher
Sex	Female	49%	41%	SU/SD statistically higher
	Male	51%	42%	SU/SD statistically higher
Total	-	50%	42%	SU/SD statistically higher

4.04 Percent of students who had sexual intercourse before age 13

		Windham SE	Vermont	Notes
Grade	9th	5%	3%	SU/SD statistically higher
	10th	6%	3%	SU/SD statistically higher
	11th	3%	3%	
	12th		4%	Too few students
Sex	Female	3%	2%	SU/SD statistically higher
	Male	4%	4%	
Total	-	4%	3%	

4.05 Percent of students who have had sexual intercourse with four or more people

		Windham SE	Vermont	Notes
Grade	9th	7%	3%	SU/SD statistically higher
	10th	8%	6%	
	11th	7%	11%	SU/SD statistically lower
	12th	25%	19%	SU/SD statistically higher
Sex	Female	12%	9%	SU/SD statistically higher
	Male	13%	10%	SU/SD statistically higher
Total		12%	10%	SU/SD statistically higher

4.06 Percent of students who have ever been tested for HIV

		Windham SE	Vermont	Notes
Grade	9th	13%	7%	SU/SD statistically higher
	10th	12%	8%	SU/SD statistically higher
	11th	11%	12%	
	12th	15%	14%	
Sex	Female	14%	11%	SU/SD statistically higher
	Male	12%	9%	SU/SD statistically higher
Total		13%	10%	SU/SD statistically higher

4.07 Percent of students who had sex at least once in the past 3 months (currently sexually active)

		Windham SE	Vermont	Notes
Grade	9th	21%	12%	SU/SD statistically higher
	10th	31%	24%	SU/SD statistically higher
	11th	40%	38%	
	12th	51%	49%	
Sex	Female	41%	33%	SU/SD statistically higher
	Male	33%	30%	SU/SD statistically higher
Total		37%	31%	SU/SD statistically higher

4.08 Of sexually active students, percent who used alcohol or drugs the last time they had sex

		Windham SE	Vermont	Notes
Grade	9th		18%	Too few students
	10th	12%	19%	SU/SD statistically lower
	11th	21%	18%	
	12th	22%	18%	
Sex	Female	11%	15%	
	Male	28%	22%	SU/SD statistically higher
Total	-	19%	19%	

4.09 Of sexually active students, percent who used condoms the last time they had sex

		Windham SE	Vermont	Notes
Grade	9th		65%	Too few students
	10th	68%	65%	
	11th	60%	58%	
	12th	34%	54%	SU/SD statistically lower
Sex	Female	46%	55%	SU/SD statistically lower
	Male	60%	62%	
Total		52%	58%	SU/SD statistically lower

${\bf 4.10~Of~sexually~active~students,~percent~who~used~prescription~birth~control~the~last~time~they~had~sex.}$

Birth control included using prescription birth control pills, shot, patch, ring, or IUD

		Windham SE	Vermont	Notes
Grade	9th		28%	Too few students
	10th	33%	39%	
	11th	56%	49%	
	12th	61%	54%	SU/SD statistically higher
Sex	Female	55%	55%	
	Male	43%	38%	
Total	-	50%	47%	

4.11 Of sexually active students, those who used either a condom or prescription birth control the last time they had sex

		Windham SE	Vermont	Notes
Grade	9th		80%	Too few students
	10th	89%	87%	
	11th	90%	88%	
	12th	83%	87%	
Sex	Female	85%	88%	
	Male	86%	86%	
Total	-	86%	87%	

4.12 Of sexually active students, methods used to prevent pregnancy used the last time they had sex

			Windham SE	Vermont	Notes
Grade	9th	No method was used		12%	Too few students
		Birth control pills		19%	Too few students
		Condoms		50%	Too few students
		IUD or implant		4%	Too few students
		Shot/patch/birth control ring	·	5%	Too few students
		Withdrawal/other method		8%	Too few students
		Not sure		3%	Too few students
	10th	No method was used	·	7%	Too few students
		Birth control pills	29%	28%	
		Condoms	53%	46%	
		IUD or implant		5%	Too few students
		Shot/patch/birth control ring	·	6%	Too few students
		Withdrawal/other method	10%	6%	
		Not sure		2%	Too few students
	11th	No method was used	·	6%	Too few students
		Birth control pills	45%	37%	SU/SD statistically higher
		Condoms	32%	37%	
		IUD or implant		7%	Too few students
		Shot/patch/birth control ring	·	6%	Too few students
		Withdrawal/other method		6%	Too few students
		Not sure		1%	Too few students
	12th	No method was used	9%	7%	
		Birth control pills	49%	40%	SU/SD statistically higher
		Condoms	21%	32%	SU/SD statistically lower
		IUD or implant	7%	7%	
		Shot/patch/birth control ring		7%	Too few students
		Withdrawal/other method	8%	6%	
		Not sure	•	2%	Too few students

			Windham SE	Vermont	Notes
Sex	Female	No method was used	6%	7%	
		Birth control pills	43%	39%	
		Condoms	30%	31%	
		IUD or implant	7%	8%	
		Shot/patch/birth control ring	5%	8%	SU/SD statistically lower
		Withdrawal/other method	8%	5%	SU/SD statistically higher
		Not sure		1%	Too few students
	Male	No method was used	7%	7%	
		Birth control pills	37%	30%	SU/SD statistically higher
		Condoms	40%	45%	
		IUD or implant		4%	Too few students
		Shot/patch/birth control ring		4%	Too few students
		Withdrawal/other method	9%	7%	
		Not sure		3%	Too few students
Total		No method was used	7%	7%	
		Birth control pills	41%	35%	SU/SD statistically higher
		Condoms	34%	38%	
		IUD or implant	5%	6%	
		Shot/patch/birth control ring	5%	6%	
		Withdrawal/other method	9%	6%	SU/SD statistically higher
		Not sure		2%	Too few students

Cont. Of sexually active students, methods used to prevent pregnancy used the last time they had sex

4.13 Sexual identity of sexual contacts

			Windham SE	Vermont	Notes
Sex	Female	Have not had sex	35%	45%	SU/SD statistically lower
		Same sex		1%	Too few students
		Opposite sex	53%	46%	SU/SD statistically higher
		Both sexes	11%	7%	SU/SD statistically higher
	Male	Have not had sex	34%	43%	SU/SD statistically lower
		Same sex		1%	Too few students
		Opposite sex	61%	53%	SU/SD statistically higher
		Both sexes	3%	2%	SU/SD statistically higher
Total	-	Have not had sex	35%	44%	SU/SD statistically lower
		Same sex	1%	1%	
		Opposite sex	57%	50%	SU/SD statistically higher
		Both sexes	7%	5%	SU/SD statistically higher

5.01 The percent of students who are overweight (85th to <95th BMI percentile)

		Windham SE	Vermont	Notes
Grade	9th	16%	15%	
	10th	12%	14%	
	11th	13%	14%	
	12th	13%	13%	
Sex	Female	13%	14%	
	Male	14%	14%	
Total	-	13%	14%	

5.02 The percent of students who are obese (=>95th BMI percentile)

		Windham SE	Vermont	Notes
Grade	9th	10%	12%	
	10th	15%	13%	
	11th	9%	12%	
	12th	12%	12%	
Sex	Female	7%	9%	
	Male	16%	16%	
Total	-	11%	12%	

NOTE: BMI = body mass index; For youth, BMI is age- and sex-specific. It is expressed by a percentile based on weight and height.

5.03 Perceptions of weight

			Windham SE	Vermont	Notes
Grade	9th	Underweight	13%	15%	
		About the right weight	57%	56%	
		Overweight	30%	29%	
	10th	Underweight	16%	13%	
		About the right weight	54%	55%	
		Overweight	30%	32%	
	11th	Underweight	16%	13%	
		About the right weight	49%	55%	SU/SD statistically lower
		Overweight	35%	31%	
	12th	Underweight	17%	13%	SU/SD statistically higher
		About the right weight	52%	55%	
		Overweight	32%	32%	
Sex	Female	Underweight	10%	10%	
		About the right weight	53%	54%	
		Overweight	38%	36%	
	Male	Underweight	21%	17%	SU/SD statistically higher
		About the right weight	53%	57%	SU/SD statistically lower
		Overweight	26%	26%	
Total		Underweight	15%	14%	SU/SD statistically higher
		About the right weight	53%	55%	SU/SD statistically lower
		Overweight	32%	31%	

5.04 Students who are trying to do something about their weight

			Windham SE	Vermont	Notes
Grade	9th	Lose weight	43%	41%	
		Gain weight	16%	12%	SU/SD statistically higher
		Stay the same weight /do nothing	42%	47%	SU/SD statistically lower
	10th	Lose weight	39%	43%	
		Gain weight	14%	13%	
		Stay the same weight /do nothing	47%	44%	
	11th	Lose weight	43%	42%	
		Gain weight	13%	14%	
		Stay the same weight /do nothing	44%	44%	
	12th	Lose weight	42%	42%	
		Gain weight	17%	15%	
		Stay the same weight /do nothing	41%	42%	
Sex	Female	Lose weight	58%	56%	-
		Gain weight	4%	4%	
		Stay the same weight /do nothing	39%	40%	
	Male	Lose weight	27%	28%	
		Gain weight	26%	23%	
		Stay the same weight /do nothing	48%	49%	
Total	-	Lose weight	41%	42%	_
		Gain weight	15%	14%	
		Stay the same weight /do nothing	44%	44%	

6.01 Hours spent per school day watching TV, playing video games or using the computer for fun. In 2015, the definition of screen time was expanded. Caution should be taken when making comparisons to previous years.

			Windham SE	Vermont	Notes
Grade	9th	Less than 1 hour	10%	14%	SU/SD statistically lower
		1 to 2 hours	33%	36%	
		3 to 4 hours	38%	33%	SU/SD statistically higher
		5+ hours	20%	18%	
	10th	Less than 1 hour	12%	14%	
		1 to 2 hours	36%	36%	
		3 to 4 hours	32%	32%	
		5+ hours	20%	18%	
	11th	Less than 1 hour	11%	15%	SU/SD statistically lower
		1 to 2 hours	39%	38%	
		3 to 4 hours	35%	32%	
		5+ hours	15%	16%	
	12th	Less than 1 hour	11%	16%	SU/SD statistically lower
		1 to 2 hours	35%	36%	
		3 to 4 hours	31%	32%	
		5+ hours	23%	17%	SU/SD statistically higher
Sex	Female	Less than 1 hour	13%	15%	
		1 to 2 hours	37%	37%	
		3 to 4 hours	34%	32%	
		5+ hours	16%	16%	
	Male	Less than 1 hour	9%	14%	SU/SD statistically lower
		1 to 2 hours	35%	36%	
		3 to 4 hours	33%	32%	
		5+ hours	23%	18%	SU/SD statistically higher
Total		Less than 1 hour	11%	15%	SU/SD statistically lower
		1 to 2 hours	35%	36%	
		3 to 4 hours	33%	32%	
		5+ hours	20%	17%	SU/SD statistically higher

6.02 The number of days students participated in at least 60 minutes of physical activity during the past 7 days

			Windham SE	Vermont	Notes
Grade	9th	0 days	11%	11%	
		1 to 2 days	9%	16%	SU/SD statistically lower
		3 to 6 days	49%	47%	
		Everyday	31%	25%	SU/SD statistically higher
	10th	0 days	14%	13%	
		1 to 2 days	16%	15%	
		3 to 6 days	54%	47%	SU/SD statistically higher
		Everyday	17%	24%	SU/SD statistically lower
	11th	0 days	15%	15%	
		1 to 2 days	14%	17%	
		3 to 6 days	50%	45%	SU/SD statistically higher
		Everyday	20%	22%	
	12th	0 days	19%	17%	
		1 to 2 days	22%	18%	SU/SD statistically higher
		3 to 6 days	42%	44%	
		Everyday	17%	21%	SU/SD statistically lower
Sex	Female	0 days	19%	17%	
		1 to 2 days	17%	20%	
		3 to 6 days	49%	48%	
		Everyday	15%	16%	
	Male	0 days	12%	12%	
		1 to 2 days	14%	14%	
		3 to 6 days	49%	44%	SU/SD statistically higher
		Everyday	25%	30%	SU/SD statistically lower
Total		0 days	15%	14%	
		1 to 2 days	16%	17%	
		3 to 6 days	48%	46%	SU/SD statistically higher
		Everyday	20%	23%	SU/SD statistically lower

6.03 The percent of students who ate fruits and vegetables 5 or more times per day, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	18%	23%	SU/SD statistically lower
	10th	23%	23%	
	11th	22%	23%	
	12th	22%	24%	
Sex	Female	20%	22%	
	Male	23%	25%	
Total	-	22%	24%	SU/SD statistically lower

6.04 The percent of students who ate fruits or fruit juice 2 or more times per day, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	34%	34%	
	10th	32%	34%	
	11th	35%	34%	
	12th	31%	35%	
Sex	Female	30%	33%	SU/SD statistically lower
	Male	35%	35%	
Total		33%	34%	

6.05 The percent of students who ate vegetables 3 or more times per day, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	9%	17%	SU/SD statistically lower
	10th	15%	17%	
	11th	13%	18%	SU/SD statistically lower
	12th	21%	19%	
Sex	Female	14%	17%	SU/SD statistically lower
	Male	15%	19%	SU/SD statistically lower
Total	-	15%	18%	SU/SD statistically lower

6.06 The percent of students who did not eat any fruit or fruit juice, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	5%	5%	
	10th	6%	4%	SU/SD statistically higher
	11th	3%	4%	
	12th	8%	4%	SU/SD statistically higher
Sex	Female	6%	3%	SU/SD statistically higher
	Male	5%	5%	
Total	-	6%	4%	SU/SD statistically higher

6.07 The percent of students who did not any eat vegetables, past 7 days

		Windham SE	Vermont	Notes
Grade	9th	5%	5%	
	10th		4%	Too few students
	11th		4%	Too few students
	12th	6%	4%	
Sex	Female	3%	3%	
	Male	4%	6%	
Total	_	4%	4%	

$6.08\ The\ number\ of\ days\ students\ ate\ breakfast\ during\ the\ past\ 7\ days$

			Windham SE	Vermont	Notes
Grade	9th	Never	6%	11%	SU/SD statistically lower
		1 to 3 days	30%	25%	SU/SD statistically higher
		4 to 6 days	31%	22%	SU/SD statistically higher
		Everyday	33%	42%	SU/SD statistically lower
	10th	Never	10%	11%	
		1 to 3 days	32%	24%	SU/SD statistically higher
		4 to 6 days	25%	24%	
		Everyday	34%	41%	SU/SD statistically lower
	11th	Never	8%	10%	
		1 to 3 days	26%	25%	
		4 to 6 days	28%	24%	
		Everyday	37%	40%	
	12th	Never	8%	11%	
		1 to 3 days	31%	25%	SU/SD statistically higher
		4 to 6 days	30%	25%	SU/SD statistically higher
		Everyday	31%	39%	SU/SD statistically lower
Sex	Female	Never	9%	11%	
		1 to 3 days	35%	27%	SU/SD statistically higher
		4 to 6 days	28%	24%	SU/SD statistically higher
		Everyday	28%	38%	SU/SD statistically lower
	Male	Never	7%	11%	SU/SD statistically lower
		1 to 3 days	25%	23%	
		4 to 6 days	29%	23%	SU/SD statistically higher
		Everyday	38%	43%	SU/SD statistically lower
Total	-	Never	8%	11%	SU/SD statistically lower
		1 to 3 days	30%	25%	SU/SD statistically higher
		4 to 6 days	28%	24%	SU/SD statistically higher
		Everyday	34%	40%	SU/SD statistically lower

6.09 The number of glasses of water students drank yesterday

			Windham SE	Vermont	Notes
Grade	9th	None	10%	9%	
		1 to 3 glasses	64%	60%	
		4+ glasses	26%	32%	SU/SD statistically lower
	10th	None	11%	8%	SU/SD statistically higher
		1 to 3 glasses	62%	58%	
		4+ glasses	27%	34%	SU/SD statistically lower
	11th	None	6%	8%	SU/SD statistically lower
		1 to 3 glasses	57%	60%	
		4+ glasses	38%	32%	SU/SD statistically higher
	12th	None	10%	9%	
		1 to 3 glasses	54%	57%	
		4+ glasses	37%	34%	
Sex	Female	None	8%	8%	
		1 to 3 glasses	64%	62%	
		4+ glasses	28%	31%	
	Male	None	10%	9%	
		1 to 3 glasses	54%	56%	
		4+ glasses	36%	35%	
Total	10	None	9%	9%	
		1 to 3 glasses	58%	59%	
		4+ glasses	32%	33%	

$6.10 \ Amount \ of soda students drank during the past 7 days$

			Windham SE	Vermont	Notes
Grade	9th	None	30%	32%	
		At least once during the past week	58%	54%	
		At least once per day	12%	14%	
	10th	None	27%	33%	SU/SD statistically lower
		At least once during the past week	58%	53%	SU/SD statistically higher
		At least once per day	15%	14%	
	11th	None	30%	33%	
		At least once during the past week	58%	51%	SU/SD statistically higher
		At least once per day	12%	15%	SU/SD statistically lower
	12th	None	32%	36%	SU/SD statistically lower
		At least once during the past week	47%	49%	
		At least once per day	21%	15%	SU/SD statistically higher
Sex	Female	None	36%	42%	SU/SD statistically lower
		At least once during the past week	52%	48%	SU/SD statistically higher
		At least once per day	12%	9%	SU/SD statistically higher
	Male	None	23%	25%	
		At least once during the past week	58%	55%	
		At least once per day	19%	20%	
Total		None	30%	33%	SU/SD statistically lower
		At least once during the past week	55%	52%	SU/SD statistically higher
		At least once per day	16%	15%	

6.11 The amount of sugar-sweetened beverages (not including soda) students drank during past 7 days

			Windham SE	Vermont	Notes
Grade	9th	None	26%	25%	
		At least once during the past week	60%	61%	
		At least once per day	14%	14%	
	10th	None	25%	25%	
		At least once during the past week	59%	59%	
		At least once per day	16%	15%	
	11th	None	23%	26%	
		At least once during the past week	64%	59%	SU/SD statistically higher
		At least once per day	13%	16%	
	12th	None	32%	29%	
		At least once during the past week	51%	57%	SU/SD statistically lower
		At least once per day	17%	15%	
Sex	Female	None	29%	30%	_
		At least once during the past week	58%	59%	
		At least once per day	13%	11%	
	Male	None	24%	22%	
		At least once during the past week	58%	58%	
		At least once per day	18%	19%	
Total		None	26%	26%	
		At least once during the past week	58%	59%	
		At least once per day	15%	15%	

7.01 Typical grades in the past 12 months, as reported by students

			Windham SE	Vermont	Notes
Grade	9th	Mostly As or Bs	81%	76%	SU/SD statistically higher
		Mostly Cs	13%	13%	
		Mostly Ds or Fs		4%	Too few students
		Other / Not sure	4%	7%	SU/SD statistically lower
	10th	Mostly As or Bs	87%	77%	SU/SD statistically higher
		Mostly Cs	8%	14%	SU/SD statistically lower
		Mostly Ds or Fs	3%	4%	
		Other / Not sure		5%	Too few students
	11th	Mostly As or Bs	89%	80%	SU/SD statistically higher
		Mostly Cs	10%	13%	
		Mostly Ds or Fs		3%	Too few students
		Other / Not sure		4%	Too few students
	12th	Mostly As or Bs	83%	83%	
		Mostly Cs	13%	11%	
		Mostly Ds or Fs		2%	Too few students
		Other / Not sure	3%	4%	
Sex	Female	Mostly As or Bs	89%	84%	SU/SD statistically higher
		Mostly Cs	8%	9%	
		Mostly Ds or Fs		3%	Too few students
		Other / Not sure	3%	4%	SU/SD statistically lower
	Male	Mostly As or Bs	82%	74%	SU/SD statistically higher
		Mostly Cs	13%	16%	SU/SD statistically lower
		Mostly Ds or Fs	3%	4%	SU/SD statistically lower
		Other / Not sure	2%	6%	SU/SD statistically lower
Total		Mostly As or Bs	85%	79%	SU/SD statistically higher
		Mostly Cs	11%	13%	SU/SD statistically lower
		Mostly Ds or Fs	2%	3%	SU/SD statistically lower
		Other / Not sure	2%	5%	SU/SD statistically lower

7.02 The percent of students participating in extracurricular activities, hours per week

			Windham SE	Vermont	Notes
Grade	9th	0 hours	34%	32%	
		1 to 4 hours	22%	30%	SU/SD statistically lower
		5 to 9 hours	19%	17%	
		10 or more hours	26%	21%	SU/SD statistically higher
	10th	0 hours	39%	32%	SU/SD statistically higher
		1 to 4 hours	35%	28%	SU/SD statistically higher
		5 to 9 hours	15%	16%	
		10 or more hours	11%	24%	SU/SD statistically lower
	11th	0 hours	32%	32%	
		1 to 4 hours	30%	27%	
		5 to 9 hours	16%	16%	
		10 or more hours	22%	25%	
	12th	0 hours	37%	32%	SU/SD statistically higher
		1 to 4 hours	31%	26%	SU/SD statistically higher
		5 to 9 hours	16%	16%	
		10 or more hours	16%	27%	SU/SD statistically lower
Sex	Female	0 hours	35%	31%	SU/SD statistically higher
		1 to 4 hours	31%	29%	
		5 to 9 hours	17%	16%	
		10 or more hours	18%	24%	SU/SD statistically lower
	Male	0 hours	37%	33%	SU/SD statistically higher
		1 to 4 hours	29%	27%	
		5 to 9 hours	15%	16%	
		10 or more hours	19%	24%	SU/SD statistically lower
Total		0 hours	36%	32%	SU/SD statistically higher
		1 to 4 hours	29%	28%	
		5 to 9 hours	16%	16%	
		10 or more hours	18%	24%	SU/SD statistically lower

7.03 The percent of students who spoke with their parents at least weekly about school

		Windham SE	Vermont	Notes
Grade	9th	76%	78%	
	10th	72%	77%	SU/SD statistically lower
	11th	79%	77%	
	12th	75%	75%	
Sex	Female	74%	77%	
	Male	76%	76%	
Total	-	75%	76%	

7.04 The percent of students who agree that in their community they feel like they matter to people

		Windham SE	Vermont	Notes
Grade	9th	40%	49%	SU/SD statistically lower
	10th	41%	48%	SU/SD statistically lower
	11th	46%	50%	
	12th	46%	54%	SU/SD statistically lower
Sex	Female	38%	47%	SU/SD statistically lower
	Male	48%	54%	SU/SD statistically lower
Total	-	43%	50%	SU/SD statistically lower

7.05 The percent of students who agree that teachers really care about them and give them lots of encouragement

		Windham SE	Vermont	Notes
Grade	9th	55%	59%	
	10th	47%	57%	SU/SD statistically lower
	11th	53%	64%	SU/SD statistically lower
	12th	58%	69%	SU/SD statistically lower
Sex	Female	55%	60%	SU/SD statistically lower
	Male	51%	64%	SU/SD statistically lower
Total		53%	62%	SU/SD statistically lower

7.06 The percent of students who agree that students help decide what goes on in school

		Windham SE	Vermont	Notes
Grade	9th	44%	50%	SU/SD statistically lower
	10th	32%	46%	SU/SD statistically lower
	11th	27%	46%	SU/SD statistically lower
	12th	31%	49%	SU/SD statistically lower
Sex	Female	34%	48%	SU/SD statistically lower
	Male	33%	48%	SU/SD statistically lower
Total	-	33%	48%	SU/SD statistically lower

7.07 The percent of students who report that they will probably or definitely complete a post high school program

		Windham SE	Vermont	Notes
Grade	9th	78%	75%	
	10th	79%	80%	
	11th	83%	83%	
	12th	83%	84%	
Sex	Female	86%	83%	SU/SD statistically higher
	Male	77%	78%	
Total	_	81%	80%	

2015 Vermont Youth Risk Behavior Survey Report
Middle School Report for Windham Southeast SU

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who choose to participate in the Youth Risk Behavior Survey each year.

Windham SE Number of Middle School Students in Windham Southeast SU

Windham Southeast SU Total

356

Sex	Total	%
Not indicated / Missing	2	0%
Female	171	48%
Male	183	51%

Grade	Total	%
6th grade	31	8%
7th grade	182	51%
8th grade	143	40%

Age	Total	%
11 years or younger	17	4%
12 years	93	26%
13 years	160	44%
14 years or older	86	24%

Race / Ethnicity	Total	%
Not indicated /Missing	18	5%
Ethnic or racial minority	66	18%
White non-Hispanic	272	76%

NOTE: The above numbers are unweighted. They represent the students who took the survey in Windham Southeast SU. Not all students indicated their sex or grade, therefore the totals in these tables may not add up to the total number of students in the county or state who participated. All other numbers represented in this report are weighted to reflect the enrolled student population.

Vermont Number of Middle School Students in Vermont

Vermont Total 13648

Sex	Total	%
Not indicated / Missing	96	0%
Female	6713	49%
Male	6839	50%

Grade	Total	%
Not indicated / Missing	86	0%
6th grade	2899	21%
7th grade	5337	39%
8th grade	5326	39%

Age	Total	%
Not indicated / Missing	63	
11 years or younger	1445	10%
12 years	3983	29%
13 years	5240	38%
14 years or older	2917	21%

Race / Ethnicity	Total	%
Not indicated /Missing	926	6%
Ethnic or racial minority	2357	17%
White non-Hispanic	10365	75%

NOTE: The above numbers are unweighted. They represent the students who took the survey in Vermont. All other numbers represented in this report are weighted to reflect the enrolled student population.

1.01 Percent of students who have ever been in a physical fight

		Windham SE	Vermont	Notes
Grade	6th		42%	Too few students
	7th	49%	41%	SU/SD statistically higher
	8th	43%	44%	
Sex	Female	33%	28%	SU/SD statistically higher
	Male	59%	57%	
Total		46%	43%	SU/SD statistically higher

1.02 Percent of students who were bullied at least once, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		24%	Too few students
	7th	27%	25%	
	8th	21%	22%	
Sex	Female	28%	30%	
	Male	21%	18%	
Total	-	25%	24%	

NOTE: For the purposes of the Vermont YRBS, bullying was described as occurring when, on many occasions, a student or group of students say or do unpleasant things to another student to make fun of, tease, embarrass, or scare him/her, or purposefully exclude him/her. Bullying can occur before, during, or after the school day; on school property; on a school bus; or at a school-sponsored activity. It is not bullying when two students of about the same strength and power argue or fight or when teasing is done in a friendly way. Electronic bullying occurs through e-mail, chat rooms, instant messaging, Web sites, or texting.

1.03 Percent of students who reported they had ever been electronically bullied

		Windham SE	Vermont	Notes
Grade	6th		21%	Too few students
	7th	28%	26%	
	8th	35%	28%	SU/SD statistically higher
Sex	Female	36%	36%	-
	Male	25%	16%	SU/SD statistically higher
Total		31%	26%	SU/SD statistically higher

1.04 Percent of students who were ever bullied at school

		Windham SE	Vermont	Notes
Grade	6th		46%	Too few students
	7th	52%	48%	SU/SD statistically higher
	8th	47%	45%	
Sex	Female	53%	53%	
	Male	51%	40%	SU/SD statistically higher
Total		52%	46%	SU/SD statistically higher

1.05 Percent of students who bullied someone at least once, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		8%	Too few students
	7th	10%	9%	
	8th	15%	11%	SU/SD statistically higher
Sex	Female	14%	10%	SU/SD statistically higher
	Male	13%	9%	SU/SD statistically higher
Total	-	13%	10%	SU/SD statistically higher

1.06 Percent of students who did not go to school because they felt unsafe, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		8%	Too few students
	7th	6%	7%	
	8th	4%	7%	SU/SD statistically lower
Sex	Female	7%	9%	
	Male	3%	6%	SU/SD statistically lower
Total		5%	7%	SU/SD statistically lower

1.07 Percent of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, past 12 months

		Windham SE	Vermont	Notes
Grade	6th		17%	Too few students
	7th	23%	19%	SU/SD statistically higher
	8th	24%	22%	
Sex	Female	33%	27%	SU/SD statistically higher
	Male	16%	13%	SU/SD statistically higher
Total		25%	20%	SU/SD statistically higher

1.08 Percent of students who ever seriously thought about suicide

		Windham SE	Vermont	Notes
Grade	6th		14%	Too few students
	7th	19%	16%	
	8th	24%	22%	
Sex	Female	25%	23%	
	Male	14%	12%	
Total	-	20%	18%	SU/SD statistically higher

1.09 Percent of students who ever made a suicide plan

		Windham SE	Vermont	Notes
Grade	6th		9%	Too few students
	7th	12%	11%	
	8th	19%	15%	SU/SD statistically higher
Sex	Female	19%	16%	SU/SD statistically higher
	Male	10%	8%	
Total		15%	12%	SU/SD statistically higher

1.10 Percent of students who ever attempted suicide

		Windham SE	Vermont	Notes
Grade	6th		5%	Too few students
	7th	4%	5%	
	8th	8%	8%	
Sex	Female	8%	8%	
	Male		3%	Too few students
Total		6%	6%	

1.11 Percent of students who had at least one sunburn in the past 12 months

		Windham SE	Vermont	Notes
Grade	6th		51%	Too few students
	7th	57%	55%	
	8th	64%	56%	SU/SD statistically higher
Sex	Female	63%	58%	SU/SD statistically higher
	Male	56%	51%	SU/SD statistically higher
Total	_	60%	54%	SU/SD statistically higher

1.12 Bicycle helmet use among those who rode a bicycle in the past 12 months

			Windham SE	Vermont	Notes
Grade	6th	Never / rarely wear a helmet		26%	Too few students
		Sometimes wear a helmet		15%	Too few students
		Most of the time / always wear a helmet		59%	Too few students
	7th	Never / rarely wear a helmet	30%	31%	
		Sometimes wear a helmet	16%	16%	
		Most of the time / always wear a helmet	54%	52%	
	8th	Never / rarely wear a helmet	43%	41%	
		Sometimes wear a helmet	14%	15%	
		Most of the time / always wear a helmet	44%	43%	
Sex	Female	Never / rarely wear a helmet	32%	31%	
		Sometimes wear a helmet	16%	17%	
		Most of the time / always wear a helmet	52%	52%	
	Male	Never / rarely wear a helmet	34%	36%	
		Sometimes wear a helmet	15%	14%	
		Most of the time / always wear a helmet	51%	49%	
Total		Never / rarely wear a helmet	33%	34%	
		Sometimes wear a helmet	15%	16%	
		Most of the time / always wear a helmet	51%	51%	

1.13 Helmet use while rollerblading or skateboarding (of those students who rollerbladed or skateboarded)

			Windham SE	Vermont	Notes
Grade	6th	Never / rarely wear a helmet		31%	Too few students
		Sometimes wear a helmet		11%	Too few students
		Most of the time / always wear a helmet		58%	Too few students
	7th	Never / rarely wear a helmet	39%	42%	
		Sometimes wear a helmet	12%	13%	
		Most of the time / always wear a helmet	49%	45%	
	8th	Never / rarely wear a helmet	53%	52%	
		Sometimes wear a helmet	13%	12%	
		Most of the time / always wear a helmet	34%	36%	
Sex	Female	Never / rarely wear a helmet	54%	45%	SU/SD statistically higher
		Sometimes wear a helmet	14%	13%	
		Most of the time / always wear a helmet	32%	43%	SU/SD statistically lower
	Male	Never / rarely wear a helmet	33%	41%	SU/SD statistically lower
		Sometimes wear a helmet	10%	12%	
		Most of the time / always wear a helmet	57%	47%	SU/SD statistically higher
Total	***	Never / rarely wear a helmet	44%	43%	-
		Sometimes wear a helmet	12%	12%	
		Most of the time / always wear a helmet	45%	45%	

1.14 Percent of students who reported never or rarely wearing a seatbelt while riding in a car

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th		3%	Too few students
	8th	8%	4%	SU/SD statistically higher
Sex	Female	3%	2%	
	Male	4%	3%	
Total		4%	3%	

1.15 Percent of students who ever rode in a car driven by someone who had been drinking

		Windham SE	Vermont	Notes
Grade	6th		15%	Too few students
	7th	18%	19%	
	8th	24%	25%	
Sex	Female	23%	21%	
	Male	16%	19%	SU/SD statistically lower
Total		20%	20%	

2.01 Percent of students who ever drank alcohol other than a few sips

		Windham SE	Vermont	Notes
Grade	6th		10%	Too few students
	7th	16%	15%	
	8th	27%	24%	SU/SD statistically higher
Sex	Female	25%	16%	SU/SD statistically higher
	Male	16%	18%	
Total		21%	17%	SU/SD statistically higher

2.02 Percent of students who drank alcohol other than a few sips before age 11

		Windham SE	Vermont	Notes
Grade	6th		7%	Too few students
	7th	5%	6%	
	8th	6%	6%	
Sex	Female	7%	5%	
	Male	4%	8%	SU/SD statistically lower
Total	-	6%	6%	

2.03 Percent of students who drank any alcohol, past 30 days

		Windham SE	Vermont	Notes
Grade	6th	•	3%	Too few students
	7th	4%	5%	
	8th	14%	10%	SU/SD statistically higher
Sex	Female	9%	6%	SU/SD statistically higher
	Male	6%	7%	
Total	-	8%	6%	SU/SD statistically higher

2.04 Percent of students who binge drank (5 or more alcoholic drinks in a row), past 30 days

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th		1%	Too few students
	8th	5%	4%	
Sex	Female	3%	2%	
	Male	•	2%	Too few students
Total		2%	2%	

2.05 Percent of students who ever tried cigarette smoking, even one or two puffs

		Windham SE	Vermont	Notes
Grade	6th		4%	Too few students
	7th	6%	7%	
	8th	20%	13%	SU/SD statistically higher
Sex	Female	11%	9%	SU/SD statistically higher
	Male	11%	9%	SU/SD statistically higher
Total	-	12%	9%	SU/SD statistically higher

2.06 Percent of students who ever smoked a whole cigarette

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th	4%	4%	
	8th	16%	8%	SU/SD statistically higher
Sex	Female	9%	5%	SU/SD statistically higher
	Male	7%	5%	SU/SD statistically higher
Total	-	9%	5%	SU/SD statistically higher

2.07 Percent of students who smoked a whole cigarette by age 11

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th		1%	Too few students
	8th	3%	2%	SU/SD statistically higher
Sex	Female		1%	Too few students
	Male		2%	Too few students
Total		2%	1%	

2.08 Percent of students who smoked cigarettes, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th	3%	2%	SU/SD statistically higher
	8th	7%	3%	SU/SD statistically higher
Sex	Female	6%	2%	SU/SD statistically higher
	Male		2%	Too few students
Total		5%	2%	SU/SD statistically higher

2.09 Percent of students who ever used electronic vapor products such as e-cigarettes

		Windham SE	Vermont	Notes
Grade	6th		3%	Too few students
	7th	4%	6%	SU/SD statistically lower
	8th	15%	11%	SU/SD statistically higher
Sex	Female	7%	7%	
	Male	9%	7%	SU/SD statistically higher
Total		9%	7%	SU/SD statistically higher

2.10 Percent of students who used electronic vapor products such as e-cigarettes during the past 30 days

		Windham SE	Vermont	Notes
Grade	6th	•	1%	Too few students
	7th		2%	Too few students
	8th	12%	5%	SU/SD statistically higher
Sex	Female	5%	3%	SU/SD statistically higher
	Male	5%	3%	SU/SD statistically higher
Total		6%	3%	SU/SD statistically higher

2.11 Percent of students who used chewing tobacco, snuff, or dip, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th		1%	Too few students
	8th	•	3%	Too few students
Sex	Female		1%	Too few students
	Male	•	3%	Too few students
Total		1%	2%	

2.12 Percent of students who smoked cigars, cigarillos, or little cigars, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th		1%	Too few students
	8th	6%	2%	SU/SD statistically higher
Sex	Female	4%	1%	SU/SD statistically higher
	Male	·	2%	Too few students
Total		3%	2%	SU/SD statistically higher

2.13 Percent of students who used a tobacco product such as cigarettes, smokeless tobacco, or cigars, in the past 30 days

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th	3%	3%	
	8th	10%	6%	SU/SD statistically higher
Sex	Female	6%	3%	SU/SD statistically higher
	Male	4%	4%	
Total		6%	4%	SU/SD statistically higher

2.14 Percent of students who used any tobacco products including e-cigarettes in the past 30 days

		Windham SE	Vermont	Notes
Grade	6th	•	3%	Too few students
	7th	4%	4%	
	8th	14%	8%	SU/SD statistically higher
Sex	Female	8%	5%	SU/SD statistically higher
	Male	7%	6%	
Total	-	8%	5%	SU/SD statistically higher

2.15 Percent of smokers who attempted to quit smoking, past 12 months

		Windham SE	Vermont	Notes
Grade	6th			Too few students
	7th		58%	Too few students
	8th	•	45%	Too few students
Sex	Female		48%	Too few students
	Male	•	47%	Too few students
Total			48%	Too few students

2.16 Percent of students who have ever used marijuana

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th	7%	5%	
	8th	18%	11%	SU/SD statistically higher
Sex	Female	13%	6%	SU/SD statistically higher
	Male	8%	7%	
Total		11%	7%	SU/SD statistically higher

2.17 Percent of students who used marijuana by age 11

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th		1%	Too few students
	8th		2%	Too few students
Sex	Female		1%	Too few students
	Male	3%	2%	SU/SD statistically higher
Total	-	2%	1%	

2.18 Percent of students who used marijuana, past 30 days

		Windham SE	Vermont	Notes
Grade	6th		1%	Too few students
	7th	3%	3%	
	8th	12%	6%	SU/SD statistically higher
Sex	Female	8%	3%	SU/SD statistically higher
	Male	5%	4%	
Total		7%	4%	SU/SD statistically higher

2.19 Percent of students who have ever used inhalants

		Windham SE	Vermont	Notes
Grade	6th		5%	Too few students
	7th	6%	4%	
	8th	9%	6%	SU/SD statistically higher
Sex	Female	8%	5%	SU/SD statistically higher
	Male	7%	5%	SU/SD statistically higher
Total	-	7%	5%	SU/SD statistically higher

2.20 Percent of students who ever took a prescription drug without a doctor's prescription

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th	5%	3%	SU/SD statistically higher
	8th	9%	4%	SU/SD statistically higher
Sex	Female	9%	3%	SU/SD statistically higher
	Male	3%	3%	
Total	-	6%	3%	SU/SD statistically higher

3 Attitudes and Perceptions of Alcohol, Cigarette, and Other Drug Use_____

3.01 Percent of students who were in the same room with someone who was smoking cigarettes, past 7 days

		Windham SE	Vermont	Notes
Grade	6th		24%	Too few students
	7th	34%	28%	SU/SD statistically higher
	8th	35%	31%	SU/SD statistically higher
Sex	Female	35%	29%	SU/SD statistically higher
	Male	35%	27%	SU/SD statistically higher
Total		35%	28%	SU/SD statistically higher

3.02 Percent of students who were in the same car with someone who was smoking cigarettes, past 7 days

		Windham SE	Vermont	Notes
Grade	6th		17%	Too few students
	7th	25%	20%	SU/SD statistically higher
	8th	29%	23%	SU/SD statistically higher
Sex	Female	26%	22%	SU/SD statistically higher
	Male	27%	19%	SU/SD statistically higher
Total		26%	21%	SU/SD statistically higher

3 Attitudes and Perceptions of Alcohol, Cigarette, and Other Drug Use_____

3.03 Percent of students who, always or most of the time saw advertisements for tobacco products at supermarkets or gas stations

		Windham SE	Vermont	Notes
Grade	6th		47%	Too few students
	7th	59%	52%	SU/SD statistically higher
	8th	56%	55%	
Sex	Female	54%	52%	
	Male	60%	52%	SU/SD statistically higher
Total		57%	52%	SU/SD statistically higher

3.04 Percent of students who, in the past 12 months, were asked if they smoke by a health professional

		Windham SE	Vermont	Notes
Grade	6th		15%	Too few students
	7th	26%	26%	
	8th	35%	35%	
Sex	Female	31%	28%	
	Male	26%	26%	
Total		29%	27%	

3.05 Students perceptions about out of 100 Vermont high school students the number who smoke cigarettes

	Windham SE	Vermont	Notes
15 or less students	11%	16%	SU/SD statistically lower
16 to 25 students	27%	25%	SU/SD statistically higher
26 to 45 students	23%	24%	
46 to 55 students	18%	16%	
56 to 75 students	11%	9%	SU/SD statistically higher
76 or more students	10%	10%	

2015 Vermont Middle School Youth Risk Behavior Survey

3 Attitudes and Perceptions of Alcohol, Cigarette, and Other Drug Use_____

3.06 Percent of students who think their parents would think it is wrong or very wrong for them to smoke cigarettes

		Windham SE	Vermont	Notes
Grade	6th		96%	Too few students
	7th	98%	96%	
	8th	94%	96%	SU/SD statistically lower
Sex	Female	96%	97%	
	Male	96%	96%	
Total		96%	96%	

3.07 Percent of students who think their parents would think it is wrong or very wrong for them to drink alcohol

		Windham SE	Vermont	Notes
Grade	6th		92%	Too few students
	7th	92%	92%	
	8th	90%	90%	
Sex	Female	91%	93%	SU/SD statistically lower
	Male	91%	90%	
Total		91%	91%	

3.08 Percent of students who think their parents would think it is wrong or very wrong for them to smoke marijuana

		Windham SE	Vermont	Notes
Grade	6th		96%	Too few students
	7th	96%	95%	
	8th	88%	92%	SU/SD statistically lower
Sex	Female	91%	94%	SU/SD statistically lower
	Male	94%	94%	
Total	-	92%	94%	SU/SD statistically lower

3 Attitudes and Perceptions of Alcohol, Cigarette, and Other Drug Use_____

3.09 Percent of students who think it would be wrong or very wrong for someone their age to smoke cigarettes

		Windham SE	Vermont	Notes
Grade	6th		97%	Too few students
	7th	94%	95%	
	8th	90%	92%	
Sex	Female	91%	95%	SU/SD statistically lower
	Male	95%	94%	
Total		93%	94%	SU/SD statistically lower

3.10 Percent of students who think it would be wrong or very wrong for someone their age to drink alcohol

		Windham SE	Vermont	Notes
Grade	6th		94%	Too few students
	7th	91%	90%	
	8th	82%	83%	
Sex	Female	84%	90%	SU/SD statistically lower
	Male	89%	87%	SU/SD statistically higher
Total	-	87%	88%	

3.11 Percent of students who think it would be wrong or very wrong for someone their age to smoke marijuana

		Windham SE	Vermont	Notes
Grade	6th		97%	Too few students
	7th	90%	92%	
	8th	71%	83%	SU/SD statistically lower
Sex	Female	82%	91%	SU/SD statistically lower
	Male	85%	89%	SU/SD statistically lower
Total	-	83%	90%	SU/SD statistically lower

3 Attitudes and Perceptions of Alcohol, Cigarette, and Other Drug Use_____

3.12 Percent of students who think people their age greatly risk harming themselves if they smoke one or more packs of cigarettes a day

		Windham SE	Vermont	Notes
Grade	6th		70%	Too few students
	7th	72%	72%	
	8th	70%	72%	
Sex	Female	70%	71%	
	Male	73%	72%	
Total		71%	71%	

3.13 Percent of students who think that people their age greatly risk harming themselves if they have five or more drinks of alcohol once or twice each weekend

		Windham SE	Vermont	Notes
Grade	6th		49%	Too few students
	7th	45%	49%	
	8th	43%	46%	
Sex	Female	42%	49%	SU/SD statistically lower
	Male	47%	46%	
Total		45%	48%	

3.14 Percent of students who think that people their age greatly risk harming themselves if they smoke marijuana regularly

		Windham SE	Vermont	Notes
Grade	6th		67%	Too few students
	7th	52%	61%	SU/SD statistically lower
	8th	40%	51%	SU/SD statistically lower
Sex	Female	49%	60%	SU/SD statistically lower
	Male	48%	58%	SU/SD statistically lower
Total	-	48%	59%	SU/SD statistically lower

3.15 Percent of students who report that it would be easy or very easy to get cigarettes

		Windham SE	Vermont	Notes
Grade	6th		18%	Too few students
	7th	27%	24%	
	8th	50%	34%	SU/SD statistically higher
Sex	Female	33%	25%	SU/SD statistically higher
	Male	37%	29%	SU/SD statistically higher
Total		36%	27%	SU/SD statistically higher

3.16 Percent of students who report that it would be easy or very easy to get alcohol

		Windham SE	Vermont	Notes
Grade	6th		24%	Too few students
	7th	29%	33%	SU/SD statistically lower
	8th	53%	46%	SU/SD statistically higher
Sex	Female	43%	35%	SU/SD statistically higher
	Male	34%	37%	
Total	-	39%	36%	SU/SD statistically higher

3.17 Percent of students who report that it would be easy or very easy to get marijuana

		Windham SE	Vermont	Notes
Grade	6th		6%	Too few students
	7th	19%	12%	SU/SD statistically higher
	8th	41%	22%	SU/SD statistically higher
Sex	Female	27%	13%	SU/SD statistically higher
	Male	26%	16%	SU/SD statistically higher
Total		27%	14%	SU/SD statistically higher

4.01 Percent of students who have ever had sexual intercourse

		Windham SE	Vermont	Notes
Grade	6th		3%	Too few students
	7th	6%	4%	SU/SD statistically higher
	8th	17%	8%	SU/SD statistically higher
Sex	Female	7%	4%	SU/SD statistically higher
	Male	13%	7%	SU/SD statistically higher
Total		10%	6%	SU/SD statistically higher

4.02 Percent of students who have ever had oral sex

		Windham SE	Vermont	Notes
Grade	6th		2%	Too few students
	7th	4%	3%	
	8th	15%	9%	SU/SD statistically higher
Sex	Female	6%	5%	
	Male	10%	6%	SU/SD statistically higher
Total		8%	5%	SU/SD statistically higher

5.01 Number of times during the past 7 days students ate breakfast

			Windham SE	Vermont	Notes
Grade	6th	Never		4%	Too few students
		1 to 3 times		13%	Too few students
		4 to 6 times	•	22%	Too few students
		Everyday	•	61%	Too few students
	7th	Never	7%	7%	
		1 to 3 times	17%	16%	
		4 to 6 times	28%	25%	
		Everyday	48%	51%	
	8th	Never	12%	8%	SU/SD statistically higher
		1 to 3 times	26%	20%	SU/SD statistically higher
		4 to 6 times	20%	25%	SU/SD statistically lower
		Everyday	42%	48%	SU/SD statistically lower
Sex	Female	Never	9%	8%	
		1 to 3 times	28%	21%	SU/SD statistically higher
		4 to 6 times	26%	26%	
		Everyday	38%	45%	SU/SD statistically lower
	Male	Never	9%	6%	SU/SD statistically higher
		1 to 3 times	12%	13%	
		4 to 6 times	24%	23%	
		Everyday	56%	59%	
Total		Never	9%	7%	SU/SD statistically higher
		1 to 3 times	20%	17%	SU/SD statistically higher
		4 to 6 times	25%	24%	
		Everyday	46%	52%	SU/SD statistically lower

5.02 Percent of students who reported drinking at least four bottles or glasses of water a day

		Windham SE	Vermont	Notes
Grade	6th		45%	Too few students
	7th	48%	41%	SU/SD statistically higher
	8th	40%	39%	
Sex	Female	41%	38%	
	Male	46%	44%	
Total		44%	41%	

5.03 Number of days students participated in at least 60 minutes of physical activity in the past 7 days

		Windham SE	Vermont	Notes
6th	Never	•	8%	Too few students
	1 to 4 days		32%	Too few students
	5 to 6 days		27%	Too few students
	Everyday		33%	Too few students
7th	Never	5%	7%	
	1 to 4 days	34%	34%	
	5 to 6 days	28%	28%	
	Everyday	33%	31%	
8th	Never	9%	8%	
	1 to 4 days	39%	36%	
	5 to 6 days	25%	27%	
	Everyday	27%	29%	
Female	Never	8%	8%	
	1 to 4 days	42%	39%	
	5 to 6 days	29%	30%	
	Everyday	22%	23%	
Male	Never	7%	8%	
	1 to 4 days	31%	29%	
	5 to 6 days	25%	25%	
	Everyday	37%	38%	
-	Never	7%	8%	
	1 to 4 days	36%	34%	
	5 to 6 days	27%	27%	
	Everyday	30%	31%	
	7th 8th Female	1 to 4 days 5 to 6 days Everyday 7th Never 1 to 4 days 5 to 6 days Everyday 8th Never 1 to 4 days 5 to 6 days Everyday Female Never 1 to 4 days 5 to 6 days Everyday Male Never 1 to 4 days 5 to 6 days Everyday Male Never 1 to 4 days 5 to 6 days Everyday Never 1 to 4 days 5 to 6 days Everyday	6th Never . 1 to 4 days . 5 to 6 days . Everyday . 7th Never 5% 1 to 4 days 34% 5 to 6 days 28% Everyday 33% 8th Never 9% 1 to 4 days 39% 5 to 6 days 25% Everyday 27% Female Never 1 to 4 days 42% 5 to 6 days 29% Everyday 22% Male Never 7% 1 to 4 days 31% 5 to 6 days 25% Everyday 37% Never 7% 1 to 4 days 36%	6th Never . 8% 1 to 4 days . 32% 5 to 6 days . 27% Everyday . 33% 7th Never 5% 7% 1 to 4 days 34% 34% 5 to 6 days 28% 28% Everyday 33% 31% 8th Never 9% 8% 1 to 4 days 39% 36% 5 to 6 days 25% 27% Everyday 27% 29% Female Never 8% 8% 1 to 4 days 42% 39% 5 to 6 days 29% 30% Everyday 22% 23% Male Never 7% 8% I to 4 days 31% 29% 5 to 6 days 25% 25% Everyday 37% 38% Never 7% 8% Never 7% 8% 1 to 4 days<

5.04 Number of times students participated in physical activity breaks outside of physical education courses in an average school week

			Windham SE	Vermont	Notes
Grade	6th	0 days		18%	Too few students
		1 to 2 days		15%	Too few students
		3 to 4 days		19%	Too few students
		Everyday		48%	Too few students
	7th	0 days	30%	30%	
		1 to 2 days	23%	17%	SU/SD statistically higher
		3 to 4 days	24%	17%	SU/SD statistically higher
		Everyday	24%	36%	SU/SD statistically lower
	8th	0 days	50%	33%	SU/SD statistically higher
		1 to 2 days	14%	16%	
		3 to 4 days	14%	16%	
		Everyday	23%	35%	SU/SD statistically lower
Sex	Female	0 days	38%	28%	SU/SD statistically higher
		1 to 2 days	17%	18%	
		3 to 4 days	19%	17%	
		Everyday	26%	38%	SU/SD statistically lower
	Male	0 days	32%	28%	SU/SD statistically higher
		1 to 2 days	19%	15%	SU/SD statistically higher
		3 to 4 days	21%	17%	SU/SD statistically higher
		Everyday	27%	40%	SU/SD statistically lower
Total	-	0 days	35%	28%	SU/SD statistically higher
		1 to 2 days	18%	16%	
		3 to 4 days	20%	17%	SU/SD statistically higher
		Everyday	27%	39%	SU/SD statistically lower

5.05 Number of hours spent watching TV on an average school day

			Windham SE	Vermont	Notes
Grade	6th	1 hour or less per day		60%	Too few students
		2 to 4 hours per day		34%	Too few students
		5 or more hours per day	·	6%	Too few students
	7th	1 hour or less per day	51%	57%	SU/SD statistically lower
		2 to 4 hours per day	41%	37%	SU/SD statistically higher
		5 or more hours per day	8%	6%	
	8th	1 hour or less per day	59%	57%	
		2 to 4 hours per day	32%	37%	SU/SD statistically lower
		5 or more hours per day	9%	7%	SU/SD statistically higher
Sex	Female	1 hour or less per day	55%	57%	
		2 to 4 hours per day	37%	37%	
		5 or more hours per day	8%	6%	SU/SD statistically higher
	Male	1 hour or less per day	54%	58%	SU/SD statistically lower
		2 to 4 hours per day	38%	35%	
		5 or more hours per day	8%	7%	
Total		1 hour or less per day	54%	58%	SU/SD statistically lower
		2 to 4 hours per day	37%	36%	
		5 or more hours per day	8%	6%	SU/SD statistically higher

5.06 Number of hours spent playing video games or going online for something not related to school, on an average school day

			Windham SE	Vermont	Notes
Grade	6th	1 hour or less per day	•	55%	Too few students
		2 to 4 hours per day		33%	Too few students
		5 or more hours per day		12%	Too few students
	7th	1 hour or less per day	43%	46%	
		2 to 4 hours per day	41%	40%	
		5 or more hours per day	16%	14%	
	8th	1 hour or less per day	35%	40%	SU/SD statistically lower
		2 to 4 hours per day	46%	41%	SU/SD statistically higher
		5 or more hours per day	20%	19%	
Sex	Female	1 hour or less per day	46%	48%	
		2 to 4 hours per day	38%	37%	
		5 or more hours per day	16%	15%	
	Male	1 hour or less per day	36%	44%	SU/SD statistically lower
		2 to 4 hours per day	46%	41%	SU/SD statistically higher
		5 or more hours per day	18%	15%	
Total		1 hour or less per day	41%	46%	SU/SD statistically lower
		2 to 4 hours per day	42%	39%	SU/SD statistically higher
		5 or more hours per day	17%	15%	

5.07 Number of days in the average week students went online for something not school-related

			Windham SE	Vermont	Notes
Grade	6th	Never	•	22%	Too few students
		1 to 5 days	•	45%	Too few students
		At least six days		33%	Too few students
	7th	Never	15%	16%	
		1 to 5 days	35%	41%	SU/SD statistically lower
		At least six days	50%	42%	SU/SD statistically higher
	8th	Never	6%	11%	SU/SD statistically lower
		1 to 5 days	31%	34%	
		At least six days	62%	55%	SU/SD statistically higher
Sex	Female	Never	11%	13%	-
		1 to 5 days	36%	41%	SU/SD statistically lower
		At least six days	53%	46%	SU/SD statistically higher
	Male	Never	10%	18%	SU/SD statistically lower
		1 to 5 days	32%	38%	SU/SD statistically lower
		At least six days	57%	44%	SU/SD statistically higher
Total		Never	11%	15%	SU/SD statistically lower
		1 to 5 days	34%	39%	SU/SD statistically lower
		At least six days	55%	45%	SU/SD statistically higher

6.01 Percent of students who talk to their parents about school at least weekly

		Windham SE	Vermont	Notes
Grade	6th		81%	Too few students
	7th	83%	80%	SU/SD statistically higher
	8th	75%	78%	
Sex	Female	82%	80%	
	Male	79%	79%	
Total		80%	79%	

6.02 Percent of students who agree or strongly agree that 'in your community you feel like you matter to people'

		Windham SE	Vermont	Notes
Grade	6th		60%	Too few students
	7th	59%	56%	
	8th	43%	51%	SU/SD statistically lower
Sex	Female	48%	50%	
	Male	57%	59%	
Total		52%	55%	

6.03 Percent of students who agree or strongly agree that their teachers really care about them and give them a lot of encouragement

		Windham SE	Vermont	Notes
Grade	6th		69%	Too few students
	7th	63%	62%	
	8th	44%	59%	SU/SD statistically lower
Sex	Female	57%	62%	SU/SD statistically lower
	Male	56%	64%	SU/SD statistically lower
Total		56%	63%	SU/SD statistically lower

6.04 Percent of students who agree or strongly agree that students help decide what goes on in school

		Windham SE	Vermont	Notes
Grade	6th		45%	Too few students
	7th	38%	44%	SU/SD statistically lower
	8th	28%	39%	SU/SD statistically lower
Sex	Female	35%	42%	SU/SD statistically lower
	Male	35%	43%	SU/SD statistically lower
Total		35%	43%	SU/SD statistically lower